



D

Wire & Cable

SECTION

D

Wire & Cable

Wire & Cable

Pulling

Simpull® Coilpak Payoff	D4
Poly Pull Tape	D4
Maxis Equipment	D4

Wire & Cable

Underground	D5–D6
Drop	D5
Service Entrance	D5–D6
THHN, TFFN, XHHW	D5
Non-Metallic Sheathed (Romex®)	D6
Portable Cord	D7
Grips	D7
Thermostat	D7
SPT	D7
Armored Cable	D8
Hospital	D8

See how Elliott Electric Supply can reduce your wire pulling installation time up to 90%!* Saving Approximately 24 man hours at \$75/hour means a \$1800 savings over a traditional wire pull installation!

Elliott Service: Southwire's® SIMpull® Solution (requires 3 men)

STEP 1 (60 man-minutes): One reel of SIMpull THHN® cable with 5 parallel color conductors arrive at job site, unload, transport to pull site, level reels on jacks

STEP 2 (30 man-minutes): Pull rope & rag through conduit

STEP 3 (3 man-minutes): Attach SIMpull Head™ pulling "grips" to pull rope

STEP 4 (6 man-minutes): Set up lightweight Maxis® tugger

STEP 5 (60 man-minutes): Start pull, pulling speed average 12 feet per minute

Total: 159 man-minutes

**1650 man-minutes - 159 man-minutes =
1491 saved man-minutes**

1491 man-minutes / 60 = 24.85 saved man-hours

Vs.

Traditional Wire Pulling Installation (requires 6 men)

STEP 1 (420 man-minutes): 4 x 250 black conductors with ground arrive at job site, unload, transport to pull site, level reels on jacks

STEP 2 (60 man-minutes): Transport lube bucket and rags to pull site

STEP 3 (120 man-minutes): Phase tape and check circuits

STEP 4 (60 man-minutes): Pull rope and rag through conduit

STEP 5 (300 man-minutes): Make up conductor head and attach to pull rope

STEP 6 (180 man-minutes): Set up tugger

STEP 7 (180 man-minutes): Set up to apply lube to head, at start of pull, and at pull boxes

STEP 8 (240 man-minutes): Start pull, apply lube at 2 location, pulling speed 6 feet per minute

STEP 9 (90 man-minutes): Clean lube off conductors and enclosure

Total: 1650 man-minutes

Below are some of our wire services. Ask for pricing and details.

Wire Cutting

Hauling around more wire than you need can waste space and increase fuel consumption. For a small fee, Elliott Electric Supply can cut your wire to your specified foot length, so you can have what's required for your job while reclaiming precious space and reducing costs.

Wire Paralleling

Elliott Electric Supply can help get your job done quicker with paralleled reels. If your job requires multiple conductors going through the same space, why not have them put on a reel together? This small step can save time, labor, cost, headaches and sometimes, sanity.

Pulling Heads Installation

Installing pulling heads takes significant time away from other labor needs and can be frustrating when not done correctly. Let a professional help from Elliott Electric Supply. Our employees have been trained on proper installation techniques, so you can rely on our pulling heads performing as required.

SimPull Reel Rentals

Are you struggling with unwinding wire from a stationary reel? Elliott Electric Supply offers SimPull Reel Rentals so you can unroll your wire with ease.

Trailer/Truck & A-frame Rentals

If you don't have the means (or don't want) to lug reels to your jobsite, you can rent a loaded trailer or truck for a few hours from Elliott Electric Supply. You can pull wire right from the trailer, expediting your pulls. Just let us know when you're done, and we'll clear it out. We can also rent A-frames, where we'll load it on the frame for you, so you can just drop the whole thing on the job site, and you're ready to go!



**We have
COLORED wire!**

© Southwire, SIMpull THHN, SIMpull Head and Maxis are registered names of Southwire Company.

*Time savings comparison data from Southwire.com.

SIMPULL® COILPAK™ PAYOFF

SIMPull® CoilPAK™
Wire PayoffSIMPull® CoilPAK™
Mini Wire PayoffVendor Code: **COP**

Catalog Number	Description	Feet	Price per 1,000 ft.
COILPAK			
THHN14STBKCP2500	14 Stranded	2,500	161.20
THHN12SLBKCP2000	12 Solid	2,000	210.35
THHN12STBKCP2000	12 Stranded	2,000	225.31
THHN10SLBKCP1250	10 Solid	1,250	329.08
THHN10STBKCP1250	10 Stranded	1,250	344.61
COILPAK MINI			
THHN12SLBKMINICP	12 Solid	1,000	210.35
THHN12STBKMINICP	12 Stranded	1,000	225.31

Catalog Numbers Listed Above are Black (BK).

Replace BK with BL for Blue, BR for Brown, GN for Green, GY for Grey, OR for Orange, PR for Purple, RD for Red, WH for White, or YL for Yellow.

POLY PULL TAPE

Vendor Code: **DOT**

Catalog Number	Width x Length	Tensile Strength (lbs.)	Price Each
DWP500	1/2" x 500'	1250	213.56
DWP502	3/4" x 500'	2500	168.67
DWP1500	1/2" x 1500'	1250	502.43
DWP1502	3/4" x 1500'	2500	697.78
DWP3000	1/2" x 3000'	1250	159.42
DWP3002	3/4" x 3000'	2500	278.99

SIMPULL™ FLANGE




The SIMPULL™ Flange's patented shaft less design, safely allows one person to turn a wooden or plastic reel up to 34 in. and 2,000 lbs into a time saving, field-installable solution that removes the need to handle heavy jack stands. Each flange rotates independently, and allows free movement of loaded wooden or plastic reels. The SIMPULL™ Flange is reusable in the field and can be installed on multiple reels throughout the jobsite.


Vendor Code: **COP**

Catalog Number	Description	Price Each
SIMPULLFLANGE	SIMPULL Reel Flange Kit with Magnetic Chocks	5000.00

MAXIS® CABLE PULLERS



M3KM



M6KM

M3KM and M6KM

- One person, 2 minute set up and operate
- Quickly adapts from underground to overhead pulls
- No need to bolt to the ground on most pulls
- 2 Pulling speeds:

M3KM - 25 fpm on low (at no load) and 100 fpm on high (at no load)**M6KM** - 12 fpm on low (at no load) and 44 fpm on high (at no load)Vendor Code: **MXT**

Catalog Number	Description	Price Each
M3KM	3,000 Pound Cable Puller	6820.44
M6KM	6,000 Pound Cable Puller	10965.45

MAXIS® TRIGGERS®




- Communicates up to 1,500' between walls and up to 1.5 miles line of sight
- Stop the cable pull from either end immediately. Eliminate safety issues associated with feeding wire

Vendor Code: **MXT**

Catalog Number	Description	Price Each
TSS01	Dual Remote Foot Switch	5442.74

MAXIS® JAX™ REEL STAND



A unique reel stand that will quickly set up and lift reels of wire safely and efficiently without the hassle of conventional reel stands.


- Breaks down into a compact storage tool.
- Lifts wire reels off the ground
- Max lever allows one person to lift wire reels off the ground with minimal effort

Vendor Code: **MXT**

Catalog Number	Description	Price Each
MJ707	3,000 lbs. Reel Stands (Pair)	1322.73



ALUMINUM URD UNDERGROUND CABLE


Vendor Code: **ALU**


Catalog Number	Conductor Size	Trade Name	Price per 1,000 ft.
3 CONDUCTOR			
URD4	4-4-4	Vassar	1198.45
URD2	2-2-4	Stephens	1703.54
URD10	1/0-1/0-2	Brenau	1843.68
URD20	2/0-2/0-1/0	Converse	2219.66
URD30	3/0-3/0-1/0	Hollins	2595.77
URD40	4/0-4/0-2/0	Sweetbriar	3057.12
4 CONDUCTOR			
URD2224	2-2-2-4	Dyke	2232.47
URD10101021000	1/0-1/0-1/0-2	Notre Dame	2544.04
URD20202011500	2/0-2/0-2/0-1	Syracuse	3015.60
URD404040201500	4/0-4/0-4/0-2/0	Wake Forest	4217.04
MOBILE HOME FEEDER CABLE			
URD40402041000	4/0-4/0-2/0-4	-	5017.33

ALUMINUM SERVICE DROP CABLE


Vendor Code: **ALU**

Catalog Number	Conductor Size	Trade Name	Price per 1,000 ft.
6TRIPLEX	#6	Voluta	1013.20
4TRIPLEX	#4	Periwinkle	1265.31
2TRIPLEX	#2	Conch	1669.61

ALUMINUM SERVICE ENTRANCE CABLE



Vendor Code: **ALU**

Catalog Number	Conductor Size	Price per 1,000 ft.
3 CONDUCTOR		
SEU63	6-6-6	1137.69
SEU43	4-4-4	1521.20
SEU2241000	2-2-4	1787.37
SEU23	2-2-2	2079.11
SEU4461000	4-4-6	1392.68
4 CONDUCTOR		
SER6666	6-6-6-6	1400.62
SER4446	4-4-4-6	1480.82
SER2224	2-2-2-4	2177.60
SER11131000	1-1-1-3	2835.42
SER201000	2/0-2/0-2/0-1	3746.69
SER40	4/0-4/0-4/0-2/0	5289.13



Try QuickSelect Now!
Cables

TYPES THHN AND TFFN (COPPER)


Vendor Code: **COP**

Catalog Number	Lbs. per 1,000 ft.	Allowable Amps	Conduit Size*	Price per 1,000 ft.
SOLID WIRE				
THHN14S0LBK500	17	25	1/2"	123.52
THHN12S0LBK500	24	30	1/2"	179.25
THHN10S0LBK500	37	40	1/2"	280.43
STRANDED WIRE				
TFFN18STBK500	9	14	1/2"	74.65
TFFN16STBK500	12	18	1/2"	104.45
THHN14STBK500	17	25	1/2"	137.42
THHN12STBK500	24	30	1/2"	192.03
THHN10STBK500	39	40	1/2"	293.70
THHN8BK500	63	55	3/4"	545.16
THHN6BK500	98	75	3/4"	838.70
THHN4BK500	157	95	1"	1356.88
THHN3BK500	187	110	1-1/4"	1711.29
THHN2BK500	232	130	1-1/4"	2142.14
THHN1BK500	298	150	1-1/4"	2455.15
THHN10BK500	368	170	1-1/2"	3005.73
THHN20BK500	458	195	2"	3702.70
THHN30BK500	570	225	2"	4672.76
THHN40BK500	711	260	2"	5833.00
THHN250BK500	848	290	2-1/2"	6759.01
THHN350BK500	1,169	350	3"	9490.92
THHN500BK500	1,648	430	3"	12732.78
THHN600BK500	1,987	475	3"	15866.25

Available in Colors.
Minimum Conduit Size for Four Conductors.
SIMPull/ Requires No Lube.
See Page L9 for Conduit Fill Table.

TYPE XHHW (ALUMINUM-COMPACT STRAND)

Vendor Code: **ALU**

Catalog Number	Lbs. per 1,000 ft.	Allowable Amps	Conduit Size*	Price per 1,000 ft.
XHHW6	42	60	3/4"	275.28
XHHW4	58	75	1"	340.12
XHHW2	86	100	1-1/4"	460.76
XHHW1	110	115	1-1/4"	652.92
XHHW20	163	150	1-1/2"	866.58
XHHW30	200	175	2"	1097.87
XHHW40	247	205	2"	1195.91
XHHW250	269	230	2"	1459.90
XHHW300	349	255	2-1/2"	2058.34
XHHW350	401	255	2-1/2"	2050.54
XHHW400	452	280	2-1/2"	2446.10
XHHW500	556	350	3"	6083.78
XHHW600	679	385	3-1/2"	3401.45
XHHW750	833	435	4"	8992.20

Available in Colors
*Minimum Conduit Size for Four Conductors
See Page L10 for Conduit Fill Table.
XHHW is Now Available in Copper Conductors
THHN is Now Available in Aluminum Conductors

FOR WIRE SPECIFICATIONS AND VOLTAGE DROP INFORMATION,
SEE PAGE L8

NOTICE: Prices shown on Pages D4 and D5 are based on Comex at \$2.77 per pound, prices will change weekly.

Visit ElliottElectric.com for current pricing.

NON-METALLIC SHEATHED CABLE (ROMEX®)

Vendor Code: **COP**

Catalog Number	Size	Lbs. per 1,000 ft.	Ctn. Qty.	Price per 1,000 ft.
2 CONDUCTOR WITH GROUND				
RX142WG250	14	58	250*	320.15
RX122WG250	12	85	250*	468.18
RX102WG250	10	126	250*	860.98
RX82WG	8	189	500	1487.66
RX62WG	6	258	500	2101.07
3 CONDUCTOR WITH GROUND				
RX143WG250	14	76	250*	443.63
RX123WG250	12	109	250*	677.00
RX103WG250	10	167	250*	1072.10
RX83WG	8	270	500	2094.37
RX63WG	6	360	500	3060.72
RX43WG	4	563	500	7959.59

*Available in 250' Cartons & 1,000' Reels;
Additional \$2 Charge for 1,000' Reels.

Vendor Code: **COP**

Catalog Number	Size	Price per 1,000 ft.
NM SHEATHED CABLE WITH TWISTED PAIR CONTROL CABLE		
RXPCS142WG200	14/2 WG + 16/2 Control	614.67
RXPCS122WG200	12/2 WG + 16/2 Control	923.47

*Available in 1000' Reels for an Additional Charge

UNDERGROUND FEEDER (UF) (RATED FOR DIRECT BURIAL)

Vendor Code: **COP**

Catalog Number	Size	Lbs. per 1,000 ft.	Ctn. Qty.	Price per 1,000 ft.
2 CONDUCTOR WITH GROUND				
UF142WG250	14	70	250	360.60
UF122WG250	12	108	250	552.74
UF123WG250	12	130	250	775.96
UF102WG250	10	141	250	902.34
UF82WG	8	223	500	1598.37
UF62WG	6	304	500	2246.78

1,000' Reels Also Available.



Try QuickSelect Now!
Non-Metallic
Sheath Cable

®Romex is a registered trademark of Southwire® company.

SERVICE ENTRANCE CABLE COPPER CONDUCTOR

Vendor Code: **COP**


Catalog Number	Size	Lbs. per 1,000 ft.	Price per 1,000 ft.
TYPE SEU CABLE - 3 CONDUCTOR			
SEU63	6	328	2627.70
SEU43	4	491	3768.46
SEU203	2/0	1,371	13270.22
TYPE SER CABLE - 4 CONDUCTOR			
SER446CU1000	4	587	5363.92
SER34500	3	722	7209.74
SER241000	2	891	8401.91
SER13WG500	1	1,117	10565.30
SER20WG500	2/0	1,713	16765.73
SER30WG500	3/0	2,129	21023.32

NON-METALLIC SHEATH CABLE CONNECTORS WITH LOCKNUT

Vendor Code: **BRI**

Catalog Number	Size	Carton Quantity	Price per 100 pcs.
650DC2	1/2"	100	89.89
670DC2	3/4"	25	191.43
672DC2	1"	10	365.19
674DC2	1-1/4"	10	468.77
675DC2	1-1/2"	25	742.24
676DC2	2"	25	879.00

SAFETY NAIL PLATE

Vendor Code: **BRI**

Catalog Number	Size	Carton Quantity	Price per 100 pcs.
732SP	1-1/2" x 2-3/4"	100	28.10

NOTICE: Prices shown are based on Comex
at \$3.55 per pound, prices will change weekly.
Visit ElliottElectric.com for current pricing.

STAPLES (NON-METALLIC SHEATH CABLE CONNECTORS & SEU)

Vendor Code: **TAB**


Catalog Number	Max. Wire Size	Ctn. Qty.	Price per 100 pcs.
17120TB	14/2 WG or 12/2 WG	100	13.18
17130TB	14/2 WG or 12/2 WG	500	14.14
17122TB	12/3 or 10/3	100	17.41
17132	12/3 or 10/3	500	13.71
17123	6/3 SEU	100	33.45

PLASTIC NON-METALLIC SHEATH CABLE CONNECTORS

Vendor Code: **ARL**

Catalog Number	Description	Ctn. Qty.	Price per 100 pcs.
FOR SINGLE AND MULTIPLE CABLES			
NM94	1/2" Snap-in Connection	25	27.32
NM95	3/4" Snap-in Connection	50	53.72

PLASTIC KNOCK OUT BUSHINGS

Vendor Code: **BRI**

Catalog Number	Size	Carton Quantity	Price per 100 pcs.
9791	1/2"	100	36.21
9792	3/4"	100	44.72
9793	1"	50	70.36
9794	1-1/4"	50	90.68
9795	1-1/2"	25	104.44
9796	2"	20	148.25

Vendor Code: **DOT**

Catalog Number	Size	Carton Quantity	Price per 100 pcs.
1216D	2-1/2"	25	182.59

® BRIDGEPORT

PORTABLE CORD 600 VOLT TYPE SEOWW SEOPRENE™ JACKET



Flexible and tough jacket. Offers -50°C to 105°C temperature extremes. Excellent abrasion, ozone, sunlight, chemical and oil resistance, with water and mold resistant non-wicking lightweight polypropylene fillers. Water resistant with high dielectric insulation. Lightweight, long lasting, easy to carry and easy to handle. All components are recyclable and non-hazardous for environmental landfill disposal. Color coded conductors for easy identification.

Special uses requiring flexibility and mechanical toughness, high environmental resistance and flame retardant. Push button remote control, stage equipment and lighting. Industrial control and robotic systems. Outdoor applications. Suitable and approve for submersion in water.

Vendor Code: **COR**

Catalog Number	Size	Insulation	Nom. O.D.	Price per 1,000 ft.
SE00W183BK250	18/3	0.031	0.365	910.12
SE00W163BK250	16/3	0.032	0.390	1024.02
SE00W164BK250	16/4	0.032	0.420	1380.85
SE00W143BK250	14/3	0.045	0.525	1475.78
SE00W144BK250	14/4	0.045	0.575	1924.80
SE00W123BK250	12/3	0.045	0.595	2186.56
SE00W124BK250	12/4	0.045	0.645	2630.61
SE00W103BK250	10/3	0.045	0.665	2866.81
SE00W104BK250	10/4	0.045	0.705	3373.64
SE00W83BK250	8/3	0.045	0.701	4234.67
SE00W84BK250	8/4	0.045	0.783	5261.23
SE00W63BK250	6/3	0.060	0.818	5774.56
SE00W64BK250	6/4	0.060	0.892	6801.08
SE00W44BK250	4/4	0.060	1.104	11549.04

300 VOLT TYPE SJEW SEOPRENE™ JACKET

Vendor Code: **COR**


Catalog Number	Size	Insulation	Nom. O.D.	Price per 1,000 ft.
SJEW163BK250	16/3	0.032	0.330	961.77
SJEW164BK250	16/4	0.032	0.335	950.47
SJEW143BK250	14/3	0.032	0.370	1225.54
SJEW123BK250	12/3	0.032	0.430	1705.63

NOTICE: Prices shown are based on Comex at \$3.55 per pound, prices will change weekly.
Visit ElliottElectric.com for current pricing.



Southwire®

CORD CONNECTORS



NON-METALLIC

METALLIC

Vendor Code: **TAB** (ABB Installation Products)

Catalog Number	Cord Range	NPT Size	Ctn. Qty.	Price per 100 pcs.
STRAIGHT BODY, NON-METALLIC				
2920NM	.125 - .375	1/2"	25	1480.96
2921NM	.310 - .560	1/2"	25	1480.96
2922NM	.500 - .750	1/2"	25	1480.96
2932NM	.500 - .750	3/4"	10	1627.28
STRAIGHT BODY, METALLIC				
2920	.125 - .375	1/2"	25	1471.19
2921	.310 - .560	1/2"	25	1599.23
2922	.500 - .750	1/2"	10	1599.23
2930	.125 - .375	3/4"	10	1848.71
2931	.310 - .560	3/4"	10	1848.71
2932	.500 - .750	3/4"	10	1848.71
2942	.700 - .950	1"	10	2320.72

Vendor Code: **CRS** (Eaton Crouse-Hinds Series)

Catalog Number	Cord Range	NPT Size	Ctn. Qty.	Price per 100 pcs.
STRAIGHT BODY, METALLIC				
CG50250	.15 - .25	1/2"	25	1317.57
CG50350	.25 - .35	1/2"	25	1317.57
CG50450	.35 - .45	1/2"	25	1220.11
CG50560	.45 - .56	1/2"	25	1317.57
CG50650	.56 - .65	1/2"	25	1317.57
CG75250	.15 - .25	3/4"	10	1463.42
CG75350	.25 - .35	3/4"	10	1463.42
CG75450	.35 - .45	3/4"	10	1463.42
CG75560	.45 - .56	3/4"	10	1463.42
CG75650	.55 - .65	3/4"	10	1463.42
CG75750	.65 - .75	3/4"	10	1463.42
CG100650	.56 - .65	1"	5	1532.83
CG100750	.65 - .75	1"	5	1532.83
CG100850	.75 - .85	1"	5	1532.83
CG100950	.85 - .95	1"	5	1532.83

STRAIN RELIEF GRIPS BOX CONNECTOR



Vendor Code: **PAS**

Catalog Number	Size	Cable Range	Price per 100 pcs.
BOX30	1/2"	.30 - .40	2912.15
BOX40	1/2"	.40 - .54	3080.58
BOX52	3/4"	.52 - .73	3447.83
BOX70	1"	.70 - .97	3898.08
DELUXE GRIPS			
CG410	1/2"	.56 - .61	6869.64
CG612	3/4"	.67 - .74	8355.86

BUS DROP GRIPS



Vendor Code: **PAS**

Catalog Number	Cable Range	Price per 100 pcs.
FC40	.40 - .56	1780.95
FC52	.52 - .73	2493.45
FC70	.70 - .97	3755.41

THERMOSTAT WIRE (PLASTIC JACKETED)




Vendor Code: **COR**

Catalog Number	Size	Feet per Spool	Price per 1,000 ft.
552020507	20/2	500	142.69
552030507	20/3	500	182.73
552040407	20/4	250	245.58
552050407	20/5	250	262.02
552060407	20/6	250	351.55
552080407	20/8	250	385.11

18 Gauge Also Available

TYPE SPT 300 VOLT LAMP CORD



Vendor Code: **COR**

Catalog Number	Size	Feet per Spool	Price per 1,000 ft.
600006607	18/2	250	341.10
601266607	16/2	250	552.03

ARMORED CABLE

250 FT. COILS



MC COIL

Vendor Code: **ALF**

Catalog Number	Size	Lbs. per 1,000 ft.	Price per 1,000 ft.
ALUMINUM JACKET – SOLID CONDUCTORS			
MC142BKWH	14/2 WG	85	707.86
MC143BKRDWH	14/3 WG	105	1180.75
MC122BKWH	12/2 WG*	110	710.05
MC123BKRDWH	12/3 WG*	140	1253.68
MC124BKRDWLWH	12/4 WG*	170	1767.77
MC102BKWH	10/2 WG*	250	1621.26
MC103BKRDWH	10/3 WG*	250	2272.17
MC104BKRDWLWH	10/4 WG*	250	3566.91
ALUMINUM JACKET – STRANDED CONDUCTORS			
MC122STBKWH	12/2 WG	110	946.25
MC82WG	8/2 WG	270	2062.08
MC83WG	8/3 WG	335	2901.85
MC62WG	6/2 WG	370	3447.46
MC63WG	6/3 WG	480	4382.31
MC43WG	4/3 WG	690	6555.33
MC33WG	3/3 WG	815	7464.92
STEEL JACKET – SOLID CONDUCTORS			
SMCBL122BKWH	12/2 WG	117	709.99
SMCBL123BKRDWH	12/3 WG	140	1253.67
SMCBL124BKRDWLWH	12/4 WG	170	1767.76
SMCBL102BKWH	10/2 WG	220	1621.24
SMCBL103BKRDWH	10/3 WG	270	2272.09

ARMORED POWER AND
CONTROL SIGNAL CABLEVendor Code: **ALF**

Catalog Number	Size	Price per 1,000 ft.
STEEL JACKET – SOLID POWER CONDUCTORS - TWISTED PAIR CONTROL CONDUCTORS		
MCPCS122BKWH250	12/2 WG+ 16/2	1575.07
MCPCS123BKRDWH250	12/3 WG+ 16/2	1888.15

*Available in Various Power Conductor Colors and with Stranded Power conductors, Control Conductors are TFN 16/2 Solid Purple/Gray conductors. Also Available in 1,000' Reels

HOSPITAL FACILITIES CABLE

Vendor Code: **ALF**

Catalog Number	Size	Lbs. per 1,000 ft.	Price per 1,000 ft.
ALUMINUM JACKET – SOLID CONDUCTORS			
HCF122BKWH	12/2 WG	133	1214.65
HCF123BKWHRD	12/3 WG	155	1791.02
HCF124WG250	12/4 WG	185	2813.85

1,000' Reels Also Available

HCF, or Hospital Grade Cable, is constructed in the same manner as standard AC cable, but with the addition of a green grounding conductor. This additional ground allows HCF to be used in patient care areas of healthcare facilities including hospitals, nursing homes dental offices, outpatient facilities and medical centers per NEC 517.13.




ARMORED CABLE

SNAP-IN CONNECTORS



AMC50QI



3838ASP



38AST or 40AST


Vendor Code: **BRI** (Bridgeport Fittings)

Catalog Number	Trade Size	Type	Carton Quantity	Price per 100 pcs.
14/2 - 10/3 AC/MC CABLE				
AMC50QI	3/8"	EZ Lock Connector - Steel	50	167.39
AMC52QI	3/8"	Duplex EZ Lock Connector	25	380.72
3838ASP	3/8"	Duplex Push-In Insulated	20	361.56


Vendor Code: **ARL** (Arlington Industries)

Catalog Number	Trade Size	Type	Carton Quantity	Price per 100 pcs.
.405 - .612 CABLE RANGE				
38AST	3/8"	Snap-in Insulated Die Cast	50	176.62
40AST	3/8"	Snap-in Insulated w/ Red Tint Diecast*	50	176.62


*Red Tinting Means "Open Tang" Design, Which Allows More Room for Insertion of Wires.

ARMORED CABLE
SCREW-TYPE CONNECTORS

501DC2



560DC2



601DC2



1000 or 1001

Vendor Code: **BRI**

Catalog Number	Size	Carton Quantity	Price per 100 pcs.
SET SCREW			
501DC2	3/8"	100	70.32
SET SCREW - SADDLE STRAP TYPE			
560DC2	3/8"	50	175.70
561DC2	3/4"	50	566.41
DUPLEX			
601DC2	1/2"	20	253.92
ANTI-SHORT BUSHINGS			
1000	0	50	27.53
1001	1	50	30.64

MC STRAPS

Vendor Code: **BRI**

Catalog Number	Size	Carton Quantity	Price per 1,000 ft.
890MC	14/2, 12/2	100	30.09
891MC	14/3, 12/3	100	45.26