

ELLIOTT ELECTRIC SUPPLY 537 N 40th St 72762-0000, AR Springdale Phone: 479-361-2266 Fax: 479-361-9188



073031208 D/T Strain Relf, .43-.54", 1/2" Ins Hubbell Wiring Devices

Catalog Number	073031208
Manufacturer	Hubbell Wiring Devices
Description	Kellems Wire Management, Dusttight Grips, Strain Relief, .4354", 1/2", Insulated
Weight per unit	0.1920 (lbs/each)
Product Category	Cable & Cord Grips

Features

Cable Size	.43"54" (1.09-1.37)
Material	Aluminum Fittings, Galvanized Steel Mesh
pallet quantity	5120

Material, Color, and Finish

Color	Metallic
-------	----------

Dimensions and Weight

Cizo	Standard Sized
SIZE	Standard Sized
- T-1	

Descriptions

Construction	Woven
Description	D/T STRAIN RELF, .4354", 1/2" INS
extra long description	HWDK 073031208 D/T STRAIN RELF, .43
Features	The development of Kellems strain relief grips spearheaded the concept of wire management solutions in 1927 and is still the most frequently chosen brand for use in a wide range of industries. A deluxe cord grip is a type of strain relief grip. Deluxe cord grips provide additional arc of bend control—rest outside the enclosure to reduce tension on cables, joints and terminals, as well as eliminating damage due to flexing, bending, twisting or vibration. This juncture—often called the rigid fatigue point—is
Long Description	Kellems Wire Management, Dusttight Grips, Strain Relief, .4354", 1/2", Insulated
Product Type	D/T Strain Relf, .4354", 1/2" Ins
Special Features	Insulated

Manufacturer Information

WIRING DEVICE-KELLEMS
00783585330082
073031208
Dust-Tight
783585330082



standard

ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

537 N 40th St 72762-0000, AR Springdale Phone: 479-361-2266 Fax: 479-361-9188

Taxonomies, Classifications, and Categories		
Category Description	CORD CONNECTORS & CORD GRIPS	
Туре	Insulated, Wide Range	
Trade Size		
Trade Size	0.5	
Packaging		
Carton	1	
Package	20	
Weight Per each	0.192	
Uses, Certifications, and Standards		
Application	Light Duty	
Mounting	Locknut or Tapped Hole	

UL Listed