

# Specifications

## Eaton 170M6760

Fuse-link, high speed, 630 A, AC 690 V, size 3, 76 x 92 x 139 mm, aR, IEC, UL, single indicator



Photo is representative

### General specifications

PRODUCT NAME	Eaton Bussmann series high speed square body fuse
CATALOG NUMBER	170M6760
UPC	051712792752
EAN	5996516020661
PRODUCT LENGTH/DEPTH	168 mm
PRODUCT HEIGHT	76 mm
PRODUCT WIDTH	95 mm
PRODUCT WEIGHT	959 g
WARRANTY	Not Applicable
COMPLIANCES	CE Marked RoHS Compliant
CERTIFICATIONS	IEC Rated UL Recognized



### Product specifications

TYPE	Fuse
------	------

### Resources

<b>APPLICATION</b>	semiconductor protection
<b>AMPERAGE RATING</b>	630 A
<b>BREAKING CAPACITY</b>	200 kA
<b>FUSE INDICATOR</b>	Centre fuse status indicator
<b>INSULATED METAL GRIPPING LUGS (IMGL)</b>	No
<b>UTILIZATION CATEGORY</b>	aR (accompanied semiconductor protection)
<b>VOLTAGE TYPE</b>	AC
<b>FUSE SIZE</b>	3
<b>RATED VOLTAGE AC</b>	690 V
<b>CENTER-TO-CENTER DISTANCE OF CONNECTIONS</b>	114 mm
<b>CURRENT TYPE</b>	AC
<b>MOUNTING DIMENSION</b>	Other
<b>CLASS</b>	Class aR
<b>CLEARING (I<sub>2</sub>T)</b>	210000 at 660 V
<b>WATT LOSSES</b>	105 W
<b>FUSE SHAPE</b>	Square body, center bolted tags
<b>PRE ARC (I<sub>2</sub>T)</b>	31000
<b>COLOR</b>	None
<b>INTERRUPT RATING</b>	200 kAIC
<b>FITTED WITH:</b>	Type K Indicator for micro
<b>CONNECTION</b>	Blade end x blade end
<b>CONSTRUCTION SIZE</b>	3
<b>PACKAGING TYPE</b>	Standard
<b>VOLTAGE RATING</b>	690 V
<b>FUSE TYPE</b>	US Style FKE/115 Type K indicator for micro Bolted tag
<b>FUSE SYSTEM (ACCORDING TO IEC 60269)</b>	Other

## CATALOGS

[eaton-bussmann-series-iec-high-speed-fuses-catalogue-ca135001en-en-gb.pdf](#)

[Bussmann series complete full line catalog no. 1007](#)

[170M6760~Eaton Bussmann series high speed square body fuse](#)

**PROJECT NAME:**

**PROJECT NUMBER:**

---

**PREPARED BY:**

**DATE:**

---



**Eaton Corporation plc**

Eaton House  
30 Pembroke Road  
Dublin 4, Ireland  
Eaton.com

© 2025 Eaton. All Rights  
Reserved.

Eaton is a registered trademark.

All other trademarks are property of  
their respective owners.

Follow us on social media to get the latest  
product and support information.



# Specifications

## Eaton 170M6760

Fuse-link, high speed, 630 A, AC 690 V, size 3, 76 x 92 x 139 mm, aR, IEC, UL, single indicator



Photo is representative

### General specifications

PRODUCT NAME	Eaton Bussmann series high speed square body fuse
CATALOG NUMBER	170M6760
UPC	051712792752
EAN	5996516020661
PRODUCT LENGTH/DEPTH	168 mm
PRODUCT HEIGHT	76 mm
PRODUCT WIDTH	95 mm
PRODUCT WEIGHT	959 g
WARRANTY	Not Applicable
COMPLIANCES	CE Marked RoHS Compliant
CERTIFICATIONS	IEC Rated UL Recognized



### Product specifications

TYPE	Fuse
------	------

### Resources

<b>APPLICATION</b>	semiconductor protection
<b>AMPERAGE RATING</b>	630 A
<b>BREAKING CAPACITY</b>	200 kA
<b>FUSE INDICATOR</b>	Centre fuse status indicator
<b>INSULATED METAL GRIPPING LUGS (IMGL)</b>	No
<b>UTILIZATION CATEGORY</b>	aR (accompanied semiconductor protection)
<b>VOLTAGE TYPE</b>	AC
<b>FUSE SIZE</b>	3
<b>RATED VOLTAGE AC</b>	690 V
<b>CENTER-TO-CENTER DISTANCE OF CONNECTIONS</b>	114 mm
<b>CURRENT TYPE</b>	AC
<b>MOUNTING DIMENSION</b>	Other
<b>CLASS</b>	Class aR
<b>CLEARING (I<sub>2</sub>T)</b>	210000 at 660 V
<b>WATT LOSSES</b>	105 W
<b>FUSE SHAPE</b>	Square body, center bolted tags
<b>PRE ARC (I<sub>2</sub>T)</b>	31000
<b>COLOR</b>	None
<b>INTERRUPT RATING</b>	200 kAIC
<b>FITTED WITH:</b>	Type K Indicator for micro
<b>CONNECTION</b>	Blade end x blade end
<b>CONSTRUCTION SIZE</b>	3
<b>PACKAGING TYPE</b>	Standard
<b>VOLTAGE RATING</b>	690 V
<b>FUSE TYPE</b>	US Style FKE/115 Type K indicator for micro Bolted tag
<b>FUSE SYSTEM (ACCORDING TO IEC 60269)</b>	Other

## CATALOGS

[eaton-bussmann-series-iec-high-speed-fuses-catalogue-ca135001en-en-gb.pdf](#)

[Bussmann series complete full line catalog no. 1007](#)

[170M6760~Eaton Bussmann series high speed square body fuse](#)

**PROJECT NAME:**

**PROJECT NUMBER:**

---

**PREPARED BY:**

**DATE:**

---



**Eaton Corporation plc**

Eaton House  
30 Pembroke Road  
Dublin 4, Ireland  
Eaton.com

© 2025 Eaton. All Rights  
Reserved.

Eaton is a registered trademark.

All other trademarks are property of  
their respective owners.

Follow us on social media to get the latest  
product and support information.

