

# Specifications



Photo is representative



## Eaton

### 1MCB1600RBCA600

Eaton main circuit breaker, 1600A, Copper, NEMA 3R, Underground, RGH, Three-wire, Single-phase, 120/240V, (6) #2 AWG-600 kcmil

#### General specifications

<b>PRODUCT NAME</b>	Eaton main circuit breaker
<b>CATALOG NUMBER</b>	1MCB1600RBCA600
<b>UPC</b>	786685960074
<b>PRODUCT LENGTH/DEPTH</b>	18.13 in
<b>PRODUCT HEIGHT</b>	57.13 in
<b>PRODUCT WIDTH</b>	25.13 in
<b>PRODUCT WEIGHT</b>	314 lb
<b>WARRANTY</b>	Eaton Selling Policy 25-000, one (1) year from the date of installation of the Product or eighteen (18) months from the date of shipment of the Product, whichever occurs first.
<b>CERTIFICATIONS</b>	UL Listed
<b>CATALOG NOTES</b>	If additional neutral lugs are needed, order 1MCB1200NLK [(3) 1/0-750 kcmil or (6) 1/0-300 kcmil].



Powering Business Worldwide

## Product specifications

<b>AMPERAGE RATING</b>	1600 A
<b>BUS MATERIAL</b>	Copper
<b>FEED TYPE</b>	Bottom
<b>PHASE</b>	Single-phase
<b>VOLTAGE RATING</b>	120/240 V
<b>ENCLOSURE</b>	NEMA 3R
<b>MAIN CIRCUIT BREAKER</b>	RGH
<b>NUMBER OF WIRES</b>	3
<b>WIRE SIZE</b>	(6) #2 AWG-600 kcmil

## Resources

SPECIFICATIONS AND DATASHEETS [Eaton Specification Sheet - 1MCB1600RBCA600](#)

PROJECT NAME:

PROJECT NUMBER:

PREPARED BY:

DATE:



**Eaton Corporation plc**  
Eaton House  
30 Pembroke Road  
Dublin 4, Ireland  
Eaton.com

Follow us on social media to get the latest product and support information.



© 2025 Eaton. All Rights Reserved.

# Specifications



Photo is representative



## Eaton

### 1MCB1600RBCA600

Eaton main circuit breaker, 1600A, Copper, NEMA 3R, Underground, RGH, Three-wire, Single-phase, 120/240V, (6) #2 AWG-600 kcmil

#### General specifications

<b>PRODUCT NAME</b>	Eaton main circuit breaker
<b>CATALOG NUMBER</b>	1MCB1600RBCA600
<b>UPC</b>	786685960074
<b>PRODUCT LENGTH/DEPTH</b>	18.13 in
<b>PRODUCT HEIGHT</b>	57.13 in
<b>PRODUCT WIDTH</b>	25.13 in
<b>PRODUCT WEIGHT</b>	314 lb
<b>WARRANTY</b>	Eaton Selling Policy 25-000, one (1) year from the date of installation of the Product or eighteen (18) months from the date of shipment of the Product, whichever occurs first.
<b>CERTIFICATIONS</b>	UL Listed
<b>CATALOG NOTES</b>	If additional neutral lugs are needed, order 1MCB1200NLK [(3) 1/0-750 kcmil or (6) 1/0-300 kcmil].



Powering Business Worldwide

## Product specifications

<b>AMPERAGE RATING</b>	1600 A
<b>BUS MATERIAL</b>	Copper
<b>FEED TYPE</b>	Bottom
<b>PHASE</b>	Single-phase
<b>VOLTAGE RATING</b>	120/240 V
<b>ENCLOSURE</b>	NEMA 3R
<b>MAIN CIRCUIT BREAKER</b>	RGH
<b>NUMBER OF WIRES</b>	3
<b>WIRE SIZE</b>	(6) #2 AWG-600 kcmil

## Resources

SPECIFICATIONS AND DATASHEETS [Eaton Specification Sheet - 1MCB1600RBCA600](#)

PROJECT NAME:

PROJECT NUMBER:

PREPARED BY:

DATE:



**Eaton Corporation plc**  
Eaton House  
30 Pembroke Road  
Dublin 4, Ireland  
Eaton.com

Follow us on social media to get the latest product and support information.

