

Elliott Electric Supply

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685

2BLT233LADPLP840 2X2 Led BSKT Trof 40K 3300LM Lithonia Lighting - Acuity

Catalog Number	2BLT233LADPLP840
Manufacturer	Lithonia Lighting - Acuity
Description	The 2 FT. X 2 FT. BLT Low-Profile Recessed Led Lay-In By Lithonia
	Lighting Is What You'Ve Come to Expect From The Leader In
	Lighting. With Its Endless Options and Configurations, BLT
	Provides The Versatility You Need At A Value That Can'T Be Beat.
	With A Curved, Linear Center Element, The BLT Provides A
	Consistent Look and Performance Throughout The Entire Application and Replaces Fluorescent Fixtures to Optimize Led
	Savings.
Weight per unit	11.2 (lbs/each)
Product Category	Led Recessed Architectural & S
Features	
average life	60,000
dimmable	Yes
Lamp Included	Yes
Lamp Type	LED - Static
lumens	3300 LM
Material	Steel
Maximum Operating Temperature	25
Number of Lamps	
pallet quantity	52
Power Source	Hardwired
Shape	Square
Voltage Rating	120-277
Warranty	
Wattage	26.7
Material, Color, and Finish	
Color	White
color rendering index (cri)	80
color temperature	4000
Finish	Matte
Lens Color	WHITE
Lens Material	Acrylic
Style	Traditional



Elliott Electric Supply

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685

Dimensions and Weight

inclisions and weight	
Height	3.5
Length	
Width	24.5
escriptions	
Construction	New Construction,Remodel
Description	2X2 LED BSKT TROF 40K 3300LM
extra long description	LITH 2BLT2 33L ADP LP840 Basket LED
Features	Design Select
Long Description	The 2 ft. x 2 ft. BLT low-profile recessed LED lay-in by Lithonia Lighting is what you've come to expect from the leader in lighting. With its endless options and configurations, BLT provides the versatility you need at a value that can't be beat. With a curved, linear center element, the BLT provides a consistent look and performance throughout the entire application and replaces fluorescent fixtures to optimize LED savings.
Product Type	Troffer
Special Features	The BLT Best-in-Value Low Profile LED luminaire features a popular center basket design that offers a clean, versatile style and volumetric distribution. High efficacy LED light engines deliver energy savings and low maintenance compared to traditional sources. An extensive selection of configurations and options make the BLT the perfect choice for many lighting applications including schools, offices and other commercial spaces, retail, hospitals and healthcare facilities. The low profile BLT design (2-3/
lanufacturer Information	
Brand	Lithonia Lighting
CTIN	Entronia Eighting
GTIN	00190887529739
G IIN Manufacturers Part Number	
	00190887529739
Manufacturers Part Number	00190887529739 2BLT2 33L ADP LP840 190887529739
Manufacturers Part Number UPC	00190887529739 2BLT2 33L ADP LP840 190887529739 Categories
Manufacturers Part Number UPC axonomies, Classifications, and C	00190887529739 2BLT2 33L ADP LP840 190887529739 Categories LED ARCHITECTURAL & SPECIFICATION LIGHTING
Manufacturers Part Number UPC axonomies, Classifications, and C Category Description	00190887529739 2BLT2 33L ADP LP840 190887529739 Categories LED ARCHITECTURAL & SPECIFICATION LIGHTING
Manufacturers Part Number UPC axonomies, Classifications, and C Category Description Type	00190887529739 2BLT2 33L ADP LP840 190887529739 Categories LED ARCHITECTURAL & SPECIFICATION LIGHTING Troffer
Manufacturers Part Number UPC axonomies, Classifications, and C Category Description Type rade Size aperture size	00190887529739 2BLT2 33L ADP LP840 190887529739 Categories LED ARCHITECTURAL & SPECIFICATION LIGHTING Troffer
Manufacturers Part Number UPC axonomies, Classifications, and C Category Description Type rade Size aperture size ackaging	00190887529739 2BLT2 33L ADP LP840 190887529739 Categories LED ARCHITECTURAL & SPECIFICATION LIGHTING Troffer 2x2
Manufacturers Part Number UPC axonomies, Classifications, and C Category Description Type rade Size aperture size	00190887529739 2BLT2 33L ADP LP840 190887529739 Categories LED ARCHITECTURAL & SPECIFICATION LIGHTING Troffer



Elliott Electric Supply

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685

Uses, Certifications, and Standards

environmental conditions

Application

Mounting standard

Clean
Room,Education,Government,Healthcare,Hospitality,House of
 Worship, Offices & Banks, Patient Room, Retail
 Indoor
Recessed
CSADLC Premium