

ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

706 Solon Rd. 75165-0000, TX Waxahachie Phone: 972-937-6965 Fax: 972-937-6968



301039 In-Sure Push-In Wire Conn, 39 3-Port Blue, 50/Box *Ideal*

ideai	
Catalog Number	301039
Manufacturer	Ideal
Description	Ideal, Wire Connector, In-Sure, Push-In, Size: 0.780 In Length X 086 In Width X 0.450 In Height, Connection: 3 Ports, Wire Size: #10 Awg - #14 Awg Solid, #10 Awg - #12 Awg (19 Strand or Less) Stranded, #10 Awg - #14 Awg (19 Strand or Less) Stranded (Tin Bonded), Color: Blue, Voltage Rating: 600 V Maximum Building Wire, 1000 V Maximum Signs and Lighting Fixtures, Temperature Rating: 105 Deg C Shell Rated, Wire Type: Solid, Stranded, Stranded (Tin Bonded), Model: 39
Weight per unit	
Product Category	
Features	
connection	3 Ports
Voltage Rating	600 V Maximum Building Wire, 1000 V Maximum Signs And Lighting Fixtures
Wire Size	#10 AWG - #14 AWG Solid, #10 AWG - #12 AWG (19 Strand Or Less) Stranded, #10 AWG - #14 AWG (19 Strand Or Less) Stranded (Tin Bonded)
Wire Type	Solid, Stranded, Stranded (Tin Bonded)
Material, Color, and Finish Color	Blue
Dimensions and Weight Size	0.780 IN Length X 086 IN Width X 0.450 IN Height
	J



ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

706 Solon Rd. 75165-0000, TX Waxahachie Phone: 972-937-6965 Fax: 972-937-6968

	•		
11000	rın	1110	nc
Desc			
-			

ORT BLUE, 50/BOX
RT,
mfortable installationLow ectionsCompact size makes verification of ardant shell rated at 105°C unding applicationsStrip, ke a connection.The fect for residential, light fab wiring systems, or any
In, Size: 0.780 IN Length X ection: 3 Ports, Wire Size: #12 AWG (19 Strand Or 19 Strand Or Less) Stranded ng: 600 V Maximum And Lighting Fixtures, Rated, Wire Type: Solid, del: 39
es Repetitive Motion And Easy Connections; Clear Shell Gives Visual To 486C And CSA Certified Inding And Bonding Wire, 1000V; Maximum Indicate To 105 DEG C; Tough, UL Indicate To 105 DEG C (221 DEG F);
_

Ma

Brand	ldeal	
GTIN	00783250693641	
Manufacturers Part Number	30-1039	
UPC	783250693641	

Taxonomies, Classifications, and Categories

Category Description	WIRE NUTS
Туре	Push-In

Availability

	•		
mini	mum atv	50	
11111111	mum qty	50	



ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

706 Solon Rd. 75165-0000, TX Waxahachie Phone: 972-937-6965 Fax: 972-937-6968

	/ A A	100
Pac	K AN	
u	NU	HILL

Carton	50
Package	500
Weight Per each	0.005

Uses, Certifications, and Standards

Application	For Grounding And Bonding Applications	
standard	CSA C22.2 #188, 486C/467 UL Listed, RoHS	
Temperature Rating	105 DEG C Shell Rated	