



## 3350L2L4 350 Al/Cu 3 Conductor Mechanical Lug

Nsi Industries

Catalog Number	3350L2L4
Manufacturer	Nsi Industries
Description	3 Port Panelboard Lug 350 MCM - 6 Awg Panelboard Style For Multi-Conductor With Nema Mounting Hole Spacing For Turn Prevent and Secureness. Made Of 6061T-6 Aluminum Alloy. Electro-Tin Plated For Low Contact Resistance. For Use With Copper or Aluminum Conductors. Rated 600 Volts (2000V Max Per UL486B). UI 486A/B Listed. Temperature Rating 90 Degrees C. All Hole Spacing Is Nema Standard Of 1.750".
Weight per unit	0.6500 (lbs/each)
Product Category	Large Terminals & Connectors

### Features

Warranty	1 YEAR
----------	--------

### Descriptions

Description	350 AL/CU 3 CONDUCTOR MECHANICAL LUG
extra long description	NSI 3-350L2/L4 Nema Panel Lug (3)35
Features	3 Port Panelboard Lug 350 MCM - 6 AWG Panelboard style for multi-conductor with NEMA mounting hole spacing for turn prevent and secureness. Made of 6061T-6 aluminum alloy. Electro-tin plated for low contact resistance. For use with copper or aluminum conductors. Rated 600 volts (2000V max per UL486B). UL 486A/B Listed. Temperature rating 90 degrees C. All hole spacing is NEMA standard of 1.750".

Long Description	3 Port Panelboard Lug 350 MCM - 6 AWG Panelboard style for multi-conductor with NEMA mounting hole spacing for turn prevent and secureness. Made of 6061T-6 aluminum alloy. Electro-tin plated for low contact resistance. For use with copper or aluminum conductors. Rated 600 volts (2000V max per UL486B). UL 486A/B Listed. Temperature rating 90 degrees C. All hole spacing is NEMA standard of 1.750".
------------------	--

Product Type	Nema Panel Lug (3)350-6
Special Features	(3) 350 MCM-6 AWG - Dual Rated - 2 Pack

### Manufacturer Information

Brand	NSI
GTIN	00662381001511
Manufacturers Part Number	3-350L2/L4
UPC	662381001511



# ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

1135 Butler Road  
77573-0000, TX League City  
Phone: 281-833-5333  
Fax: 281-833-5334

## Taxonomies, Classifications, and Categories

Category Description	SPLIT BOLTS
Type	Panelboard Lug

## Packaging

Carton	1
Package	2
Weight Per each	0.65

## Uses, Certifications, and Standards

Application	Wire Termination
environmental conditions	90 C
standard	cULus