



400 Series External Elbow. For right angle turns around external corners.

## Features & Benefits

400 Series External Elbow. For right angle turns around external corners.

## Specifications

### General Info

|                       |   |                    |  |
|-----------------------|---|--------------------|--|
| Product Line          | Wiremold  | Color              | White  |
| UPC Number            | 786776523263  | Country Of Origin  | United States  |
| Material              | Plastic   | Product Series     | 400 Series   |
| Installation Location | On Wall   | Application Sector | Commercial, Residential                              |
| Standard              | cULus Listed Raceway: File E90378 Guide RJTX. Complies with flammability requirements of UL-5A. Fittings: File E90377 Guide RJYT. Meets Article 388 of NEC. UL Listed for up to 600V. Meets Section 12-2600 of CEC. | Warranty Type      | 1-Year from Installation or 2-Years from Day of Sale |
| Type                  | Fitting   |                    |  |
| <b>Dimensions</b>     |   |                    |  |
| Product Width US      | 1.5 in  | Product Weight US  | 0.03 lb  |

---

## Listing Agencies / 3rd Party Agencies

---

|                     |        |              |     |
|---------------------|--------|--------------|-----|
| cULus ListingNumber | E90377 | cULus Listed | Yes |
|---------------------|--------|--------------|-----|

---

## Additional Information

---

|                |     |                               |     |
|----------------|-----|-------------------------------|-----|
| RoHS Compliant | Yes | Product Environmental Profile | Yes |
|----------------|-----|-------------------------------|-----|

---

## Technical Information

---

|              |    |                |        |
|--------------|----|----------------|--------|
| Is Pre-Wired | No | Indoor/Outdoor | Indoor |
|--------------|----|----------------|--------|

---

|         |         |
|---------|---------|
| Voltage | 600.0 V |
|---------|---------|

---



400 Series External Elbow. For right angle turns around external corners.

## Features & Benefits

400 Series External Elbow. For right angle turns around external corners.

## Specifications

### General Info

|                       |   |                    |  |
|-----------------------|---|--------------------|--|
| Product Line          | Wiremold  | Color              | White  |
| UPC Number            | 786776523263  | Country Of Origin  | United States  |
| Material              | Plastic   | Product Series     | 400 Series   |
| Installation Location | On Wall   | Application Sector | Commercial, Residential                              |
| Standard              | cULus Listed Raceway: File E90378 Guide RJTX. Complies with flammability requirements of UL-5A. Fittings: File E90377 Guide RJYT. Meets Article 388 of NEC. UL Listed for up to 600V. Meets Section 12-2600 of CEC. | Warranty Type      | 1-Year from Installation or 2-Years from Day of Sale |
| Type                  | Fitting   |                    |  |
| <b>Dimensions</b>     |   |                    |  |
| Product Width US      | 1.5 in  | Product Weight US  | 0.03 lb  |

---

## Listing Agencies / 3rd Party Agencies

---

|                     |        |              |     |
|---------------------|--------|--------------|-----|
| cULus ListingNumber | E90377 | cULus Listed | Yes |
|---------------------|--------|--------------|-----|

---

## Additional Information

---

|                |     |                               |     |
|----------------|-----|-------------------------------|-----|
| RoHS Compliant | Yes | Product Environmental Profile | Yes |
|----------------|-----|-------------------------------|-----|

---

## Technical Information

---

|              |    |                |        |
|--------------|----|----------------|--------|
| Is Pre-Wired | No | Indoor/Outdoor | Indoor |
|--------------|----|----------------|--------|

---

|         |         |
|---------|---------|
| Voltage | 600.0 V |
|---------|---------|

---