

ELLIOTT ELECTRIC SUPPLY 2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685

58019804 THHN 12 STR Red 1000' Mini CP

Southwire	Company
-----------	---------

oodiiiiii o ooiiipaiiij	
Catalog Number	58019804
Manufacturer	Southwire Company
Description	600 Volts. Copper Conductor. Thermoplastic Insulation/Nylon Sheath, Heat, Moisture, Gasoline and Oil Resistant Ii. Rated Both THHN and THWN. Also Rated MTW and Awm. Simpull Technology For Easier Pulling.
Weight per unit	24.0 (lbs/ft)
Product Category	THHN-T90-STR (Stranded)
ntures	

Features

Conductor Size	12	
media	Yes	
Number of Conductors	1	
Voltage Rating	600	

Material, Color, and Finish

Insulation Material	PVC
Jacket Material	Nylon

Dimensions and Weight

	•	
Length	1000	

THHN 12 STR RED 1000' MINI CP

Descriptions

Description

extra long description	SWC 58019804 THHN 12 Str Cu Rd 1000
Features	SIMpull THHN copper conductors are primarily used in conduit and cable trays for services, feeders and branch circuits in commercial or industrial applications as specified in the National Electrical Code. Voltage for all applications is 600 volts. SIMpull THHN copper conductors are designed to be installed without application of a pulling lubricant.
Long Description	600 Volts. Copper Conductor. Thermoplastic Insulation/Nylon Sheath, Heat, Moisture, Gasoline and Oil Resistant II. Rated both THHN and THWN. Also rated MTW and AWM. SIMpull Technology for easier pulling.
Product Type	THHN 12 STR Cu RD 1000 Coilpak™
Special Features	No Lube

Manufacturer Information

Brand	Copper
GTIN	00032886940668
Manufacturers Part Number	58019804
UPC	032886940668



Application

ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685

Taxonomies, Classifications, an	d Categories	
Category Description	BUILDING WIRE	
Туре	THHN	
Packaging		
Carton	1	
Package	1000	
Weight Per foot	24.042	
Uses, Certifications, and Standa	rds	

Commerical