



## CONDUIT NIPPLES



E223147



### GALVANIZED STEEL

| TOPAZ CAT # | UPC#  | CONDUIT SIZE | LENGTH INCHES | SHIP CASE | WT/100 |
|-------------|-------|--------------|---------------|-----------|--------|
| 6451        | 31130 | 1/2"         | CLOSE         | 25        | 6      |
| 6451112     | 31140 | 1/2"         | 1 1/2         | 25        | 8      |
| 64512       | 31150 | 1/2"         | 2             | 25        | 12     |
| 6451212     | 31160 | 1/2"         | 2 1/2         | 25        | 15     |
| 64513       | 31170 | 1/2"         | 3             | 25        | 26     |
| 6451312     | 31180 | 1/2"         | 3 1/2         | 25        | 6      |
| 64514       | 31190 | 1/2"         | 4             | 25        | 26     |
| 64515       | 31200 | 1/2"         | 5             | 25        | 33     |
| 64516       | 31210 | 1/2"         | 6             | 25        | 40     |
| 64518       | 31220 | 1/2"         | 8             | 1         | 54     |
| 645110      | 31230 | 1/2"         | 10            | 1         | 68     |
| 645112      | 31240 | 1/2"         | 12            | 1         | 82     |
| 6452        | 31250 | 3/4"         | CLOSE         | 25        | 9      |
| 6452112     | 31251 | 3/4"         | 1 1/2         | 25        | 10     |
| 64522       | 31260 | 3/4"         | 2             | 25        | 14     |
| 6452212     | 31270 | 3/4"         | 2 1/2         | 25        | 19     |
| 64523       | 31280 | 3/4"         | 3             | 25        | 26     |
| 6452312     | 31290 | 3/4"         | 3 1/2         | 25        | 28     |
| 64524       | 31300 | 3/4"         | 4             | 25        | 34     |
| 64525       | 31310 | 3/4"         | 5             | 25        | 43     |
| 64526       | 31320 | 3/4"         | 6             | 25        | 52     |
| 64528       | 31330 | 3/4"         | 8             | 1         | 73     |
| 645210      | 31340 | 3/4"         | 10            | 1         | 89     |
| 645212      | 31350 | 3/4"         | 12            | 1         | 109    |
| 6453        | 31360 | 1"           | CLOSE         | 25        | 16     |
| 64532       | 31370 | 1"           | 2             | 25        | 22     |
| 6453212     | 31380 | 1"           | 2 1/2         | 25        | 28     |
| 64533       | 31390 | 1"           | 3             | 25        | 26     |
| 6453312     | 31400 | 1"           | 3 1/2         | 25        | 43     |
| 64534       | 31410 | 1"           | 4             | 25        | 49     |
| 64535       | 31420 | 1"           | 5             | 25        | 64     |
| 64536       | 31430 | 1"           | 6             | 25        | 20     |
| 64538       | 31440 | 1"           | 8             | 1         | 1      |
| 645310      | 31450 | 1"           | 10            | 1         | 1      |
| 645312      | 31460 | 1"           | 12            | 1         | 2      |

| TOPAZ CAT # | UPC#  | CONDUIT SIZE | LENGTH INCHES | SHIP CASE | WT/100 |
|-------------|-------|--------------|---------------|-----------|--------|
| 6454        | 31470 | 1 1/4"       | CLOSE         | 25        | 22     |
| 64542       | 31480 | 1 1/4"       | 2             | 25        | 28     |
| 6454212     | 31490 | 1 1/4"       | 2 1/2         | 25        | 37     |
| 64543       | 31500 | 1 1/4"       | 3             | 25        | 25     |
| 6454312     | 31510 | 1 1/4"       | 3 1/2         | 25        | 55     |
| 64544       | 31520 | 1 1/4"       | 4             | 25        | 66     |
| 64545       | 31530 | 1 1/4"       | 5             | 25        | 84     |
| 64546       | 31540 | 1 1/4"       | 6             | 25        | 25     |
| 64548       | 31550 | 1 1/4"       | 8             | 1         | 1      |
| 645410      | 31560 | 1 1/4"       | 10            | 1         | 2      |
| 645412      | 31570 | 1 1/4"       | 12            | 1         | 2      |
| 6455        | 31580 | 1 1/2"       | CLOSE         | 25        | 28     |
| 64552       | 31590 | 1 1/2"       | 2             | 25        | 34     |
| 6455212     | 31600 | 1 1/2"       | 2 1/2         | 25        | 44     |
| 64553       | 31610 | 1 1/2"       | 3             | 25        | 25     |
| 6455312     | 31620 | 1 1/2"       | 3 1/2         | 25        | 68     |
| 64554       | 31630 | 1 1/2"       | 4             | 25        | 80     |
| 64555       | 31640 | 1 1/2"       | 5             | 25        | 103    |
| 64556       | 31650 | 1 1/2"       | 6             | 25        | 31     |
| 64558       | 31660 | 1 1/2"       | 8             | 1         | 2      |
| 645510      | 31670 | 1 1/2"       | 10            | 1         | 2      |
| 645512      | 31680 | 1 1/2"       | 12            | 1         | 3      |
| 6456        | 31690 | 2"           | CLOSE         | 25        | 44     |
| 6456212     | 31700 | 2"           | 2 1/2         | 25        | 15     |
| 64563       | 31710 | 2"           | 3             | 25        | 25     |
| 6456312     | 31720 | 2"           | 3 1/2         | 25        | 88     |
| 64564       | 31730 | 2"           | 4             | 25        | 103    |
| 64565       | 31740 | 2"           | 5             | 25        | 132    |
| 64566       | 31750 | 2"           | 6             | 25        | 25     |
| 64568       | 31760 | 2"           | 8             | 1         | 2      |
| 645610      | 31770 | 2"           | 10            | 1         | 3      |
| 645612      | 31780 | 2"           | 12            | 1         | 3      |

Continued on next page



## CONDUIT NIPPLES

| TOPAZ CAT # | UPC#  | CONDUIT SIZE | LENGTH INCHES | SHIP CASE | WT/100 |
|-------------|-------|--------------|---------------|-----------|--------|
| 6457        | 31790 | 2 1/2"       | CLOSE         | 1         | 84     |
| 64573       | 31800 | 2 1/2"       | 3             | 1         | 1      |
| 6457312     | 31810 | 2 1/2"       | 3 1/2         | 1         | 12     |
| 64574       | 31820 | 2 1/2"       | 4             | 1         | 150    |
| 64575       | 31830 | 2 1/2"       | 5             | 1         | 197    |
| 64576       | 31840 | 2 1/2"       | 6             | 1         | 3      |
| 64578       | 31850 | 2 1/2"       | 8             | 1         | 3      |
| 645710      | 31860 | 2 1/2"       | 10            | 1         | 4      |
| 645712      | 31870 | 2 1/2"       | 12            | 1         | 5      |
| 6458        | 31880 | 3"           | CLOSE         | 1         | 1      |
| 64583       | 31890 | 3"           | 3             | 1         | 1      |
| 6458312     | 31900 | 3"           | 3 1/2         | 1         | 2      |
| 64584       | 31910 | 3"           | 4             | 1         | 2      |
| 64585       | 31920 | 3"           | 5             | 1         | 3      |
| 64586       | 31930 | 3"           | 6             | 1         | 3      |
| 64588       | 31940 | 3"           | 8             | 1         | 4      |
| 645810      | 31950 | 3"           | 10            | 1         | 5      |
| 645812      | 31960 | 3"           | 12            | 1         | 6      |

## GALVANIZED STEEL

| TOPAZ CAT # | UPC#  | CONDUIT SIZE | LENGTH INCHES | SHIP CASE | WT/CASE |
|-------------|-------|--------------|---------------|-----------|---------|
| 6459        | 31970 | 3 1/2"       | CLOSE         | 1         | 2       |
| 64594       | 31980 | 3 1/2"       | 4             | 1         | 2       |
| 64595       | 31990 | 3 1/2"       | 5             | 1         | 3       |
| 64596       | 32000 | 3 1/2"       | 6             | 1         | 4       |
| 64598       | 32010 | 3 1/2"       | 8             | 1         | 5       |
| 645910      | 32020 | 3 1/2"       | 10            | 1         | 7       |
| 645912      | 32030 | 3 1/2"       | 12            | 1         | 8       |
| 6410        | 32040 | 4"           | CLOSE         | 1         | 2       |
| 64104       | 32050 | 4"           | 4             | 1         | 3       |
| 64105       | 32060 | 4"           | 5             | 1         | 4       |
| 64106       | 32070 | 4"           | 6             | 1         | 4       |
| 64108       | 32080 | 4"           | 8             | 1         | 6       |
| 641010      | 32090 | 4"           | 10            | 1         | 8       |
| 641012      | 32100 | 4"           | 12            | 1         | 9       |



## RIGID COUPLINGS TUBULAR THREADED TYPE

### GALVANIZED STEEL

| CAT# | A     | B     |
|------|-------|-------|
| 51   | 1.010 | 1.563 |
| 52   | 1.250 | 1.625 |
| 53   | 1.525 | 2.000 |
| 54   | 1.869 | 2.063 |
| 55   | 2.155 | 2.063 |
| 56   | 2.650 | 2.125 |
| 57   | 3.250 | 3.125 |
| 58   | 3.870 | 3.250 |
| 59   | 4.500 | 3.375 |
| 60   | 4.875 | 3.500 |
| 60A  | 6.000 | 3.750 |
| 60B  | 7.200 | 4.000 |

| TOPAZ CAT # | UPC#  | SIZE   | THREADS PER INCH | UNIT CTN | SHIP CASE | WT/CASE |
|-------------|-------|--------|------------------|----------|-----------|---------|
| 51          | 10130 | 1/2"   | 14               | —        | 100       | 13      |
| 52          | 10140 | 3/4"   | 14               | —        | 50        | 10      |
| 53          | 10150 | 1"     | 11 1/2           | —        | 30        | 11      |
| 54          | 10160 | 1 1/4" | 11 1/2           | —        | 25        | 11      |
| 55          | 10170 | 1 1/2" | 11 1/2           | —        | 25        | 14      |
| 56          | 10180 | 2"     | 11 1/2           | —        | 20        | 15      |
| 57          | 10190 | 2 1/2" | 8                | —        | 12        | 22      |
| 58          | 10200 | 3"     | 8                | —        | 8         | 18      |
| 59          | 10210 | 3 1/2" | 8                | —        | 4         | 15      |
| 60          | 10220 | 4"     | 8                | —        | 4         | 12      |
| 60A         | 10230 | 5"     | 8                | —        | 2         | 10      |
| 60B         | 10240 | 6"     | 8                | —        | 1         | 8       |





## CONDUIT NIPPLES



E223147



### GALVANIZED STEEL

| TOPAZ CAT # | UPC#  | CONDUIT SIZE | LENGTH INCHES | SHIP CASE | WT/ 100 |
|-------------|-------|--------------|---------------|-----------|---------|
| 6451        | 31130 | 1/2"         | CLOSE         | 25        | 6       |
| 6451112     | 31140 | 1/2"         | 1 1/2         | 25        | 8       |
| 64512       | 31150 | 1/2"         | 2             | 25        | 12      |
| 6451212     | 31160 | 1/2"         | 2 1/2         | 25        | 15      |
| 64513       | 31170 | 1/2"         | 3             | 25        | 26      |
| 6451312     | 31180 | 1/2"         | 3 1/2         | 25        | 6       |
| 64514       | 31190 | 1/2"         | 4             | 25        | 26      |
| 64515       | 31200 | 1/2"         | 5             | 25        | 33      |
| 64516       | 31210 | 1/2"         | 6             | 25        | 40      |
| 64518       | 31220 | 1/2"         | 8             | 1         | 54      |
| 645110      | 31230 | 1/2"         | 10            | 1         | 68      |
| 645112      | 31240 | 1/2"         | 12            | 1         | 82      |
| 6452        | 31250 | 3/4"         | CLOSE         | 25        | 9       |
| 6452112     | 31251 | 3/4"         | 1 1/2         | 25        | 10      |
| 64522       | 31260 | 3/4"         | 2             | 25        | 14      |
| 6452212     | 31270 | 3/4"         | 2 1/2         | 25        | 19      |
| 64523       | 31280 | 3/4"         | 3             | 25        | 26      |
| 6452312     | 31290 | 3/4"         | 3 1/2         | 25        | 28      |
| 64524       | 31300 | 3/4"         | 4             | 25        | 34      |
| 64525       | 31310 | 3/4"         | 5             | 25        | 43      |
| 64526       | 31320 | 3/4"         | 6             | 25        | 52      |
| 64528       | 31330 | 3/4"         | 8             | 1         | 73      |
| 645210      | 31340 | 3/4"         | 10            | 1         | 89      |
| 645212      | 31350 | 3/4"         | 12            | 1         | 109     |
| 6453        | 31360 | 1"           | CLOSE         | 25        | 16      |
| 64532       | 31370 | 1"           | 2             | 25        | 22      |
| 6453212     | 31380 | 1"           | 2 1/2         | 25        | 28      |
| 64533       | 31390 | 1"           | 3             | 25        | 26      |
| 6453312     | 31400 | 1"           | 3 1/2         | 25        | 43      |
| 64534       | 31410 | 1"           | 4             | 25        | 49      |
| 64535       | 31420 | 1"           | 5             | 25        | 64      |
| 64536       | 31430 | 1"           | 6             | 25        | 20      |
| 64538       | 31440 | 1"           | 8             | 1         | 1       |
| 645310      | 31450 | 1"           | 10            | 1         | 1       |
| 645312      | 31460 | 1"           | 12            | 1         | 2       |

| TOPAZ CAT # | UPC#  | CONDUIT SIZE | LENGTH INCHES | SHIP CASE | WT/ 100 |
|-------------|-------|--------------|---------------|-----------|---------|
| 6454        | 31470 | 1 1/4"       | CLOSE         | 25        | 22      |
| 64542       | 31480 | 1 1/4"       | 2             | 25        | 28      |
| 6454212     | 31490 | 1 1/4"       | 2 1/2         | 25        | 37      |
| 64543       | 31500 | 1 1/4"       | 3             | 25        | 25      |
| 6454312     | 31510 | 1 1/4"       | 3 1/2         | 25        | 55      |
| 64544       | 31520 | 1 1/4"       | 4             | 25        | 66      |
| 64545       | 31530 | 1 1/4"       | 5             | 25        | 84      |
| 64546       | 31540 | 1 1/4"       | 6             | 25        | 25      |
| 64548       | 31550 | 1 1/4"       | 8             | 1         | 1       |
| 645410      | 31560 | 1 1/4"       | 10            | 1         | 2       |
| 645412      | 31570 | 1 1/4"       | 12            | 1         | 2       |
| 6455        | 31580 | 1 1/2"       | CLOSE         | 25        | 28      |
| 64552       | 31590 | 1 1/2"       | 2             | 25        | 34      |
| 6455212     | 31600 | 1 1/2"       | 2 1/2         | 25        | 44      |
| 64553       | 31610 | 1 1/2"       | 3             | 25        | 25      |
| 6455312     | 31620 | 1 1/2"       | 3 1/2         | 25        | 68      |
| 64554       | 31630 | 1 1/2"       | 4             | 25        | 80      |
| 64555       | 31640 | 1 1/2"       | 5             | 25        | 103     |
| 64556       | 31650 | 1 1/2"       | 6             | 25        | 31      |
| 64558       | 31660 | 1 1/2"       | 8             | 1         | 2       |
| 645510      | 31670 | 1 1/2"       | 10            | 1         | 2       |
| 645512      | 31680 | 1 1/2"       | 12            | 1         | 3       |
| 6456        | 31690 | 2"           | CLOSE         | 25        | 44      |
| 6456212     | 31700 | 2"           | 2 1/2         | 25        | 15      |
| 64563       | 31710 | 2"           | 3             | 25        | 25      |
| 6456312     | 31720 | 2"           | 3 1/2         | 25        | 88      |
| 64564       | 31730 | 2"           | 4             | 25        | 103     |
| 64565       | 31740 | 2"           | 5             | 25        | 132     |
| 64566       | 31750 | 2"           | 6             | 25        | 25      |
| 64568       | 31760 | 2"           | 8             | 1         | 2       |
| 645610      | 31770 | 2"           | 10            | 1         | 3       |
| 645612      | 31780 | 2"           | 12            | 1         | 3       |

Continued on next page



## CONDUIT NIPPLES

| TOPAZ CAT # | UPC#  | CONDUIT SIZE | LENGTH INCHES | SHIP CASE | WT/100 |
|-------------|-------|--------------|---------------|-----------|--------|
| 6457        | 31790 | 2 1/2"       | CLOSE         | 1         | 84     |
| 64573       | 31800 | 2 1/2"       | 3             | 1         | 1      |
| 6457312     | 31810 | 2 1/2"       | 3 1/2         | 1         | 12     |
| 64574       | 31820 | 2 1/2"       | 4             | 1         | 150    |
| 64575       | 31830 | 2 1/2"       | 5             | 1         | 197    |
| 64576       | 31840 | 2 1/2"       | 6             | 1         | 3      |
| 64578       | 31850 | 2 1/2"       | 8             | 1         | 3      |
| 645710      | 31860 | 2 1/2"       | 10            | 1         | 4      |
| 645712      | 31870 | 2 1/2"       | 12            | 1         | 5      |
| 6458        | 31880 | 3"           | CLOSE         | 1         | 1      |
| 64583       | 31890 | 3"           | 3             | 1         | 1      |
| 6458312     | 31900 | 3"           | 3 1/2         | 1         | 2      |
| 64584       | 31910 | 3"           | 4             | 1         | 2      |
| 64585       | 31920 | 3"           | 5             | 1         | 3      |
| 64586       | 31930 | 3"           | 6             | 1         | 3      |
| 64588       | 31940 | 3"           | 8             | 1         | 4      |
| 645810      | 31950 | 3"           | 10            | 1         | 5      |
| 645812      | 31960 | 3"           | 12            | 1         | 6      |

## GALVANIZED STEEL

| TOPAZ CAT # | UPC#  | CONDUIT SIZE | LENGTH INCHES | SHIP CASE | WT/CASE |
|-------------|-------|--------------|---------------|-----------|---------|
| 6459        | 31970 | 3 1/2"       | CLOSE         | 1         | 2       |
| 64594       | 31980 | 3 1/2"       | 4             | 1         | 2       |
| 64595       | 31990 | 3 1/2"       | 5             | 1         | 3       |
| 64596       | 32000 | 3 1/2"       | 6             | 1         | 4       |
| 64598       | 32010 | 3 1/2"       | 8             | 1         | 5       |
| 645910      | 32020 | 3 1/2"       | 10            | 1         | 7       |
| 645912      | 32030 | 3 1/2"       | 12            | 1         | 8       |
| 6410        | 32040 | 4"           | CLOSE         | 1         | 2       |
| 64104       | 32050 | 4"           | 4             | 1         | 3       |
| 64105       | 32060 | 4"           | 5             | 1         | 4       |
| 64106       | 32070 | 4"           | 6             | 1         | 4       |
| 64108       | 32080 | 4"           | 8             | 1         | 6       |
| 641010      | 32090 | 4"           | 10            | 1         | 8       |
| 641012      | 32100 | 4"           | 12            | 1         | 9       |



## RIGID COUPLINGS TUBULAR THREADED TYPE

### GALVANIZED STEEL

| CAT# | A     | B     |
|------|-------|-------|
| 51   | 1.010 | 1.563 |
| 52   | 1.250 | 1.625 |
| 53   | 1.525 | 2.000 |
| 54   | 1.869 | 2.063 |
| 55   | 2.155 | 2.063 |
| 56   | 2.650 | 2.125 |
| 57   | 3.250 | 3.125 |
| 58   | 3.870 | 3.250 |
| 59   | 4.500 | 3.375 |
| 60   | 4.875 | 3.500 |
| 60A  | 6.000 | 3.750 |
| 60B  | 7.200 | 4.000 |

| TOPAZ CAT # | UPC#  | SIZE   | THREADS PER INCH | UNIT CTN | SHIP CASE | WT/CASE |
|-------------|-------|--------|------------------|----------|-----------|---------|
| 51          | 10130 | 1/2"   | 14               | —        | 100       | 13      |
| 52          | 10140 | 3/4"   | 14               | —        | 50        | 10      |
| 53          | 10150 | 1"     | 11 1/2           | —        | 30        | 11      |
| 54          | 10160 | 1 1/4" | 11 1/2           | —        | 25        | 11      |
| 55          | 10170 | 1 1/2" | 11 1/2           | —        | 25        | 14      |
| 56          | 10180 | 2"     | 11 1/2           | —        | 20        | 15      |
| 57          | 10190 | 2 1/2" | 8                | —        | 12        | 22      |
| 58          | 10200 | 3"     | 8                | —        | 8         | 18      |
| 59          | 10210 | 3 1/2" | 8                | —        | 4         | 15      |
| 60          | 10220 | 4"     | 8                | —        | 4         | 12      |
| 60A         | 10230 | 5"     | 8                | —        | 2         | 10      |
| 60B         | 10240 | 6"     | 8                | —        | 1         | 8       |

