

Specifications

Photo is representative

Eaton 7738W-BOX

Eaton LED nightlight with switch, auto-grnd/LED nightlight, Decorator, #14 - #12 AWG, 15A, Residential, 120V, bk and sd wiring, Rocker, Maint closure, Screw, Brass, wht, -20-60°C, 1-pole, Photo, dplx, thermoplas, PVC, 1W

General specifications

PRODUCT NAME	Eaton LED nightlight with switch
CATALOG NUMBER	7738W-BOX
UPC	032664727801
PRODUCT LENGTH/DEPTH	1.3 in
PRODUCT HEIGHT	4.19 in
PRODUCT WIDTH	1.08 in
PRODUCT WEIGHT	0.25 lb
CERTIFICATIONS	cULus Listed
PRODUCT TYPE	LED nightlight with switch



Powering Business Worldwide

Product specifications

SPECIAL FEATURES	Auto-ground
TYPE	Decorator
AMPERAGE RATING	15A
VOLTAGE RATING	120 V
NUMBER OF POLES	Single-pole
CONFIGURATION	Horizontal dim/bright bar Push pad design
ILLUMINATION	LED dimmable nightlight
APPLICATION	Residential
WIRING METHOD	Back and side
CONTACT TYPE	Brass
SENSOR TYPE	Photo
SWITCH TYPE	Single-pole
MOUNTING METHOD	Flush
CLOSURE TYPE	Maintained
CONNECTOR TYPE	Screw
MATERIAL	Thermoplastic PVC
WATTAGE	1 W
ALLOWABLE WIRE SIZE	#14-12 AWG
OPERATING TEMPERATURE	-20 to 60 °C
TORQUE RATING	14 lbf-inch
STYLE TYPE	Duplex
ACTUATOR	Rocker
COLOR	White

PROJECT NAME:

PROJECT NUMBER:

PREPARED BY:

DATE:

Resources

SPECIFICATIONS AND DATASHEETS

[Eaton Specification Sheet - 7738W-BOX](#)

[Wallbox dimmable nightlight combination spec sheet](#)



Eaton Corporation plc Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2026 Eaton. All Rights Reserved.

Follow us on social media to get the latest product and support information.



Specifications

Photo is representative

Eaton 7738W-BOX

Eaton LED nightlight with switch, auto-grnd/LED nightlight, Decorator, #14 - #12 AWG, 15A, Residential, 120V, bk and sd wiring, Rocker, Maint closure, Screw, Brass, wht, -20-60°C, 1-pole, Photo, dplx, thermoplas, PVC, 1W

General specifications

PRODUCT NAME	Eaton LED nightlight with switch
CATALOG NUMBER	7738W-BOX
UPC	032664727801
PRODUCT LENGTH/DEPTH	1.3 in
PRODUCT HEIGHT	4.19 in
PRODUCT WIDTH	1.08 in
PRODUCT WEIGHT	0.25 lb
CERTIFICATIONS	cULus Listed
PRODUCT TYPE	LED nightlight with switch



Powering Business Worldwide

Product specifications

SPECIAL FEATURES	Auto-ground
TYPE	Decorator
AMPERAGE RATING	15A
VOLTAGE RATING	120 V
NUMBER OF POLES	Single-pole
CONFIGURATION	Horizontal dim/bright bar Push pad design
ILLUMINATION	LED dimmable nightlight
APPLICATION	Residential
WIRING METHOD	Back and side
CONTACT TYPE	Brass
SENSOR TYPE	Photo
SWITCH TYPE	Single-pole
MOUNTING METHOD	Flush
CLOSURE TYPE	Maintained
CONNECTOR TYPE	Screw
MATERIAL	Thermoplastic PVC
WATTAGE	1 W
ALLOWABLE WIRE SIZE	#14-12 AWG
OPERATING TEMPERATURE	-20 to 60 °C
TORQUE RATING	14 lbf-inch
STYLE TYPE	Duplex
ACTUATOR	Rocker
COLOR	White

PROJECT NAME:

PROJECT NUMBER:

PREPARED BY:

DATE:

Resources

SPECIFICATIONS AND DATASHEETS

[Eaton Specification Sheet - 7738W-BOX](#)

[Wallbox dimmable nightlight combination spec sheet](#)



Eaton Corporation plc Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2026 Eaton. All Rights Reserved.

Follow us on social media to get the latest product and support information.

