

## ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685



Size

### **AYCL253PHLA Ariadni 250W Led 3WAY Light Almond Clam** *Lutron*

| Catalog Number               | AYCL253PHLA   |
|------------------------------|---|
| Manufacturer                 | Lutron  |
| Description                  | Ariadni Dimmer For 250W CFL/Led, 600W Inc/Hal, or Lutron<br>Hi-Lume A-Series Lte Led Driver, Clamshell Packaging In Light<br>Almond |
| Weight per unit              | 0.3000 (lbs/each)   |
| Product Category             | Lighting Dimmers  |
| Features                     |   |
| actuator                     | Toggle Switch   |
| connection                   | Screw Terminal  |
| Connection Type              | Screw Terminal  |
| insulation                   | Plastic   |
| Material                     | Plastic/Metal   |
| media                        | Yes   |
| Poles                        | 1   |
| Switch Type                  | Toggle  |
| Voltage Rating               | 120   |
| Wattage                      | 600   |
| Material, Color, and Finish  |   |
| Color                        | Light Almond  |
| Finish                       | Gloss   |
| <b>Dimensions and Weight</b> |   |

4.60 x 2.86;117 x 73



# ELLIOTT ELECTRIC SUPPLY 2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685

|  |   | ns |
|--|---|----|
|  |   |    |
|  |   |    |
|  |   |    |
|  | • |    |

| Description            | ARIADNI 250W LED 3WAY LIGHT ALMOND CLAM   |
|------------------------|---|
| extra long description | LUT AYCL-253PH-LA ARIADNI CFL/LED 2   |
| Features               | The Ariadni LED+ dimmer switch works with dimmable LED and CFL screw-in bulbs up to 250-Watt and is also compatible with up to 600-Watt of standard incandescent and halogen bulbs, allowing you to control all 4 bulb types on the same circuit. It is designed to control a broad range of dimmable LED and CFL bulbs from a variety of brands including Philips, Cree, GE, Eco Smart and Lighting Science. The Ariadni/Toggler LED+ dimmer switch matches your existing toggle switches. It features a slider to adjust your |
| Long Description       | Ariadni dimmer for 250W CFL/LED, 600W inc/hal, or Lutron<br>Hi-Lume A-Series LTE LED Driver, clamshell packaging in light<br>almond   |
| Product Type           | Ariadni CFL/Led 250W La, Clam PKG   |
| Special Features       | Controls 250 W LED/CFL (screw-base), 600 W incandescent/halogen or 350 W Hi-Lume 1 percent 2-wire LED driver loads. Toggle turn lights on/off. Slide up to brighten, down to dim. Provides reliable dimming of dimmable LEDs/CFLs as well as halogens and incandescents.  |
| nufacturer Information |   |

#### Manufacturer Information

| Brand                     | Lutron         |
|---------------------------|----------------|
| GTIN                      | 00784276091909 |
| Manufacturers Part Number | AYCL253PHLA    |
| UPC                       | 784276091909   |

#### **Taxonomies, Classifications, and Categories**

| Category Description | Residential dimmers, motion sensors, controls, & photo cells |
|----------------------|--|
| Туре                 | Preset dimmer, 3-way/single-pole, clamshell packaging        |

#### **Packaging**

| Carton          | 1   |  |
|-----------------|-----|--|
| Package         | 3   |  |
| Weight Per each | 0.3 |  |



## ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685

#### **Uses, Certifications, and Standards**

| Application              | Lighting Control                                    |
|--------------------------|---|
| Enclosure                | Plastic   |
| environmental conditions | 0 to 90% humidity, non-condensing. Indoor use only. |
| Mounting                 | WALLBOX   |
| Operating Temperature    | 32 to 104   |
| standard                 | UL1472 CSA C22.2 184.1, NEMA SSL-7A Type 2          |