

ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

1550 Wilson Rd. 77338-0000, TX Humble Phone: 281-548-0169 Fax: 281-548-0198



Weight Per each

BR1520 BR Duplex BRKR 1-15A/1P 1-20A/1P 120/240V 10K Non-Eaton Corp

Eutonoonp	
Catalog Number	BR1520
Manufacturer	Eaton Corp
Description	Eaton BR Thermal Magnetic Circuit Breaker, Type BR 1-Inch Plug-On Circuit Breaker, 15-20 A, 10 Kaic, Single-Pole, 120/240V, BR, #14-4 Awg Cu/AI, BR, Type BR Loadcenters
Weight per unit	0.4000 (lbs/each)
Product Category	Duplex Standard Trip Plug-In
Features	
dimensions	1.0000 IN X 2.9000 IN X 2.5000 IN
interrupt rating	10 kAIC
Poles	1
Voltage Rating	120/240 V
Descriptions	
Description	BR DUPLEX BRKR 1-15A/1P 1-20A/1P 120/240V 10K NON-
extra long description	ETN BR1520 BR Duplex 1-15A/1P 1-20A
Features	Eaton's BR circuit breakers are used in indoor and outdoor BR
	loadcenters, spa panels, meter breakers and sub panels. They are designed for a wide range of applications such as high short-circuit interrupt, series rating combinations with upstream main breakers, thermal magnetic, AFCI, GFCI, equipment protection and dual function AF/GF.
Long Description	Eaton BR thermal magnetic circuit breaker, Type BR 1-Inch plug-on circuit breaker, 15-20 A, 10 kAIC, Single-pole, 120/240V, BR, #14-4 AWG Cu/AI, BR, Type BR Loadcenters
Product Type	BR Duplex 1-15A/1P 1-20A/1P 120/240V 10K
Manufacturer Information	•
Brand	Eaton
GTIN	00786676370103
Manufacturers Part Number	BR1520
UPC	786676370103
Taxonomies, Classifications, and	Categories
Category Description	Loadcenter Plug In Breakers and Accessories Thermal magnetic circuit breakers
Туре	memai maynetic circuit breakers
Packaging	10
Carton	10
Package	50

0.4

1550 Wilson Rd. 77338-0000, TX Humble Phone: 281-548-0169 Fax: 281-548-0198

Uses, Certifications, and Standards

ocs, oci tilications, ana sta	ilidal d3
Application	Generation - Renewable Energy - Alternative EnergyOtherMarine
	Vessels and Equipment - Marine Vessels and Equipment -
	OtherDatacenters - IT Space: CI and Hyper ConvergedGeneration
	- Conventional Energy - Conventional Energy
standard	UL 489, Federal Specifications Classification W-C375