Specifications









Eaton BRP30L200GW

Eaton Eaton BR main lug loadcenter,Indoor,Main lug only,200 A,X5,Aluminum, NEMA 1,Metallic,10kAIC,CSR2200,Surface,flush,NEMA 1,60 Circuits,Twenty-four pole,30 Spaces,Two hots,a neutral,and a ground,Single-phase,120/240V,#1–300 kcmil

General specifications	
PRODUCT NAME	Eaton BR main lug loadcenter
CATALOG NUMBER	BRP30L200GW
UPC	786689052904
PRODUCT LENGTH/DEPTH	29.12 in
PRODUCT HEIGHT	3.88 in
PRODUCT WIDTH	14.31 in
PRODUCT WEIGHT	26.3 lb
WARRANTY	10 year
CERTIFICATIONS	UL 67 UL 50

Product specifications		
ТҮРЕ	MLO	
AMPERAGE RATING	200 A	
BUS MATERIAL	Aluminum	
COVER	Cover included	
MAIN CIRCUIT BREAKER	CSR2200	
MOUNTING	Surface, flush	
NUMBER OF CIRCUITS	60	
NUMBER OF POLES	Single-pole	
NUMBER OF SPACES	30	
PHASE	Single-phase	
USED WITH	Type BR 1-inch breakers	
VOLTAGE RATING	120/240V	
BOX SIZE	X5	
ENCLOSURE	NEMA 1	
ENCLOSURE MATERIAL	Metallic	
INTERRUPT RATING	10 kAIC	
NEMA RATING	NEMA 1	
NUMBER OF WIRES	Two hots, neutral and ground	

Resources	
SPECIFICATIONS AND DATASHEETS	<u>Eaton Specification Sheet -</u> <u>BRP30L200GW</u>
WARRANTY GUIDES	Eaton type BR circuit breaker limited warranty June 2024

PROJECT NAME:	
PROJECT NUMBER:	
PREPARED BY:	
DATE:	



Eaton Corporation plc

Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com



information.



latest product and support

Follow us on social media to get the



