



C200MCG 2" C FM5 Conduit Body W/C&G

Crouse-Hinds

Catalog Number	C200MCG
Manufacturer	Crouse-Hinds
Description	Eaton Crouse-Hinds Series Condulet Form 5 Conduit Outlet Body, Malleable Iron, C Shape, Snappack Pre-Assembled Body and Integral Gasket Cover, Built-In Rollers, 2"
Weight per unit	5.4 (lbs/each)
Product Category	Bodies & Covers

Features

dimensions	11.5000 IN X 3.1200 IN X 3.3100 IN
Form	Form 5

Material, Color, and Finish

Finish	Electrogalvanized With Aluminum Acrylic Painted
--------	---

Dimensions and Weight

Height	3.31
Hub Size	2 in
Length	11.50
Width	3.12

Descriptions

Description	2" C FM5 CONDUIT BODY W/C&G
extra long description	CRS-H C200M CG 2 FORM 5 C COND BODY
Features	Form 5 malleable iron conduit bodies, covers and gaskets from Eaton's Crouse-Hinds Division are used in conduit systems to act as pull outlets for conductors being installed, provide openings for making splices and taps in conductors, make 90 degree bends in conduit runs, and provide access to conductors for maintenance and future system changes. Form 5 conduit bodies are manufactured in trade sizes 1/2" to 4", and are interchangeable with Appleton Form 35 conduit bodies. They are also available with a h
Long Description	Eaton Crouse-Hinds series Condulet Form 5 conduit outlet body, Malleable iron, C shape, SnapPack pre-assembled body and integral gasket cover, built-in rollers, 2"
Product Type	2 Form 5 C Cond Body CVR GSKT Mall
Special Features	With Cover and Neoprene Gasket



ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

1105 West Sanger
88240-0000, NM Hobbs
Phone: 575-397-2122
Fax: 575-397-2178

Manufacturer Information

Brand	Eaton
GTIN	00662277002646
Manufacturers Part Number	C200M CG
UPC	662277002646

Taxonomies, Classifications, and Categories

Category Description	FORM 5 CONDULETS, COVERS, & GASKETS
Type	Conduit outlet body

Packaging

Carton	1
Weight Per each	5.4

Uses, Certifications, and Standards

Application	Commercial / Institutional Buildings / Structures - Commercial / Institutional Buildings / Structures - Other
standard	UL 514B, CSA C22.2, CUL