

# Specifications

Photo is representative

## Eaton C25DNF325T

Eaton definite purpose contactor, Mounting plate, Quick, Quick connect , 12 Vac, 50/60 Hz, Open with metal mounting plate, 15-50A, two- and 3P, 25A, Contactor, 3P, Global listed, D1, Box lugs (posidrive setscrew), Non-reversing

### General specifications

<b>PRODUCT NAME</b>	Eaton definite purpose contactor
<b>CATALOG NUMBER</b>	C25DNF325T
<b>UPC</b>	782116300570
<b>PRODUCT LENGTH/DEPTH</b>	3.35 in
<b>PRODUCT HEIGHT</b>	3.75 in
<b>PRODUCT WIDTH</b>	2.4 in
<b>PRODUCT WEIGHT</b>	1.19 lb
<b>WARRANTY</b>	1 year
<b>COMPLIANCES</b>	RoHS Compliant
<b>CERTIFICATIONS</b>	UL Recognized CSA Certified UL Listed file E1491 (Guide Number NLDX2)
<b>PRODUCT TYPE</b>	Definite purpose contactor



Powering Business Worldwide

## Product specifications

<b>AMPERAGE RATING</b>	25A
<b>NUMBER OF POLES</b>	Three-pole
<b>OPTIONS</b>	Global listed
<b>TYPE</b>	Non-reversing
<b>AUXILIARY CONTACTS</b>	Quick connect (side-by-side)
<b>COIL</b>	24 Vac, 50/60 Hz
<b>COIL VOLTAGE</b>	120 Vdc
<b>ENCLOSURE</b>	Open with metal mounting plate
<b>FRAME SIZE</b>	15-50 A, two-pole and three-pole
<b>INDUCTIVE FULL LOAD</b>	30 A
<b>MODEL</b>	Contactator
<b>RESISTIVE LOAD</b>	35 A
<b>SERIES</b>	D1
<b>TERMINALS</b>	Box lugs (posidrive setscrew)
<b>CONNECTION</b>	Quick

## Resources

CATALOGS	<a href="#">Motor Control and Protection, Definite Purpose Contactors and Starters, Volume 5, Tab 4</a>
SPECIFICATIONS AND DATASHEETS	<a href="#">Eaton Specification Sheet - C25DNF325T</a>

PROJECT NAME:

PROJECT NUMBER:

PREPARED BY:

DATE:



**Eaton Corporation plc** Eaton House  
30 Pembroke Road  
Dublin 4, Ireland  
Eaton.com

© 2026 Eaton. All Rights Reserved.

Follow us on social media to get the latest product and support information.



# Specifications

Photo is representative

## Eaton C25DNF325T

Eaton definite purpose contactor, Mounting plate, Quick, Quick connect , 12 Vac, 50/60 Hz, Open with metal mounting plate, 15-50A, two- and 3P, 25A, Contactor, 3P, Global listed, D1, Box lugs (posidrive setscrew), Non-reversing

### General specifications

<b>PRODUCT NAME</b>	Eaton definite purpose contactor
<b>CATALOG NUMBER</b>	C25DNF325T
<b>UPC</b>	782116300570
<b>PRODUCT LENGTH/DEPTH</b>	3.35 in
<b>PRODUCT HEIGHT</b>	3.75 in
<b>PRODUCT WIDTH</b>	2.4 in
<b>PRODUCT WEIGHT</b>	1.19 lb
<b>WARRANTY</b>	1 year
<b>COMPLIANCES</b>	RoHS Compliant
<b>CERTIFICATIONS</b>	UL Recognized CSA Certified UL Listed file E1491 (Guide Number NLDX2)
<b>PRODUCT TYPE</b>	Definite purpose contactor



Powering Business Worldwide

## Product specifications

<b>AMPERAGE RATING</b>	25A
<b>NUMBER OF POLES</b>	Three-pole
<b>OPTIONS</b>	Global listed
<b>TYPE</b>	Non-reversing
<b>AUXILIARY CONTACTS</b>	Quick connect (side-by-side)
<b>COIL</b>	24 Vac, 50/60 Hz
<b>COIL VOLTAGE</b>	120 Vdc
<b>ENCLOSURE</b>	Open with metal mounting plate
<b>FRAME SIZE</b>	15-50 A, two-pole and three-pole
<b>INDUCTIVE FULL LOAD</b>	30 A
<b>MODEL</b>	Contactora
<b>RESISTIVE LOAD</b>	35 A
<b>SERIES</b>	D1
<b>TERMINALS</b>	Box lugs (posidrive setscrew)
<b>CONNECTION</b>	Quick

## Resources

CATALOGS	<a href="#">Motor Control and Protection, Definite Purpose Contactors and Starters, Volume 5, Tab 4</a>
SPECIFICATIONS AND DATASHEETS	<a href="#">Eaton Specification Sheet - C25DNF325T</a>

PROJECT NAME:

PROJECT NUMBER:

PREPARED BY:

DATE:



**Eaton Corporation plc** Eaton House  
30 Pembroke Road  
Dublin 4, Ireland  
Eaton.com

© 2026 Eaton. All Rights Reserved.

Follow us on social media to get the latest product and support information.

