



Pass & Seymour


## Weatherproof Boxes & Covers Cast Covers One & Two Gang

CA1, CA8, CA26, CA7, CA721, CA725, CA723, CA2, CA82, CA262, CA72

### Protect receptacles, power outlets and switches.

**T**his complete line of covers provides both vertical and horizontal solutions.

All feature heavy-duty, die-cast zinc construction with a baked-on, electrostatic polyester powder coat finish that provides superior scratch and corrosion resistance. These self-closing designs feature corrosion-resistant stainless steel springs for enhanced durability.



### Features & Benefits

**Heavy-duty die-cast zinc.**


**Product assembled after painting** for complete corrosion resistance.

**Cover available in one and two gang**, in a variety of configurations.

**Stainless steel springs.**

**Baked-on, electrostatic polyester powder coat** for superior scratch- and corrosion-resistant finish.

**No rough edges.**



CA26-GV

### Field Uses/Vertical Markets

- |              |               |                       |                     |
|--------------|---------------|-----------------------|---------------------|
| ■ Industrial | ■ Health Care | ■ Education           | ■ Institutional     |
| ■ Retail     | ■ Office      | ■ Hospitality/Lodging | ■ Multiple Dwelling |

SF2303R1 — Updated January 2004 — For latest specs visit [www.legrand.us/passandseymour](http://www.legrand.us/passandseymour)

# Weatherproof Boxes & Covers

## Cast Covers

### One & Two Gang

#### Ordering Information

| Catalog Number                                                                                                                        | Description                                                    | Color                   |
|---------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------|-------------------------|
| <b>One Gang</b>                                                                                                                       |                                                                |                         |
|  <b>CA1-G</b>                                        | Toggle<br>Vertical – 1 Self-Closing Lid                        | Gray                    |
|  <b>CA8-GH</b><br><b>CA8-BRH</b><br><b>CA8-WH</b>    | Duplex Receptacle<br>Horizontal – 2 Self-Closing Lids          | Gray<br>Bronze<br>White |
|  <b>CA8-GV</b><br><b>CA8-BRV</b><br><b>CA8-WV</b>    | Duplex Receptacle<br>Vertical – 1 Self-Closing Lid             | Gray<br>Bronze<br>White |
|  <b>CA26-GH</b><br><b>CA26-BRH</b><br><b>CA26-WH</b> | Decorator or GFCI<br>Horizontal – 1 Self-Closing Lid           | Gray<br>Bronze<br>White |
|  <b>CA26-GV</b><br><b>CA26-BRV</b><br><b>CA26-WV</b> | Decorator or GFCI<br>Vertical – 1 Self-Closing Lid             | Gray<br>Bronze<br>White |
|  <b>CA7-GV</b><br><b>CA7-BRV</b><br><b>CA7-WV</b>  | Single Receptacle<br>Vertical – 1 Self-Closing Lid             | Gray<br>Bronze<br>White |
|  <b>CA721-G</b>                                    | Power Outlet – 1.625 Diameter<br>Vertical – 1 Self-Closing Lid | Gray                    |
|  <b>CA725-G</b>                                    | Power Outlet – 1.750 Diameter<br>Vertical – 1 Self-Closing Lid | Gray                    |
|  <b>CA723-G</b>                                    | Power Outlet – 2.125 Diameter<br>Vertical – 1 Self-Closing Lid | Gray                    |
| <b>Two Gang</b>                                                                                                                       |                                                                |                         |
|  <b>CA2-G</b><br><b>CA2-BR</b><br><b>CA2-W</b>     | 2 Toggles<br>4 Screw Mounting                                  | Gray<br>Bronze<br>White |
|  <b>CA82-G</b><br><b>CA82-BR</b><br><b>CA82-W</b>  | 2 Duplex Receptacles                                           | Gray<br>Bronze<br>White |
|  <b>CA262-G</b>                                    | 2 Decorator or GFCI<br>4 Screw Mounting                        | Gray                    |
|  <b>CA72-G</b>                                     | 2 Single Receptacles                                           | Gray                    |

For more information on these and other P&S products refer to our Product Guide or visit our web site.

# Weatherproof Boxes & Covers

## Cast Covers

### One & Two Gang



Pass & Seymour

#### Technical Specifications

##### 3rd Party Compliance

cULus Listed.  
Complies with 2002 NEC Section 406.8(A) and 406.8(B)(2).

##### Performance

Environmental Weatherproof

##### Materials


|         |                                               |
|---------|-----------------------------------------------|
| Body    | Die-Cast Zinc                                 |
| Springs | Stainless Steel                               |
| Finish  | Baked-On, Electrostatic Polyester Powder Coat |

##### Warranty


1 Year




**Dimensions for  
One Gang Vertical  
1 Self-Closing Lid**



**Dimensions for  
One Gang Horizontal  
2 Self-Closing Lids**




**Dimensions for  
One Gang Horizontal  
1 Self-Closing Lid**



**Dimensions for  
Two Gang Cover**

## Complementary Devices & Accessories



### WEATHERPROOF BOXES & COVERS

- While-In-Use Covers
- Heavy Cast Aluminum Covers
- Boxes



### WALL PLATES

- TradeMaster® Thermoplastic Nylon
- Stainless Steel
- Brass
- Aluminum
- Dustproof Stainless Steel Covers




### SWITCHES

- Heavy-Duty Toggle
- Heavy-Duty Lighted Toggle
- Heavy-Duty Security
- Heavy-Duty Locking
- Construction Grade Toggle
- Commercial Grade Toggle



### STRAIGHT BLADE RECEPTACLES

- Extra Heavy-Duty
- Heavy-Duty
- Construction Grade
- Commercial Grade



### GFCIs

- Construction Grade with Auto-Ground
- Construction Grade
- Construction Grade Dead Front

## Also available...

- |                          |                                      |                                     |                               |
|--------------------------|--------------------------------------|-------------------------------------|-------------------------------|
| ■ Light Almond Devices   | ■ PlugTail™ Devices                  | ■ Straight Blade Plugs & Connectors | ■ IEC 309 Industrial Products |
| ■ Decorator Devices      | ■ TVSS & Isolated Ground Devices     | ■ Turnlok® Locking Devices          | ■ Flexcor® Wire Mesh Grips    |
| ■ Hospital Grade Devices | ■ Ground Continuity Monitoring (GCM) |                                     | ■ Configurable Solutions      |



**Legrand/Pass & Seymour**  
P.O. Box 4822  
Syracuse, NY 13221-4822  
800-223-4185

**North America Headquarters**  
60 Woodlawn Street  
West Hartford, CT 06110  
Phone: 1.877.BY.LEGRAND (295.3472)  
Fax: 1.860.232.2062  
www.legrand.us

**Legrand Canada**  
570 Applewood Crescent  
Vaughan, ON, L4K 4B4  
Phone: 905.738.9195  
Fax: 905.738.9721  
www.legrand.ca



Pass & Seymour


## Weatherproof Boxes & Covers Cast Covers One & Two Gang

CA1, CA8, CA26, CA7, CA721, CA725, CA723, CA2, CA82, CA262, CA72

### Protect receptacles, power outlets and switches.

**T**his complete line of covers provides both vertical and horizontal solutions.

All feature heavy-duty, die-cast zinc construction with a baked-on, electrostatic polyester powder coat finish that provides superior scratch and corrosion resistance. These self-closing designs feature corrosion-resistant stainless steel springs for enhanced durability.



### Features & Benefits

**Heavy-duty die-cast zinc.**


**Product assembled after painting** for complete corrosion resistance.

**Cover available in one and two gang**, in a variety of configurations.

**Stainless steel springs.**

**Baked-on, electrostatic polyester powder coat** for superior scratch- and corrosion-resistant finish.

**No rough edges.**



CA26-GV

### Field Uses/Vertical Markets

- |              |               |                       |                     |
|--------------|---------------|-----------------------|---------------------|
| ■ Industrial | ■ Health Care | ■ Education           | ■ Institutional     |
| ■ Retail     | ■ Office      | ■ Hospitality/Lodging | ■ Multiple Dwelling |

SF2303R1 — Updated January 2004 — For latest specs visit [www.legrand.us/passandseymour](http://www.legrand.us/passandseymour)

# Weatherproof Boxes & Covers

## Cast Covers

### One & Two Gang

#### Ordering Information

| Catalog Number                                                                                                                        | Description                                                    | Color                   |
|---------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------|-------------------------|
| <b>One Gang</b>                                                                                                                       |                                                                |                         |
|  <b>CA1-G</b>                                        | Toggle<br>Vertical – 1 Self-Closing Lid                        | Gray                    |
|  <b>CA8-GH</b><br><b>CA8-BRH</b><br><b>CA8-WH</b>    | Duplex Receptacle<br>Horizontal – 2 Self-Closing Lids          | Gray<br>Bronze<br>White |
|  <b>CA8-GV</b><br><b>CA8-BRV</b><br><b>CA8-WV</b>    | Duplex Receptacle<br>Vertical – 1 Self-Closing Lid             | Gray<br>Bronze<br>White |
|  <b>CA26-GH</b><br><b>CA26-BRH</b><br><b>CA26-WH</b> | Decorator or GFCI<br>Horizontal – 1 Self-Closing Lid           | Gray<br>Bronze<br>White |
|  <b>CA26-GV</b><br><b>CA26-BRV</b><br><b>CA26-WV</b> | Decorator or GFCI<br>Vertical – 1 Self-Closing Lid             | Gray<br>Bronze<br>White |
|  <b>CA7-GV</b><br><b>CA7-BRV</b><br><b>CA7-WV</b>  | Single Receptacle<br>Vertical – 1 Self-Closing Lid             | Gray<br>Bronze<br>White |
|  <b>CA721-G</b>                                    | Power Outlet – 1.625 Diameter<br>Vertical – 1 Self-Closing Lid | Gray                    |
|  <b>CA725-G</b>                                    | Power Outlet – 1.750 Diameter<br>Vertical – 1 Self-Closing Lid | Gray                    |
|  <b>CA723-G</b>                                    | Power Outlet – 2.125 Diameter<br>Vertical – 1 Self-Closing Lid | Gray                    |
| <b>Two Gang</b>                                                                                                                       |                                                                |                         |
|  <b>CA2-G</b><br><b>CA2-BR</b><br><b>CA2-W</b>     | 2 Toggles<br>4 Screw Mounting                                  | Gray<br>Bronze<br>White |
|  <b>CA82-G</b><br><b>CA82-BR</b><br><b>CA82-W</b>  | 2 Duplex Receptacles                                           | Gray<br>Bronze<br>White |
|  <b>CA262-G</b>                                    | 2 Decorator or GFCI<br>4 Screw Mounting                        | Gray                    |
|  <b>CA72-G</b>                                     | 2 Single Receptacles                                           | Gray                    |

For more information on these and other P&S products refer to our Product Guide or visit our web site.

# Weatherproof Boxes & Covers

## Cast Covers

### One & Two Gang



Pass & Seymour

#### Technical Specifications

##### 3rd Party Compliance

cULus Listed.  
Complies with 2002 NEC Section 406.8(A) and 406.8(B)(2).

##### Performance

Environmental Weatherproof

##### Materials


|         |                                               |
|---------|-----------------------------------------------|
| Body    | Die-Cast Zinc                                 |
| Springs | Stainless Steel                               |
| Finish  | Baked-On, Electrostatic Polyester Powder Coat |

##### Warranty


1 Year




Dimensions for  
One Gang Vertical  
1 Self-Closing Lid



Dimensions for  
One Gang Horizontal  
2 Self-Closing Lids




Dimensions for  
One Gang Horizontal  
1 Self-Closing Lid



Dimensions for  
Two Gang Cover

## Complementary Devices & Accessories



### WEATHERPROOF BOXES & COVERS

- While-In-Use Covers
- Heavy Cast Aluminum Covers
- Boxes



### WALL PLATES

- TradeMaster® Thermoplastic Nylon
- Stainless Steel
- Brass
- Aluminum
- Dustproof Stainless Steel Covers




### SWITCHES

- Heavy-Duty Toggle
- Heavy-Duty Lighted Toggle
- Heavy-Duty Security
- Heavy-Duty Locking
- Construction Grade Toggle
- Commercial Grade Toggle



### STRAIGHT BLADE RECEPTACLES

- Extra Heavy-Duty
- Heavy-Duty
- Construction Grade
- Commercial Grade



### GFCIs

- Construction Grade with Auto-Ground
- Construction Grade
- Construction Grade Dead Front

## Also available...

- |                          |                                      |                                     |                               |
|--------------------------|--------------------------------------|-------------------------------------|-------------------------------|
| ■ Light Almond Devices   | ■ PlugTail™ Devices                  | ■ Straight Blade Plugs & Connectors | ■ IEC 309 Industrial Products |
| ■ Decorator Devices      | ■ TVSS & Isolated Ground Devices     | ■ Turnlok® Locking Devices          | ■ Flexcor® Wire Mesh Grips    |
| ■ Hospital Grade Devices | ■ Ground Continuity Monitoring (GCM) |                                     | ■ Configurable Solutions      |



**Legrand/Pass & Seymour**  
P.O. Box 4822  
Syracuse, NY 13221-4822  
800-223-4185

**North America Headquarters**  
60 Woodlawn Street  
West Hartford, CT 06110  
Phone: 1.877.BY.LEGRAND (295.3472)  
Fax: 1.860.232.2062  
www.legrand.us

**Legrand Canada**  
570 Applewood Crescent  
Vaughan, ON, L4K 4B4  
Phone: 905.738.9195  
Fax: 905.738.9721  
www.legrand.ca