

# IN BOX™ Recessed Non-Metallic Boxes

**NEW!**  
EXTRA DUTY  
COVERS

**EXTRA-DUTY** Weatherproof-while-in-use, Low profile Cover




DBVS1C

for New & Existing Vinyl Siding



DBVM1C

for Textured Surfaces, Rigid Siding



DBVR1C

for Retrofit Flat Surfaces including brick



DHB1W

for New Brick in brown or white

With **IN BOX™** there are no extra parts to purchase or handle. You'll save big on labor and materials.

One-piece IN BOX, the recessed electrical box for exterior use, eliminates installing multiple pieces – an electrical box, bubble cover assembly and a siding block on siding. And the job looks great because IN BOX installs *in the wall* – so less shows outside. It's that simple.

**Cost savings. Time savings.**

**A great-looking job. Get it all in Arlington's one-piece IN BOX!**

- Non-metallic, 22.0 cu. inch electrical box with **extra-duty** weatherproof-while-in-use clear or white cover
- Single and two-gang, vertical and horizontal, for a variety of applications
- For new and old work
- Accepts single-gang devices - no gaskets required



**Installs in the wall.**  
**Less shows outside!**

# A



**Arlington**

1 Stauffer Industrial Park  
Scranton, PA 18517  
**800/233.4717**  
Fax 570/562.0646  
[www.aifittings.com](http://www.aifittings.com)

**IN BOX meets 2014 NEC, Section 406.9 (B)** for the protection of exterior outlets which require the use of an **extra-duty** weatherproof while-in-use cover for all outdoor 15 or 20 AMP receptacles. Also meets **2015 CEC (Rule 26-702)** for receptacles exposed to the weather.

Made in USA



## EXTRA-DUTY Weatherproof-while-in-use, Low profile Cover

### RETROFIT

| CATALOG NUMBER | UPC/DCI/NAED MFG #01 8997 | DESCRIPTION (single gang)<br>Mounting Orientation/Uses | COVER COLOR | STD PKG |
|----------------|---------------------------|--------------------------------------------------------|-------------|---------|
|----------------|---------------------------|--------------------------------------------------------|-------------|---------|

#### FOR FLAT SURFACES \* (Also available with steel box)

|        |       |            |       |   |
|--------|-------|------------|-------|---|
| DBVR1C | 14313 | Vertical   | Clear | 4 |
| DBVR1W | 14314 | Vertical   | White | 4 |
| DBHR1C | 77604 | Horizontal | Clear | 4 |
| DBHR1W | 77606 | Horizontal | White | 4 |

#### FOR EXISTING VINYL SIDING \*

##### VERTICAL

|          |       |                         |       |   |
|----------|-------|-------------------------|-------|---|
| DBVR131C | 14370 | For 1/4" & 5/16" siding | Clear | 4 |
| DBVR131W | 14375 | For 1/4" & 5/16" siding | White | 4 |
| DBVR141C | 14371 | For 1/2" siding         | Clear | 4 |
| DBVR141W | 14376 | For 1/2" siding         | White | 4 |
| DBVR151C | 14372 | For 5/8" siding         | Clear | 4 |
| DBVR151W | 14377 | For 5/8" siding         | White | 4 |
| DBVR171C | 14373 | For dutch lap siding    | Clear | 4 |
| DBVR171W | 14378 | For dutch lap siding    | White | 4 |

##### HORIZONTAL

|          |       |                         |       |   |
|----------|-------|-------------------------|-------|---|
| DBHR131C | 77612 | For 1/4" & 5/16" siding | Clear | 4 |
| DBHR131W | 77614 | For 1/4" & 5/16" siding | White | 4 |
| DBHR141C | 77616 | For 1/2" siding         | Clear | 4 |
| DBHR141W | 77618 | For 1/2" siding         | White | 4 |
| DBHR151C | 77620 | For 5/8" siding         | Clear | 4 |
| DBHR151W | 77622 | For 5/8" siding         | White | 4 |
| DBHR171C | 77624 | For dutch lap siding    | Clear | 4 |
| DBHR171W | 77626 | For dutch lap siding    | White | 4 |

#### FOR CEMENTITIOUS RIGID LAP SIDING \*

|          |       |            |       |   |
|----------|-------|------------|-------|---|
| DBVR131C | 14370 | Vertical   | Clear | 4 |
| DBVR131W | 14375 | Vertical   | White | 4 |
| DBHR131C | 77612 | Horizontal | Clear | 4 |
| DBHR131W | 77614 | Horizontal | White | 4 |

### NEW CONSTRUCTION

| CATALOG NUMBER | UPC/DCI/NAED MFG #01 8997 | DESCRIPTION (single gang)<br>Mounting Orientation/Uses | CLEAR COVER | STD PKG |
|----------------|---------------------------|--------------------------------------------------------|-------------|---------|
|----------------|---------------------------|--------------------------------------------------------|-------------|---------|

#### FOR ANY NEW VINYL SIDING \* (Also available with steel box)

|        |       |            |       |   |
|--------|-------|------------|-------|---|
| DBVS1C | 14317 | Vertical   | Clear | 4 |
| DBVS1W | 14318 | Vertical   | White | 4 |
| DBHS1C | 77600 | Horizontal | Clear | 4 |
| DBHS1W | 77602 | Horizontal | White | 4 |

#### FOR STUCCO & TEXTURED SURFACES \* (Also available with steel box)

Includes FXC plastic block bushing

|        |       |            |       |   |
|--------|-------|------------|-------|---|
| DBVM1C | 14315 | Vertical   | Clear | 4 |
| DBVM1W | 14316 | Vertical   | White | 4 |
| DBHM1C | 77608 | Horizontal | Clear | 4 |
| DBHM1W | 77610 | Horizontal | White | 4 |

#### WITH fully adjustable flange depth **FOR ANY FOAM WALL SYSTEM AND FOR USE WHERE STUCCO THICKNESS VARIES** on concrete block, stucco

|         |       |          |       |   |
|---------|-------|----------|-------|---|
| DBVMA1C | 77632 | Vertical | Clear | 4 |
| DBVMA1W | 77634 | Vertical | White | 4 |

#### FOR CEMENTITIOUS RIGID LAP SIDING

|        |       |            |       |   |
|--------|-------|------------|-------|---|
| DBVM1C | 14315 | Vertical   | Clear | 4 |
| DBVM1W | 14316 | Vertical   | White | 4 |
| DBHM1C | 77608 | Horizontal | Clear | 4 |
| DBHM1W | 77610 | Horizontal | White | 4 |

#### FOR 1-1/2" WALL SYSTEMS

with fixed flange depth

|         |       |          |       |   |
|---------|-------|----------|-------|---|
| DBVME1C | 77645 | Vertical | Clear | 4 |
| DBVME1W | 77646 | Vertical | White | 4 |

#### FOR NEW BRICK

|        |       |                        |       |   |
|--------|-------|------------------------|-------|---|
| DBHB1C | 77628 | White box • Horizontal | Clear | 4 |
| DBHB1W | 77630 | White box • Horizontal | White | 4 |

\* AVAILABLE IN TWO-GANG STYLE


To order box with Ground Clip for Canada, add suffix 'GC', ie DBVMA1WGC.



## Arlington

1 Stauffer Industrial Park  
Scranton, PA 18517  
800/233.4717  
Fax 570/562.0646  
www.aifittings.com

**IN BOX meets 2014 NEC, Section 406.9 (B)**  
for the protection of exterior outlets which  
require the use of an **extra-duty** weatherproof  
while-in-use cover for all outdoor 15 or 20 AMP  
receptacles. Also meets **2015 CEC (Rule 26-702)**  
for receptacles exposed to the weather.



**DBVM2C**  
Two-gang  
for Stucco



#### WITH ADAPTER SLEEVE • FOR NEW BRICK (Also available with steel box)

|         |       |                        |       |   |
|---------|-------|------------------------|-------|---|
| DHB1C   | 54880 | White box • Horizontal | Clear | 4 |
| DHB1W   | 54882 | White box • Horizontal | White | 4 |
| DVB1C   | 43609 | White box • Vertical   | Clear | 4 |
| DVB1W   | 43620 | White box • Vertical   | White | 4 |
| DHB1BRC | 54881 | Brown box • Horizontal | Clear | 4 |
| DHB1BR  | 54875 | Brown box • Horizontal | Brown | 4 |
| DVB1BRC | 43608 | Brown box • Vertical   | Clear | 4 |
| DVB1BR  | 43595 | Brown box • Vertical   | Brown | 4 |

Distributed by

IN BOX 0516/15M

Patented.  
Other patents pending.

# IN BOX™ Recessed Non-Metallic Boxes

**NEW!**  
EXTRA DUTY  
COVERS

**EXTRA-DUTY** Weatherproof-while-in-use, Low profile Cover




DBVS1C

for New & Existing Vinyl Siding



DBVM1C

for Textured Surfaces, Rigid Siding



DBVR1C

for Retrofit Flat Surfaces including brick



DHB1W

for New Brick in brown or white


With **IN BOX™** there are no extra parts to purchase or handle. You'll save big on labor and materials.

One-piece IN BOX, the recessed electrical box for exterior use, eliminates installing multiple pieces – an electrical box, bubble cover assembly and a siding block on siding. And the job looks great because IN BOX installs *in the wall* – so less shows outside. It's that simple.

**Cost savings. Time savings.**

**A great-looking job. Get it all in Arlington's one-piece IN BOX!**

- Non-metallic, 22.0 cu. inch electrical box with **extra-duty** weatherproof-while-in-use clear or white cover
- Single and two-gang, vertical and horizontal, for a variety of applications
- For new and old work
- Accepts single-gang devices - no gaskets required



**Installs in the wall.**  
**Less shows outside!**

**Arlington**



1 Stauffer Industrial Park  
Scranton, PA 18517  
**800/233.4717**  
**Fax 570/562.0646**  
[www.aifittings.com](http://www.aifittings.com)

**IN BOX meets 2014 NEC, Section 406.9 (B)** for the protection of exterior outlets which require the use of an **extra-duty** weatherproof while-in-use cover for all outdoor 15 or 20 AMP receptacles. Also meets **2015 CEC (Rule 26-702)** for receptacles exposed to the weather.

Made in USA



## EXTRA-DUTY Weatherproof-while-in-use, Low profile Cover

### RETROFIT

| CATALOG NUMBER | UPC/DCI/NAED MFG #01 8997 | DESCRIPTION (single gang)<br>Mounting Orientation/Uses | COVER COLOR | STD PKG |
|----------------|---------------------------|--------------------------------------------------------|-------------|---------|
|----------------|---------------------------|--------------------------------------------------------|-------------|---------|

#### FOR FLAT SURFACES \* (Also available with steel box)

|        |       |            |       |   |
|--------|-------|------------|-------|---|
| DBVR1C | 14313 | Vertical   | Clear | 4 |
| DBVR1W | 14314 | Vertical   | White | 4 |
| DBHR1C | 77604 | Horizontal | Clear | 4 |
| DBHR1W | 77606 | Horizontal | White | 4 |

#### FOR EXISTING VINYL SIDING \*

##### VERTICAL

|          |       |                         |       |   |
|----------|-------|-------------------------|-------|---|
| DBVR131C | 14370 | For 1/4" & 5/16" siding | Clear | 4 |
| DBVR131W | 14375 | For 1/4" & 5/16" siding | White | 4 |
| DBVR141C | 14371 | For 1/2" siding         | Clear | 4 |
| DBVR141W | 14376 | For 1/2" siding         | White | 4 |
| DBVR151C | 14372 | For 5/8" siding         | Clear | 4 |
| DBVR151W | 14377 | For 5/8" siding         | White | 4 |
| DBVR171C | 14373 | For dutch lap siding    | Clear | 4 |
| DBVR171W | 14378 | For dutch lap siding    | White | 4 |

##### HORIZONTAL

|          |       |                         |       |   |
|----------|-------|-------------------------|-------|---|
| DBHR131C | 77612 | For 1/4" & 5/16" siding | Clear | 4 |
| DBHR131W | 77614 | For 1/4" & 5/16" siding | White | 4 |
| DBHR141C | 77616 | For 1/2" siding         | Clear | 4 |
| DBHR141W | 77618 | For 1/2" siding         | White | 4 |
| DBHR151C | 77620 | For 5/8" siding         | Clear | 4 |
| DBHR151W | 77622 | For 5/8" siding         | White | 4 |
| DBHR171C | 77624 | For dutch lap siding    | Clear | 4 |
| DBHR171W | 77626 | For dutch lap siding    | White | 4 |

#### FOR CEMENTITIOUS RIGID LAP SIDING \*

|          |       |            |       |   |
|----------|-------|------------|-------|---|
| DBVR131C | 14370 | Vertical   | Clear | 4 |
| DBVR131W | 14375 | Vertical   | White | 4 |
| DBHR131C | 77612 | Horizontal | Clear | 4 |
| DBHR131W | 77614 | Horizontal | White | 4 |

### NEW CONSTRUCTION

| CATALOG NUMBER | UPC/DCI/NAED MFG #01 8997 | DESCRIPTION (single gang)<br>Mounting Orientation/Uses | CLEAR COVER | STD PKG |
|----------------|---------------------------|--------------------------------------------------------|-------------|---------|
|----------------|---------------------------|--------------------------------------------------------|-------------|---------|

#### FOR ANY NEW VINYL SIDING \* (Also available with steel box)

|        |       |            |       |   |
|--------|-------|------------|-------|---|
| DBVS1C | 14317 | Vertical   | Clear | 4 |
| DBVS1W | 14318 | Vertical   | White | 4 |
| DBHS1C | 77600 | Horizontal | Clear | 4 |
| DBHS1W | 77602 | Horizontal | White | 4 |

#### FOR STUCCO & TEXTURED SURFACES \* (Also available with steel box)

Includes FXC plastic block bushing

|        |       |            |       |   |
|--------|-------|------------|-------|---|
| DBVM1C | 14315 | Vertical   | Clear | 4 |
| DBVM1W | 14316 | Vertical   | White | 4 |
| DBHM1C | 77608 | Horizontal | Clear | 4 |
| DBHM1W | 77610 | Horizontal | White | 4 |

#### WITH fully adjustable flange depth **FOR ANY FOAM WALL SYSTEM AND FOR USE WHERE STUCCO THICKNESS VARIES** on concrete block, stucco

|         |       |          |       |   |
|---------|-------|----------|-------|---|
| DBVMA1C | 77632 | Vertical | Clear | 4 |
| DBVMA1W | 77634 | Vertical | White | 4 |

#### FOR CEMENTITIOUS RIGID LAP SIDING

|        |       |            |       |   |
|--------|-------|------------|-------|---|
| DBVM1C | 14315 | Vertical   | Clear | 4 |
| DBVM1W | 14316 | Vertical   | White | 4 |
| DBHM1C | 77608 | Horizontal | Clear | 4 |
| DBHM1W | 77610 | Horizontal | White | 4 |

#### FOR 1-1/2" WALL SYSTEMS

with fixed flange depth

|         |       |          |       |   |
|---------|-------|----------|-------|---|
| DBVME1C | 77645 | Vertical | Clear | 4 |
| DBVME1W | 77646 | Vertical | White | 4 |

#### FOR NEW BRICK

|        |       |                        |       |   |
|--------|-------|------------------------|-------|---|
| DBHB1C | 77628 | White box • Horizontal | Clear | 4 |
| DBHB1W | 77630 | White box • Horizontal | White | 4 |

**\* AVAILABLE IN TWO-GANG STYLE**


To order box with Ground Clip for Canada, add suffix 'GC', ie DBVMA1WGC.



## Arlington

1 Stauffer Industrial Park  
Scranton, PA 18517  
800/233.4717  
Fax 570/562.0646  
www.aifittings.com

**IN BOX meets 2014 NEC, Section 406.9 (B)**  
for the protection of exterior outlets which  
require the use of an **extra-duty** weatherproof  
while-in-use cover for all outdoor 15 or 20 AMP  
receptacles. Also meets **2015 CEC (Rule 26-702)**  
for receptacles exposed to the weather.



**DBVM2C**  
Two-gang  
for Stucco



#### WITH ADAPTER SLEEVE • FOR NEW BRICK (Also available with steel box)

|         |       |                        |       |   |
|---------|-------|------------------------|-------|---|
| DHB1C   | 54880 | White box • Horizontal | Clear | 4 |
| DHB1W   | 54882 | White box • Horizontal | White | 4 |
| DVB1C   | 43609 | White box • Vertical   | Clear | 4 |
| DVB1W   | 43620 | White box • Vertical   | White | 4 |
| DHB1BRC | 54881 | Brown box • Horizontal | Clear | 4 |
| DHB1BR  | 54875 | Brown box • Horizontal | Brown | 4 |
| DVB1BRC | 43608 | Brown box • Vertical   | Clear | 4 |
| DVB1BR  | 43595 | Brown box • Vertical   | Brown | 4 |

Distributed by

IN BOX 0516/15M

Patented.  
Other patents pending.