

# ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685



#### **E22B11 1NO-1NC Contact Block**

Eaton Corp		
Catalog Number	E22B11	
Manufacturer	Eaton Corp	
Description	Eaton E22 Pushbutton Contact Block, 22.5 MM, Non-Metallic Heavy-Duty, 1NO, 1NC	
Weight per unit	0.0300 (lbs/each)	
Product Category	Contact Blocks	
Features		
dimensions	1.5000 IN X 1.5000 IN X 0.5000 IN	
Dimensions and Weight		
Depth	1.5	
Height	0.5	
Width	1.5	
Descriptions		
Description	1NO-1NC CONTACT BLOCK	
extra long description	ETN E22B11 CONTACT BLOCK 1NO/1NC	
Features	Eaton's 22.5 mm industrial heavy-duty pushbutton line offers a wide array of functional, smartly styled illuminated and non-illuminated pushbuttons, selector switches, push-pulls,	

Features	Eaton's 22.5 mm industrial heavy-duty pushbutton line offers a
	wide array of functional, smartly styled illuminated and
	non-illuminated pushbuttons, selector switches, push-pulls,
	action and twist-to- release operators. The complete line also
	includes transformer, full voltage, resistor, LED or neon light
	units.
Long Description	Eaton E22 pushbutton contact block, 22.5 mm, Non-metallic

Heavy-Duty, 1NO, 1NC **Product Type** Contact Block 1NO/1NC

## **Manufacturer Information**

Brand	EATON CUTLER-HAMMER
GTIN	00782113699486
Manufacturers Part Number	E22B11
UPC	782113699486

#### **Taxonomies, Classifications, and Categories**

Category Description	MINATURE PILOT DEVICES.22MM
Туре	Pushbutton accessory

### **Packaging**

Carton	1	
Weight Per each	0.03	



# ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685

Uses.	. Certifications.	and Standards
0303	OUI CILIDACIOLIS	ulla otaliaalas

Application	Stationary Machinery and Equipment Outside Factory -
	Stationary Machinery and Equipment Outside Factory - Other
standard	Lloyd's Register Certified,IEC 947-5-1 MTTA,CSA
	Certified,UL 508,CE Marked