

## Type 4X Stainless Steel Wallmount Enclosure *Eclipse Series*

Hinge Door with Quarter Turn/Handle

### Application



- Designed to enclose electrical and/or electronic equipment and protect against harsh, industrial environments for wallmount applications.
- Impressive styling features like hidden hinges and attractive latching systems make the Eclipse a suitable addition to any high-tech equipment installation.
- A wide range of sizes and practical accessories make this product line a complete package.

### Standards

- UL 508A Type 3R, 4, 4X and 12
- CSA Type 3R, 4, 4X and 12
  - Mounting foot kit required to maintain UL/CSA external mounting requirements.
  - Sizes >24" (600mm) wide require inner panel to maintain UL/CSA.
- Complies with
  - NEMA 3R, 4, 4X, 12 and 13
  - IEC 60529, IP 66



**Panel  
Sold  
Separately**



### Construction

- Formed 14 (24x24" and larger) or 16 (24x20" and smaller) gauge stainless steel.
- Continuously welded seams ground smooth.
- Door stiffeners are provided where required for increased strength and rigidity - designed to also permit additional mounting options.
  - Please note that several smaller sizes of this series will no longer feature C channel stiffener/door brackets – see drawing for details. Removing this feature allows for more usable door space.
  - Inventory will take some time to be converted to the new design.
  - Note: If desired, the C channel door brackets can be added as a special order modification.
- Formed lip on enclosure to exclude flowing liquids and contaminants.
- Door latching: Type A has stainless steel slotted quarter turns, Type B has stainless steel handle with 3 point latching.
- Doors may be easily removed for modifications and are interchangeable.
- Seamless poured-in place gasket.
- Collar studs provided for mounting inner panel.
- Includes hardware kit with panel mounting nuts and sealing washers for wall mounting holes.
- Bonding stud provided on door and grounding stud installed in enclosure.
- Stainless steel hinge pins and quarter turns.
- Door alignment guide provided on 36" wide enclosures.
- Door swing can be reversed - requires ordering adapter kit **EHLLSAK**

### Finish

- Cover and enclosure are natural stainless steel with a smooth brushed finish.

## Accessories

- Additional Inner Panels
- Swing Frame
- Eclipse DIN Rails
- Mounting Foot Kit
- Drip Shield Kit
- Quarter Turn Assemblies
- Handles
- Window Kits
- Lighting
- Swing Panel
- Eclipse DIN Rail Mounting Kit
- Door Stop Kit
- Rear Hole Plugs
- Quarter Turn Inserts and Keys
- Padlock Adaptor
- Replacement Hinge Pins
- Climate Control
- General Accessories

**New and improved PDF part drawing files with more detail now available.**

Click part number in table below to access PDF, DXF, and STEP files.

304 S.S.	316 S.S.	Enclosure				Optional Inner Panel		
Part No.	Part No.	H	W	D	Latch Type	Part No.	H	W
EN4SD12 126SS	EN4SD121 26S16	12.00	12.00	6.00	A	EP1212	10.20	10.20
EN4SD16 126SS	EN4SD161 26S16	16.00	12.00	6.00	A	EP1612	14.20	10.20
EN4SD16 166SS	EN4SD161 66S16	16.00	16.00	6.00	A	EP1616	14.20	14.20
EN4SD16 206SS	-	16.00	20.00	6.00	A	EP1620	14.20	18.20
EN4SD20 166SS	EN4SD201 66S16	20.00	16.00	6.00	A	EP2016	18.20	14.20
EN4SD20 206SS	EN4SD202 06S16	20.00	20.00	6.00	A	EP2020	18.20	18.20
EN4SD24 206SS	-	24.00	20.00	6.00	A	EP2420	22.20	18.20
EN4SD16 128SS	EN4SD161 28S16	16.00	12.00	8.00	A	EP1612	14.20	10.20
EN4SD16 168SS	EN4SD161 68S16	16.00	16.00	8.00	A	EP1616	14.20	14.20
EN4SD16 208SS	EN4SD162 08S16	16.00	20.00	8.00	A	EP1620	14.20	18.20
EN4SD20 168SS	EN4SD201 68S16	20.00	16.00	8.00	A	EP2016	18.20	14.20
EN4SD20 208SS	EN4SD202 08S16	20.00	20.00	8.00	A	EP2020	18.20	18.20
EN4SD20 248SS	-	20.00	24.00	8.00	A	EP2024	18.20	22.20
EN4SD24 168SS	EN4SD241 68S16	24.00	16.00	8.00	A	EP2416	22.20	14.20
EN4SD24 208SS	EN4SD242 08S16	24.00	20.00	8.00	A	EP2420	22.20	18.20
EN4SD24 248SS	EN4SD242 48S16	24.00	24.00	8.00	A	EP2424	22.20	22.20
EN4SD24 308SS	EN4SD243 08S16	24.00	30.00	8.00	A	EP2430	22.20	28.20

304 S.S.	316 S.S.	Enclosure				Latch	Optional Inner Panel		
Part No.	Part No.	H	W	D	Type	Part No.	H	W	
EN4SD30 208SS	-	30.00	20.00	8.00	A	EP3020	28.20	18.20	
EN4SD30 248SS	EN4SD302 48S16	30.00	24.00	8.00	A	EP3024	28.20	22.20	
EN4SD30 308SS	EN4SD303 08S16	30.00	30.00	8.00	A	EP3030	28.20	28.20	
EN4SD36 248SS	EN4SD362 48S16	36.00	24.00	8.00	A	EP3624	34.20	22.20	
EN4SD36 308SS	EN4SD363 08S16	36.00	30.00	8.00	A	EP3630	34.20	28.20	
EN4SD42 368SSR	-	42.00	36.00	8.00	A	EP4236	40.20	34.20	
EN4SD48 368SSR	-	48.00	36.00	8.00	A	EP4836	46.20	34.20	
EN4SD16 1210SS	EN4SD161 210S16	16.00	12.00	10.00	A	EP1612	14.20	10.20	
EN4SD16 1610SS	EN4SD161 610S16	16.00	16.00	10.00	A	EP1616	14.20	14.20	
EN4SD16 2010SS	EN4SD162 010S16	16.00	20.00	10.00	A	EP1620	14.20	18.20	
EN4SD20 1610SS	EN4SD201 610S16	20.00	16.00	10.00	A	EP2016	18.20	14.20	
EN4SD20 2010SS	EN4SD202 010S16	20.00	20.00	10.00	A	EP2020	18.20	18.20	
EN4SD20 2410SS	EN4SD202 410S16	20.00	24.00	10.00	A	EP2024	18.20	22.20	
EN4SD24 1610SS	EN4SD241 610S16	24.00	16.00	10.00	A	EP2416	22.20	14.20	
EN4SD24 2010SS	EN4SD242 010S16	24.00	20.00	10.00	A	EP2420	22.20	18.20	
EN4SD24 2410SS	EN4SD242 410S16	24.00	24.00	10.00	A	EP2424	22.20	22.20	
EN4SD24 3010SS	EN4SD243 010S16	24.00	30.00	10.00	A	EP2430	22.20	28.20	
EN4SD30 2010SS	EN4SD302 010S16	30.00	20.00	10.00	A	EP3020	28.20	18.20	
EN4SD30 2410SS	EN4SD302 410S16	30.00	24.00	10.00	A	EP3024	28.20	22.20	
EN4SD30 3010SS	EN4SD303 010S16	30.00	30.00	10.00	A	EP3030	28.20	28.20	
EN4SD36 2410SS	EN4SD362 410S16	36.00	24.00	10.00	A	EP3624	34.20	22.20	
EN4SD36 3010SS	EN4SD363 010S16	36.00	30.00	10.00	A	EP3630	34.20	28.20	
EN4SD36 3610SSR	EN4SD363 610S16R	36.00	36.00	10.00	A	EP3636	34.20	34.20	
EN4SD42 3010SSR	-	42.00	30.00	10.00	A	EP4230	40.20	28.20	
EN4SD42 3610SSR	EN4SD423 610S16R	42.00	36.00	10.00	A	EP4236	40.20	34.20	
EN4SD48 2410SS	EN4SD482 410S16	48.00	24.00	10.00	B	EP4824	46.20	26.20	
EN4SD48 3610SSR	EN4SD483 610S16R	48.00	36.00	10.00	A	EP4836	46.20	34.20	
EN4SD60 3610SSR	EN4SD603 610S16R	60.00	36.00	10.00	A	EP6036	58.20	34.20	
EN4SD20 2012SS	EN4SD202 012S16	20.00	20.00	12.00	A	EP2020	18.20	18.20	

304 S.S.		316 S.S.		Enclosure			Optional Inner Panel		
Part No.	Part No.	H	W	D	Latch Type	Part No.	H	W	
EN4SD24 2412SS	EN4SD242 412S16	24.00	24.00	12.00	A	EP2424	22.20	22.20	
EN4SD30 2412SS	EN4SD302 412S16	30.00	24.00	12.00	A	EP3024	28.20	22.20	
EN4SD30 3012SS	EN4SD303 012S16	30.00	30.00	12.00	A	EP3030	28.20	28.20	
EN4SD36 2412SS	EN4SD362 412S16	36.00	24.00	12.00	A	EP3624	34.20	22.20	
EN4SD36 3012SS	EN4SD363 012S16	36.00	30.00	12.00	A	EP3630	34.20	28.20	
EN4SD36 3612SSR	EN4SD363 612S16R	36.00	36.00	12.00	A	EP3636	34.20	34.20	
EN4SD42 3612SSR	EN4SD423 612S16R	42.00	36.00	12.00	A	EP4236	40.20	34.20	
EN4SD48 3612SSR	EN4SD483 612S16R	48.00	36.00	12.00	A	EP4836	46.20	34.20	
EN4SD60 3612SSR	EN4SD603 612S16R	60.00	36.00	12.00	A	EP6036	58.20	34.20	
EN4SD72 3612SSR	EN4SD723 612S16R	72.00	36.00	12.00	A	EP7236	70.20	34.20	
EN4SD30 2416SS	-	30.00	24.00	16.00	A	EP3024	28.20	22.20	
EN4SD36 3016SS	-	36.00	30.00	16.00	A	EP3630	34.20	28.20	
EN4SD48 3616SSR	EN4SD483 616S16R	48.00	36.00	16.00	A	EP4836	46.20	34.20	

Alternative inner panel options also available.

Tags: **stainless, stainless steel, wallmount, wall-mount, hinged, 316, 304, NEMA 4X, Type 4X Eclipse** *Data subject to change without notice.*

© 2026. Hammond Manufacturing Ltd. All rights reserved.