

Type 4X Stainless Steel Wallmount Enclosure *Eclipse Series*

Hinge Door with Quarter Turn/Handle

Application



- Designed to enclose electrical and/or electronic equipment and protect against harsh, industrial environments for wallmount applications.
- Impressive styling features like hidden hinges and attractive latching systems make the Eclipse a suitable addition to any high-tech equipment installation.
- A wide range of sizes and practical accessories make this product line a complete package.

Standards

- UL 508A Type 3R, 4, 4X and 12
- CSA Type 3R, 4, 4X and 12
 - Mounting foot kit required to maintain UL/CSA external mounting requirements.
 - Sizes >24" (600mm) wide require inner panel to maintain UL/CSA.
- Complies with
 - NEMA 3R, 4, 4X, 12 and 13
 - IEC 60529, IP 66



**Panel
Sold
Separately**



Construction

- Formed 14 (24x24" and larger) or 16 (24x20" and smaller) gauge stainless steel.
- Continuously welded seams ground smooth.
- Door stiffeners are provided where required for increased strength and rigidity - designed to also permit additional mounting options.
 - Please note that several smaller sizes of this series will no longer feature C channel stiffener/door brackets – see drawing for details. Removing this feature allows for more usable door space.
 - Inventory will take some time to be converted to the new design.
 - Note: If desired, the C channel door brackets can be added as a special order modification.
- Formed lip on enclosure to exclude flowing liquids and contaminants.
- Door latching: Type A has stainless steel slotted quarter turns, Type B has stainless steel handle with 3 point latching.
- Doors may be easily removed for modifications and are interchangeable.
- Seamless poured-in place gasket.
- Collar studs provided for mounting inner panel.
- Includes hardware kit with panel mounting nuts and sealing washers for wall mounting holes.
- Bonding stud provided on door and grounding stud installed in enclosure.
- Stainless steel hinge pins and quarter turns.
- Door alignment guide provided on 36" wide enclosures.
- Door swing can be reversed - requires ordering adapter kit **EHLLSAK**

Finish

- Cover and enclosure are natural stainless steel with a smooth brushed finish.

Accessories

- Additional Inner Panels
- Swing Frame
- Eclipse DIN Rails
- Mounting Foot Kit
- Drip Shield Kit
- Quarter Turn Assemblies
- Handles
- Window Kits
- Lighting
- Swing Panel
- Eclipse DIN Rail Mounting Kit
- Door Stop Kit
- Rear Hole Plugs
- Quarter Turn Inserts and Keys
- Padlock Adaptor
- Replacement Hinge Pins
- Climate Control
- General Accessories

New and improved PDF part drawing files with more detail now available.

Click part number in table below to access PDF, DXF, and STEP files.

304 S.S.	316 S.S.	Enclosure			Latch	Optional Inner Panel		
Part No.	Part No.	H	W	D	Type	Part No.	H	W
EN4SD12 126SS	EN4SD121 26S16	12.00	12.00	6.00	A	EP1212	10.20	10.20
EN4SD16 126SS	EN4SD161 26S16	16.00	12.00	6.00	A	EP1612	14.20	10.20
EN4SD16 166SS	EN4SD161 66S16	16.00	16.00	6.00	A	EP1616	14.20	14.20
EN4SD16 206SS	-	16.00	20.00	6.00	A	EP1620	14.20	18.20
EN4SD20 166SS	EN4SD201 66S16	20.00	16.00	6.00	A	EP2016	18.20	14.20
EN4SD20 206SS	EN4SD202 06S16	20.00	20.00	6.00	A	EP2020	18.20	18.20
EN4SD24 206SS	-	24.00	20.00	6.00	A	EP2420	22.20	18.20
EN4SD16 128SS	EN4SD161 28S16	16.00	12.00	8.00	A	EP1612	14.20	10.20
EN4SD16 168SS	EN4SD161 68S16	16.00	16.00	8.00	A	EP1616	14.20	14.20
EN4SD16 208SS	EN4SD162 08S16	16.00	20.00	8.00	A	EP1620	14.20	18.20
EN4SD20 168SS	EN4SD201 68S16	20.00	16.00	8.00	A	EP2016	18.20	14.20
EN4SD20 208SS	EN4SD202 08S16	20.00	20.00	8.00	A	EP2020	18.20	18.20
EN4SD20 248SS	-	20.00	24.00	8.00	A	EP2024	18.20	22.20
EN4SD24 168SS	EN4SD241 68S16	24.00	16.00	8.00	A	EP2416	22.20	14.20
EN4SD24 208SS	EN4SD242 08S16	24.00	20.00	8.00	A	EP2420	22.20	18.20
EN4SD24 248SS	EN4SD242 48S16	24.00	24.00	8.00	A	EP2424	22.20	22.20
EN4SD24 308SS	EN4SD243 08S16	24.00	30.00	8.00	A	EP2430	22.20	28.20

304 S.S.	316 S.S.	Enclosure			Latch	Optional Inner Panel		
Part No.	Part No.	H	W	D	Type	Part No.	H	W
EN4SD30 208SS	-	30.00	20.00	8.00	A	EP3020	28.20	18.20
EN4SD30 248SS	EN4SD302 48S16	30.00	24.00	8.00	A	EP3024	28.20	22.20
EN4SD30 308SS	EN4SD303 08S16	30.00	30.00	8.00	A	EP3030	28.20	28.20
EN4SD36 248SS	EN4SD362 48S16	36.00	24.00	8.00	A	EP3624	34.20	22.20
EN4SD36 308SS	EN4SD363 08S16	36.00	30.00	8.00	A	EP3630	34.20	28.20
EN4SD42 368SSR	-	42.00	36.00	8.00	A	EP4236	40.20	34.20
EN4SD48 368SSR	-	48.00	36.00	8.00	A	EP4836	46.20	34.20
EN4SD16 1210SS	EN4SD161 210S16	16.00	12.00	10.00	A	EP1612	14.20	10.20
EN4SD16 1610SS	EN4SD161 610S16	16.00	16.00	10.00	A	EP1616	14.20	14.20
EN4SD16 2010SS	EN4SD162 010S16	16.00	20.00	10.00	A	EP1620	14.20	18.20
EN4SD20 1610SS	EN4SD201 610S16	20.00	16.00	10.00	A	EP2016	18.20	14.20
EN4SD20 2010SS	EN4SD202 010S16	20.00	20.00	10.00	A	EP2020	18.20	18.20
EN4SD20 2410SS	EN4SD202 410S16	20.00	24.00	10.00	A	EP2024	18.20	22.20
EN4SD24 1610SS	EN4SD241 610S16	24.00	16.00	10.00	A	EP2416	22.20	14.20
EN4SD24 2010SS	EN4SD242 010S16	24.00	20.00	10.00	A	EP2420	22.20	18.20
EN4SD24 2410SS	EN4SD242 410S16	24.00	24.00	10.00	A	EP2424	22.20	22.20
EN4SD24 3010SS	EN4SD243 010S16	24.00	30.00	10.00	A	EP2430	22.20	28.20
EN4SD30 2010SS	EN4SD302 010S16	30.00	20.00	10.00	A	EP3020	28.20	18.20
EN4SD30 2410SS	EN4SD302 410S16	30.00	24.00	10.00	A	EP3024	28.20	22.20
EN4SD30 3010SS	EN4SD303 010S16	30.00	30.00	10.00	A	EP3030	28.20	28.20
EN4SD36 2410SS	EN4SD362 410S16	36.00	24.00	10.00	A	EP3624	34.20	22.20
EN4SD36 3010SS	EN4SD363 010S16	36.00	30.00	10.00	A	EP3630	34.20	28.20
EN4SD36 3610SSR	EN4SD363 610S16R	36.00	36.00	10.00	A	EP3636	34.20	34.20
EN4SD42 3010SSR	-	42.00	30.00	10.00	A	EP4230	40.20	28.20
EN4SD42 3610SSR	EN4SD423 610S16R	42.00	36.00	10.00	A	EP4236	40.20	34.20
EN4SD48 2410SS	EN4SD482 410S16	48.00	24.00	10.00	B	EP4824	46.20	26.20
EN4SD48 3610SSR	EN4SD483 610S16R	48.00	36.00	10.00	A	EP4836	46.20	34.20
EN4SD60 3610SSR	EN4SD603 610S16R	60.00	36.00	10.00	A	EP6036	58.20	34.20
EN4SD20 2012SS	EN4SD202 012S16	20.00	20.00	12.00	A	EP2020	18.20	18.20

304 S.S.	316 S.S.	Enclosure			Latch	Optional Inner Panel		
Part No.	Part No.	H	W	D	Type	Part No.	H	W
EN4SD24 2412SS	EN4SD242 412S16	24.00	24.00	12.00	A	EP2424	22.20	22.20
EN4SD30 2412SS	EN4SD302 412S16	30.00	24.00	12.00	A	EP3024	28.20	22.20
EN4SD30 3012SS	EN4SD303 012S16	30.00	30.00	12.00	A	EP3030	28.20	28.20
EN4SD36 2412SS	EN4SD362 412S16	36.00	24.00	12.00	A	EP3624	34.20	22.20
EN4SD36 3012SS	EN4SD363 012S16	36.00	30.00	12.00	A	EP3630	34.20	28.20
EN4SD36 3612SSR	EN4SD363 612S16R	36.00	36.00	12.00	A	EP3636	34.20	34.20
EN4SD42 3612SSR	EN4SD423 612S16R	42.00	36.00	12.00	A	EP4236	40.20	34.20
EN4SD48 3612SSR	EN4SD483 612S16R	48.00	36.00	12.00	A	EP4836	46.20	34.20
EN4SD60 3612SSR	EN4SD603 612S16R	60.00	36.00	12.00	A	EP6036	58.20	34.20
EN4SD72 3612SSR	EN4SD723 612S16R	72.00	36.00	12.00	A	EP7236	70.20	34.20
EN4SD30 2416SS	-	30.00	24.00	16.00	A	EP3024	28.20	22.20
EN4SD36 3016SS	-	36.00	30.00	16.00	A	EP3630	34.20	28.20
EN4SD48 3616SSR	EN4SD483 616S16R	48.00	36.00	16.00	A	EP4836	46.20	34.20

Alternative inner panel options also available.

Tags: **stainless, stainless steel, wallmount, wall-mount, hinged, 316, 304, NEMA 4X, Type 4X Eclipse** *Data subject to change without notice.*

© 2026. Hammond Manufacturing Ltd. All rights reserved.

Type 4X Stainless Steel Wallmount Enclosure *Eclipse Series*

Hinge Door with Quarter Turn/Handle

Application



- Designed to enclose electrical and/or electronic equipment and protect against harsh, industrial environments for wallmount applications.
- Impressive styling features like hidden hinges and attractive latching systems make the Eclipse a suitable addition to any high-tech equipment installation.
- A wide range of sizes and practical accessories make this product line a complete package.

Standards

- UL 508A Type 3R, 4, 4X and 12
- CSA Type 3R, 4, 4X and 12
 - Mounting foot kit required to maintain UL/CSA external mounting requirements.
 - Sizes >24" (600mm) wide require inner panel to maintain UL/CSA.
- Complies with
 - NEMA 3R, 4, 4X, 12 and 13
 - IEC 60529, IP 66



**Panel
Sold
Separately**



Construction

- Formed 14 (24x24" and larger) or 16 (24x20" and smaller) gauge stainless steel.
- Continuously welded seams ground smooth.
- Door stiffeners are provided where required for increased strength and rigidity - designed to also permit additional mounting options.
 - Please note that several smaller sizes of this series will no longer feature C channel stiffener/door brackets – see drawing for details. Removing this feature allows for more usable door space.
 - Inventory will take some time to be converted to the new design.
 - Note: If desired, the C channel door brackets can be added as a special order modification.
- Formed lip on enclosure to exclude flowing liquids and contaminants.
- Door latching: Type A has stainless steel slotted quarter turns, Type B has stainless steel handle with 3 point latching.
- Doors may be easily removed for modifications and are interchangeable.
- Seamless poured-in place gasket.
- Collar studs provided for mounting inner panel.
- Includes hardware kit with panel mounting nuts and sealing washers for wall mounting holes.
- Bonding stud provided on door and grounding stud installed in enclosure.
- Stainless steel hinge pins and quarter turns.
- Door alignment guide provided on 36" wide enclosures.
- Door swing can be reversed - requires ordering adapter kit **EHLLSAK**

Finish

- Cover and enclosure are natural stainless steel with a smooth brushed finish.

Accessories

- Additional Inner Panels
- Swing Frame
- Eclipse DIN Rails
- Mounting Foot Kit
- Drip Shield Kit
- Quarter Turn Assemblies
- Handles
- Window Kits
- Lighting
- Swing Panel
- Eclipse DIN Rail Mounting Kit
- Door Stop Kit
- Rear Hole Plugs
- Quarter Turn Inserts and Keys
- Padlock Adaptor
- Replacement Hinge Pins
- Climate Control
- General Accessories

New and improved PDF part drawing files with more detail now available.

Click part number in table below to access PDF, DXF, and STEP files.

304 S.S.	316 S.S.	Enclosure			Latch	Optional Inner Panel		
Part No.	Part No.	H	W	D	Type	Part No.	H	W
EN4SD12 126SS	EN4SD121 26S16	12.00	12.00	6.00	A	EP1212	10.20	10.20
EN4SD16 126SS	EN4SD161 26S16	16.00	12.00	6.00	A	EP1612	14.20	10.20
EN4SD16 166SS	EN4SD161 66S16	16.00	16.00	6.00	A	EP1616	14.20	14.20
EN4SD16 206SS	-	16.00	20.00	6.00	A	EP1620	14.20	18.20
EN4SD20 166SS	EN4SD201 66S16	20.00	16.00	6.00	A	EP2016	18.20	14.20
EN4SD20 206SS	EN4SD202 06S16	20.00	20.00	6.00	A	EP2020	18.20	18.20
EN4SD24 206SS	-	24.00	20.00	6.00	A	EP2420	22.20	18.20
EN4SD16 128SS	EN4SD161 28S16	16.00	12.00	8.00	A	EP1612	14.20	10.20
EN4SD16 168SS	EN4SD161 68S16	16.00	16.00	8.00	A	EP1616	14.20	14.20
EN4SD16 208SS	EN4SD162 08S16	16.00	20.00	8.00	A	EP1620	14.20	18.20
EN4SD20 168SS	EN4SD201 68S16	20.00	16.00	8.00	A	EP2016	18.20	14.20
EN4SD20 208SS	EN4SD202 08S16	20.00	20.00	8.00	A	EP2020	18.20	18.20
EN4SD20 248SS	-	20.00	24.00	8.00	A	EP2024	18.20	22.20
EN4SD24 168SS	EN4SD241 68S16	24.00	16.00	8.00	A	EP2416	22.20	14.20
EN4SD24 208SS	EN4SD242 08S16	24.00	20.00	8.00	A	EP2420	22.20	18.20
EN4SD24 248SS	EN4SD242 48S16	24.00	24.00	8.00	A	EP2424	22.20	22.20
EN4SD24 308SS	EN4SD243 08S16	24.00	30.00	8.00	A	EP2430	22.20	28.20

304 S.S.	316 S.S.	Enclosure			Latch	Optional Inner Panel		
Part No.	Part No.	H	W	D	Type	Part No.	H	W
EN4SD30 208SS	-	30.00	20.00	8.00	A	EP3020	28.20	18.20
EN4SD30 248SS	EN4SD302 48S16	30.00	24.00	8.00	A	EP3024	28.20	22.20
EN4SD30 308SS	EN4SD303 08S16	30.00	30.00	8.00	A	EP3030	28.20	28.20
EN4SD36 248SS	EN4SD362 48S16	36.00	24.00	8.00	A	EP3624	34.20	22.20
EN4SD36 308SS	EN4SD363 08S16	36.00	30.00	8.00	A	EP3630	34.20	28.20
EN4SD42 368SSR	-	42.00	36.00	8.00	A	EP4236	40.20	34.20
EN4SD48 368SSR	-	48.00	36.00	8.00	A	EP4836	46.20	34.20
EN4SD16 1210SS	EN4SD161 210S16	16.00	12.00	10.00	A	EP1612	14.20	10.20
EN4SD16 1610SS	EN4SD161 610S16	16.00	16.00	10.00	A	EP1616	14.20	14.20
EN4SD16 2010SS	EN4SD162 010S16	16.00	20.00	10.00	A	EP1620	14.20	18.20
EN4SD20 1610SS	EN4SD201 610S16	20.00	16.00	10.00	A	EP2016	18.20	14.20
EN4SD20 2010SS	EN4SD202 010S16	20.00	20.00	10.00	A	EP2020	18.20	18.20
EN4SD20 2410SS	EN4SD202 410S16	20.00	24.00	10.00	A	EP2024	18.20	22.20
EN4SD24 1610SS	EN4SD241 610S16	24.00	16.00	10.00	A	EP2416	22.20	14.20
EN4SD24 2010SS	EN4SD242 010S16	24.00	20.00	10.00	A	EP2420	22.20	18.20
EN4SD24 2410SS	EN4SD242 410S16	24.00	24.00	10.00	A	EP2424	22.20	22.20
EN4SD24 3010SS	EN4SD243 010S16	24.00	30.00	10.00	A	EP2430	22.20	28.20
EN4SD30 2010SS	EN4SD302 010S16	30.00	20.00	10.00	A	EP3020	28.20	18.20
EN4SD30 2410SS	EN4SD302 410S16	30.00	24.00	10.00	A	EP3024	28.20	22.20
EN4SD30 3010SS	EN4SD303 010S16	30.00	30.00	10.00	A	EP3030	28.20	28.20
EN4SD36 2410SS	EN4SD362 410S16	36.00	24.00	10.00	A	EP3624	34.20	22.20
EN4SD36 3010SS	EN4SD363 010S16	36.00	30.00	10.00	A	EP3630	34.20	28.20
EN4SD36 3610SSR	EN4SD363 610S16R	36.00	36.00	10.00	A	EP3636	34.20	34.20
EN4SD42 3010SSR	-	42.00	30.00	10.00	A	EP4230	40.20	28.20
EN4SD42 3610SSR	EN4SD423 610S16R	42.00	36.00	10.00	A	EP4236	40.20	34.20
EN4SD48 2410SS	EN4SD482 410S16	48.00	24.00	10.00	B	EP4824	46.20	26.20
EN4SD48 3610SSR	EN4SD483 610S16R	48.00	36.00	10.00	A	EP4836	46.20	34.20
EN4SD60 3610SSR	EN4SD603 610S16R	60.00	36.00	10.00	A	EP6036	58.20	34.20
EN4SD20 2012SS	EN4SD202 012S16	20.00	20.00	12.00	A	EP2020	18.20	18.20

304 S.S.	316 S.S.	Enclosure			Latch	Optional Inner Panel		
Part No.	Part No.	H	W	D	Type	Part No.	H	W
EN4SD24 2412SS	EN4SD242 412S16	24.00	24.00	12.00	A	EP2424	22.20	22.20
EN4SD30 2412SS	EN4SD302 412S16	30.00	24.00	12.00	A	EP3024	28.20	22.20
EN4SD30 3012SS	EN4SD303 012S16	30.00	30.00	12.00	A	EP3030	28.20	28.20
EN4SD36 2412SS	EN4SD362 412S16	36.00	24.00	12.00	A	EP3624	34.20	22.20
EN4SD36 3012SS	EN4SD363 012S16	36.00	30.00	12.00	A	EP3630	34.20	28.20
EN4SD36 3612SSR	EN4SD363 612S16R	36.00	36.00	12.00	A	EP3636	34.20	34.20
EN4SD42 3612SSR	EN4SD423 612S16R	42.00	36.00	12.00	A	EP4236	40.20	34.20
EN4SD48 3612SSR	EN4SD483 612S16R	48.00	36.00	12.00	A	EP4836	46.20	34.20
EN4SD60 3612SSR	EN4SD603 612S16R	60.00	36.00	12.00	A	EP6036	58.20	34.20
EN4SD72 3612SSR	EN4SD723 612S16R	72.00	36.00	12.00	A	EP7236	70.20	34.20
EN4SD30 2416SS	-	30.00	24.00	16.00	A	EP3024	28.20	22.20
EN4SD36 3016SS	-	36.00	30.00	16.00	A	EP3630	34.20	28.20
EN4SD48 3616SSR	EN4SD483 616S16R	48.00	36.00	16.00	A	EP4836	46.20	34.20

Alternative inner panel options also available.

Tags: **stainless, stainless steel, wallmount, wall-mount, hinged, 316, 304, NEMA 4X, Type 4X Eclipse** *Data subject to change without notice.*

© 2026. Hammond Manufacturing Ltd. All rights reserved.