

# ELLIOTT ELECTRIC SUPPLY 2202 East Rusk Street 75766-0000, TX Jacksonville Phone: 903-586-2904 Fax: 903-586-5271



## **GRC34 3/4" GRND Rod Conn** *Nsi Industries*

Catalog Number	GRC34
Manufacturer	Nsi Industries
Description	We Built The Nsi GRC-34 Standard Duty Silicon Bronze Grounding Rod Clamp For Demanding Applications Including Direct Burial, Where The Simple Mechanical Design and Reliable Clamping Power Of The Screw Outperform Other Options. The GRC-34 Grounding Rod Clamp Fits Grounding Rod With A Diameter Of 3/4" and Rebar With A Diameter Of 5/8" With Room to Tighten The Clamping Screw Onto A Range Of 10 Awg Solid to 1 Awg Stranded Conductors. GRC-Family Clamps With The -SB Suffix Have A Body and Screw Made From Silicon
Weight per unit	0.1180 (lbs/each)
Product Category	Ground Rods & Grounding System
Features	
Warranty	1 YEAR
Material, Color, and Finish	
Clamp Material	10 SOL - 1 STR
Insulation Material	Silicon Bronze



## ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2202 East Rusk Street 75766-0000, TX Jacksonville Phone: 903-586-2904 Fax: 903-586-5271

_			•	
Des	^rI	nt		nc
1167				
	· • • •	$\sim$		

Also Known As	Acorn
	Tear Drop
Description	3/4" GRND ROD CONN
extra long description	NSI GRC-34 Ground Rod Connector 3/4
Features	NSI grounding and bonding products rise to the occasion in a wide variety of environments with excellent material quality ar flexible designs. This standard duty silicon bronze grounding ro clamp is specially designed for demanding direct burial applications when ordered with a "-SB†suffix, fitting down over a grounding rod and clamping solid or stranded conductor to that rod. The silicon bronze body and screw provide maximudurability and clamping force. UL-listed for direct burial in earth or con
Long Description	We built the NSI GRC-34 Standard Duty Silicon Bronze Groundi Rod Clamp for demanding applications including direct burial, where the simple mechanical design and reliable clamping pow of the screw outperform other options. The GRC-34 Grounding Rod Clamp fits grounding rod with a diameter of 3/4" and reba with a diameter of 5/8" with room to tighten the clamping screen onto a range of 10 AWG solid to 1 AWG stranded conductors. GRC-family clamps with the -SB suffix have a body and screw made from silicon
Product Type	Ground Rod Connector 3/4"
Special Features	3/4 Ground Rod Clamp - Stainless Steel Hardware
nufacturer Information	
Brand	NSi
GTIN	00662381010537
Manufacturers Part Number	GRC-34
UPC	662381010537
onomies, Classifications, and	Categories
Category Description	SERVICE ENTRANCE FITTINGS: Weatherheads & Grounding Fittings & Ground Rods
Type	Ground Rod Clamps Standard Duty

### Tax

Category Description	Fittings & Ground Rods
Туре	Ground Rod Clamps Standard Duty
Packaging	

#### P

onagg		
Carton	1	
Package	20	
Weight Per each	0.118	

2202 East Rusk Street 75766-0000, TX Jacksonville Phone: 903-586-2904 Fax: 903-586-5271

#### **Uses, Certifications, and Standards**

Application	Grounding Wire
standard	cULus