

Specifications



Photo is representative

Eaton HMCP150T4

Eaton molded case circuit breaker accessory motor protection, Motor circuit protector, 150 A, Three-pole, Frame J-K, 450-1500 A, Series C

General specifications

PRODUCT NAME	Eaton molded case circuit breaker accessory motor protection
CATALOG NUMBER	HMCP150T4
UPC	786679150771
PRODUCT LENGTH/DEPTH	7.6 in
PRODUCT HEIGHT	4.9 in
PRODUCT WIDTH	5.1 in
PRODUCT WEIGHT	4.25 lb
CERTIFICATIONS	UL Listed CSA Certified
GLOBAL CATALOG	HMCP150T4
PRODUCT TYPE	Molded case circuit breaker accessory

Product specifications

AMPERAGE RATING	150 A
FRAME SIZE	Frame J-K
MAGNETIC TRIP RANGE	450-1500 A
SERIES	Series C
NUMBER OF POLES	Three-pole
TYPE	Motor circuit protector

Resources

APPLICATION NOTES

[Application of Multi-Wire Terminals for Molded Case Circuit Breakers](#)

[UL listed 100%-rated molded case circuit breakers](#)

[Application of Tap Rules to Molded Case Breaker Terminals](#)

BROCHURES

[StrandAble terminals product aid](#)

[Motor protection circuit breakers product aid](#)

[Multi-wire lugs product aid](#)

[Current limiting Series C molded case circuit breakers product aid](#)

[Power metering and monitoring with Modbus RTU product aid](#)

[Circuit breaker motor operators product aid](#)

[Plug-in adapters for molded case circuit breakers product aid](#)

[Breaker service centers](#)

CATALOGS

[Circuit Protection, Molded Case Circuit Breakers, Volume 4, Tab 2](#)

MULTIMEDIA

[Flex shaft handle installation tutorial](#)

[Series C F-Frame molded case circuit breakers](#)

[Eaton Specification Sheet - HMCP150T4](#)

SPECIFICATIONS AND DATASHEETS

[MOEM MCCB product selection guide](#)

[Series C G-Frame molded case circuit breakers time current curves](#)

[Series C J-Frame molded case circuit breakers time current curves](#)

PROJECT NAME:
PROJECT NUMBER:
PREPARED BY:
DATE:



Eaton Corporation plc Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2026 Eaton. All Rights Reserved.

Follow us on social media to get the latest product and support information.

