

Specifications



Eaton HMCPE007C0C

Eaton molded case circuit breaker accessory motor protection, Motor circuit protector, 7 A, Three-pole, 480 V, Adjustable, Frame J-K, 21-70 A, 600 Y/347 V, Series G, Non-aluminum

General specifications

| | |
|-----------------------------|--|
| PRODUCT NAME | Eaton molded case circuit breaker accessory motor protection |
| CATALOG NUMBER | HMCPE007C0C |
| UPC | 786679113646 |
| PRODUCT LENGTH/DEPTH | 6.5 in |
| PRODUCT HEIGHT | 5.5 in |
| PRODUCT WIDTH | 3 in |
| PRODUCT WEIGHT | 3 lb |
| WARRANTY | Eaton Selling Policy 25-000, one (1) year from the date of installation of the Product or eighteen (18) months from the date of shipment of the Product, whichever occurs first. |
| CERTIFICATIONS | CSA Certified UL Listed |
| GLOBAL CATALOG | HMCPE007C0C |
| PRODUCT TYPE | Molded case circuit breaker accessory |



Powering Business Worldwide

Product specifications

| | |
|----------------------------|-------------------------|
| AMPERAGE RATING | 7 A |
| VOLTAGE RATING | 480 V |
| TRIP TYPE | T98 |
| FRAME SIZE | Frame J-K |
| MAGNETIC TRIP RANGE | 21-70 A |
| VOLTAGE - MAX | 600 Y/347 V |
| SERIES | Series G |
| TERMINAL MATERIAL | Non-aluminum |
| NUMBER OF POLES | Three-pole |
| TYPE | Motor circuit protector |

Resources

APPLICATION NOTES

[Application of Tap Rules to Molded Case Breaker Terminals](#)

[Application of Multi-Wire Terminals for Molded Case Circuit Breakers](#)

[Current limiting molded case circuit breaker module for series G, JG and CL](#)

[Current limiting molded case circuit breaker module product aid](#)

[StrandAble terminals product aid](#)

[Motor protection circuit breakers product aid](#)

[High performance operating handles for Series G circuit breakers product aid](#)

[Comprehensive circuit protection for control panel applications](#)

[Plug-in adapters for molded case circuit breakers product aid](#)

[Circuit breaker motor operators product aid](#)

[Power metering and monitoring with Modbus RTU product aid](#)

[Molded case circuit breakers providing higher levels of selective coordination product aid](#)

[Series G MCCB quick selector](#)

[Multi-wire lugs product aid](#)

[Breaker service centers](#)

BROCHURES

CATALOGS

[Circuit Protection, Molded Case Circuit Breakers, Volume 4, Tab 2](#)

MULTIMEDIA

[Flex shaft handle installation tutorial](#)

SPECIFICATIONS AND DATASHEETS

[MOEM MCCB product selection guide](#)

[NG and ND-Frame molded case circuit breakers](#)

[Eaton Specification Sheet - HMCPE007COC](#)

PROJECT NAME:

PROJECT NUMBER:

PREPARED BY:

DATE:



Eaton Corporation plc Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2026 Eaton. All Rights Reserved.

Follow us on social media to get the latest product and support information.



Specifications



Eaton HMCPE007C0C

Eaton molded case circuit breaker accessory motor protection, Motor circuit protector, 7 A, Three-pole, 480 V, Adjustable, Frame J-K, 21-70 A, 600 Y/347 V, Series G, Non-aluminum

General specifications

| | |
|-----------------------------|--|
| PRODUCT NAME | Eaton molded case circuit breaker accessory motor protection |
| CATALOG NUMBER | HMCPE007C0C |
| UPC | 786679113646 |
| PRODUCT LENGTH/DEPTH | 6.5 in |
| PRODUCT HEIGHT | 5.5 in |
| PRODUCT WIDTH | 3 in |
| PRODUCT WEIGHT | 3 lb |
| WARRANTY | Eaton Selling Policy 25-000, one (1) year from the date of installation of the Product or eighteen (18) months from the date of shipment of the Product, whichever occurs first. |
| CERTIFICATIONS | CSA Certified UL Listed |
| GLOBAL CATALOG | HMCPE007C0C |
| PRODUCT TYPE | Molded case circuit breaker accessory |

Product specifications

| | |
|----------------------------|-------------------------|
| AMPERAGE RATING | 7 A |
| VOLTAGE RATING | 480 V |
| TRIP TYPE | T98 |
| FRAME SIZE | Frame J-K |
| MAGNETIC TRIP RANGE | 21-70 A |
| VOLTAGE - MAX | 600 Y/347 V |
| SERIES | Series G |
| TERMINAL MATERIAL | Non-aluminum |
| NUMBER OF POLES | Three-pole |
| TYPE | Motor circuit protector |

Resources

| | |
|-------------------------------|---|
| APPLICATION NOTES | Application of Tap Rules to Molded Case Breaker Terminals Application of Multi-Wire Terminals for Molded Case Circuit Breakers Current limiting molded case circuit breaker module for series G, JG and CL Current limiting molded case circuit breaker module product aid StrandAble terminals product aid Motor protection circuit breakers product aid High performance operating handles for Series G circuit breakers product aid Comprehensive circuit protection for control panel applications |
| BROCHURES | Plug-in adapters for molded case circuit breakers product aid Circuit breaker motor operators product aid Power metering and monitoring with Modbus RTU product aid Molded case circuit breakers providing higher levels of selective coordination product aid Series G MCCB quick selector Multi-wire lugs product aid Breaker service centers |
| CATALOGS | Circuit Protection, Molded Case Circuit Breakers, Volume 4, Tab 2 |
| MULTIMEDIA | Flex shaft handle installation tutorial |
| SPECIFICATIONS AND DATASHEETS | MOEM MCCB product selection guide |

[NG and ND-Frame molded case circuit breakers](#)

[Eaton Specification Sheet - HMCPE007COC](#)

PROJECT NAME:

PROJECT NUMBER:

PREPARED BY:

DATE:



Eaton Corporation plc Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2026 Eaton. All Rights Reserved.

Follow us on social media to get the latest product and support information.

