

# Specifications

## Eaton KTS-R-10

Eaton Bussmann Series Class RK1 fuse, KTS-R, fast-acting, current limiting fuse, 10 A, rejection style fuse, interrupting rating of 200 kA at 600 Vac



Photo is representative



### General specifications

|                             |                                  |
|-----------------------------|----------------------------------|
| <b>PRODUCT NAME</b>         | Eaton Bussmann series KTS-R fuse |
| <b>CATALOG NUMBER</b>       | KTS-R-10                         |
| <b>UPC</b>                  | 051712417037                     |
| <b>EAN</b>                  | 5027590446303                    |
| <b>PRODUCT LENGTH/DEPTH</b> | 0.8 in                           |
| <b>PRODUCT HEIGHT</b>       | 5 in                             |
| <b>PRODUCT WIDTH</b>        | 0.8 in                           |
| <b>PRODUCT WEIGHT</b>       | 0.13 lb                          |
| <b>WARRANTY</b>             | Not Applicable                   |
| <b>COMPLIANCES</b>          | CE Marked                        |



Powering Business Worldwide

## Electrical rating

|                  |                     |
|------------------|---------------------|
| AMPERAGE RATING  | 10 A                |
| INTERRUPT RATING | 200 kAIC at 600 Vac |
| VOLTAGE RATING   | 600 V               |

## General information

|                  |                           |
|------------------|---------------------------|
| CLASS            | Class RK1                 |
| CONNECTION       | Ferrule end x ferrule end |
| FUSE INDICATOR   | Non-indicating            |
| SPECIAL FEATURES | 70/30 brass end cap       |

## Physical details

|                    |                     |
|--------------------|---------------------|
| MATERIAL           | Melamine glass tube |
| NUMBER OF ELEMENTS | 1                   |
| PACKAGING TYPE     | Standard            |

## Resources

|                        |   |
|------------------------|---|
| CATALOGS               | <a href="#">Bussmann Full Line Catalog</a><br><a href="#">Low Voltage Branch Circuit Fuse Chapter</a> |
| COMPLIANCE INFORMATION | <a href="#">RoHS Search Tool</a>  |
| MULTIMEDIA             | <a href="#">Bussmann series Fuseology</a>   |
| TECHNICAL DATA SHEETS  | <a href="#">Bussmann series KTS-R 600 V Class RK1 fuse data sheet no. 1044</a>                        |

PROJECT NAME:

PROJECT NUMBER:

PREPARED BY:

DATE:



**Eaton Corporation plc**  
Eaton House  
30 Pembroke Road  
Dublin 4, Ireland  
Eaton.com

© 2025 Eaton. All Rights Reserved.

Eaton is a registered trademark. Follow us on social media to get the latest product and support information.

All other trademarks are property of their respective owners.



# Specifications

## Eaton KTS-R-10

Eaton Bussmann Series Class RK1 fuse, KTS-R, fast-acting, current limiting fuse, 10 A, rejection style fuse, interrupting rating of 200 kA at 600 Vac



Photo is representative



### General specifications

|                             |                                  |
|-----------------------------|----------------------------------|
| <b>PRODUCT NAME</b>         | Eaton Bussmann series KTS-R fuse |
| <b>CATALOG NUMBER</b>       | KTS-R-10                         |
| <b>UPC</b>                  | 051712417037                     |
| <b>EAN</b>                  | 5027590446303                    |
| <b>PRODUCT LENGTH/DEPTH</b> | 0.8 in                           |
| <b>PRODUCT HEIGHT</b>       | 5 in                             |
| <b>PRODUCT WIDTH</b>        | 0.8 in                           |
| <b>PRODUCT WEIGHT</b>       | 0.13 lb                          |
| <b>WARRANTY</b>             | Not Applicable                   |
| <b>COMPLIANCES</b>          | CE Marked                        |



Powering Business Worldwide

## Electrical rating

|                  |                     |
|------------------|---------------------|
| AMPERAGE RATING  | 10 A                |
| INTERRUPT RATING | 200 kAIC at 600 Vac |
| VOLTAGE RATING   | 600 V               |

## General information

|                  |                           |
|------------------|---------------------------|
| CLASS            | Class RK1                 |
| CONNECTION       | Ferrule end x ferrule end |
| FUSE INDICATOR   | Non-indicating            |
| SPECIAL FEATURES | 70/30 brass end cap       |

## Physical details

|                    |                     |
|--------------------|---------------------|
| MATERIAL           | Melamine glass tube |
| NUMBER OF ELEMENTS | 1                   |
| PACKAGING TYPE     | Standard            |

## Resources

|                        |   |
|------------------------|---|
| CATALOGS               | <a href="#">Bussmann Full Line Catalog</a><br><a href="#">Low Voltage Branch Circuit Fuse Chapter</a> |
| COMPLIANCE INFORMATION | <a href="#">RoHS Search Tool</a>  |
| MULTIMEDIA             | <a href="#">Bussmann series Fuseology</a>   |
| TECHNICAL DATA SHEETS  | <a href="#">Bussmann series KTS-R 600 V Class RK1 fuse data sheet no. 1044</a>                        |

PROJECT NAME:

PROJECT NUMBER:

PREPARED BY:

DATE:



**Eaton Corporation plc**  
Eaton House  
30 Pembroke Road  
Dublin 4, Ireland  
Eaton.com

© 2025 Eaton. All Rights Reserved.

Eaton is a registered trademark. Follow us on social media to get the latest product and support information.

All other trademarks are property of their respective owners.

