



ESSENTIAL SERIES

GENERAL PURPOSE LED BULBS

KT-LED15BR40-8XX

REPLACEMENT LAMP

DESCRIPTION

15W BR40 Lamp | 2700–5000K | >80 CRI | Standard Flood



LAMP TYPE: BR40

BASE TYPE: E26 (Medium)

WATTAGE: 15W

COLOR TEMPERATURE: 2700–5000K

COLOR RENDERING INDEX (CRI): >80

WARRANTY: 3 Years

RATED LIFE: L70 (15,000 Hours)



TYPICAL APPLICATIONS

- Recessed downlights
- Track lighting
- Surface-mount ceiling fixtures

PRODUCT FEATURES

- Energy efficient, 80%+ energy savings over legacy equivalents
- Lower heat generation than legacy equivalents
- Smooth, uniform dimming
- Smooth, diffused lens for comfortable glare-free performance
- Durable plastic housing lowers the risk for breakage
- Long life minimizes replacement and maintenance costs
- Suitable for use in damp locations
- Operating temperature range –4°F/–20°C to 95°F/35°C
- PF >0.70
- ANSI compliant construction ensures fitment for intended applications
- UL Listed
- Meets Energy Star requirements
- Complies with Part 15 of FCC


ELECTRICAL AND PERFORMANCE SPECIFICATIONS

Keystone Catalog Number	Description	Color Temp	Input Voltage	Rated Lamp Wattage	Legacy Equivalent Wattage	Base Type	Lumens	CRI	Beam Angle	Dimmable	Efficacy
KT-LED15BR40-827	BR40 bulb; Standard flood; Dimmable	2700K	120V	15W	90W/85W halogen	E26	1300 lm	>80	110°	Yes	87 lm/W
KT-LED15BR40-830	BR40 bulb; Standard flood; Dimmable	3000K	120V	15W	90W/85W halogen	E26	1300 lm	>80	110°	Yes	87 lm/W
KT-LED15BR40-840	BR40 bulb; Standard flood; Dimmable	4000K	120V	15W	90W/85W halogen	E26	1300 lm	>80	110°	Yes	87 lm/W
KT-LED15BR40-850	BR40 bulb; Standard flood; Dimmable	5000K	120V	15W	90W/85W halogen	E26	1300 lm	>80	110°	Yes	87 lm/W

KT-LED15BR40-8XX

REPLACEMENT LAMP

PHYSICAL CHARACTERISTICS



LAMP DIMENSIONS

A (Diameter)	4.49"
B (Length)	5.98"

BASE TYPE: E26 (Medium)

PACKAGING

Carton Quantity	6 pcs
Carton Dimensions	14.88" × 10.08" × 7.6"
Carton Weight	4.52 lbs

ORDERING INFORMATION

ORDER CODE	CARTON QUANTITY	EASY CODE	UPC
KT-LED15BR40-827	6 pcs	KYU-59	843654127040
KT-LED15BR40-830	6 pcs	TJV-58	843654127057
KT-LED15BR40-840	6 pcs	QQE-13	843654127064
KT-LED15BR40-850	6 pcs	SCY-52	843654127071

CATALOG NUMBER BREAKDOWN

KT-LED15BR40-8XX

1 2 3 4 5 6

- 1 Keystone Technologies
- 2 LED Lamp
- 3 Wattage
- 4 Lamp Shape
- 5 800 Series
- 6 Color Temperature



ESSENTIAL SERIES

GENERAL PURPOSE LED BULBS

KT-LED15BR40-8XX

REPLACEMENT LAMP

DESCRIPTION

15W BR40 Lamp | 2700–5000K | >80 CRI | Standard Flood



LAMP TYPE: BR40

BASE TYPE: E26 (Medium)

WATTAGE: 15W

COLOR TEMPERATURE: 2700–5000K

COLOR RENDERING INDEX (CRI): >80

WARRANTY: 3 Years

RATED LIFE: L70 (15,000 Hours)



TYPICAL APPLICATIONS

- Recessed downlights
- Track lighting
- Surface-mount ceiling fixtures

PRODUCT FEATURES

- Energy efficient, 80%+ energy savings over legacy equivalents
- Lower heat generation than legacy equivalents
- Smooth, uniform dimming
- Smooth, diffused lens for comfortable glare-free performance
- Durable plastic housing lowers the risk for breakage
- Long life minimizes replacement and maintenance costs
- Suitable for use in damp locations
- Operating temperature range –4°F/–20°C to 95°F/35°C
- PF >0.70
- ANSI compliant construction ensures fitment for intended applications
- UL Listed
- Meets Energy Star requirements
- Complies with Part 15 of FCC


ELECTRICAL AND PERFORMANCE SPECIFICATIONS

Keystone Catalog Number	Description	Color Temp	Input Voltage	Rated Lamp Wattage	Legacy Equivalent Wattage	Base Type	Lumens	CRI	Beam Angle	Dimmable	Efficacy
KT-LED15BR40-827	BR40 bulb; Standard flood; Dimmable	2700K	120V	15W	90W/85W halogen	E26	1300 lm	>80	110°	Yes	87 lm/W
KT-LED15BR40-830	BR40 bulb; Standard flood; Dimmable	3000K	120V	15W	90W/85W halogen	E26	1300 lm	>80	110°	Yes	87 lm/W
KT-LED15BR40-840	BR40 bulb; Standard flood; Dimmable	4000K	120V	15W	90W/85W halogen	E26	1300 lm	>80	110°	Yes	87 lm/W
KT-LED15BR40-850	BR40 bulb; Standard flood; Dimmable	5000K	120V	15W	90W/85W halogen	E26	1300 lm	>80	110°	Yes	87 lm/W

KT-LED15BR40-8XX

REPLACEMENT LAMP

PHYSICAL CHARACTERISTICS



LAMP DIMENSIONS

A (Diameter)	4.49"
B (Length)	5.98"

BASE TYPE: E26 (Medium)

PACKAGING

Carton Quantity	6 pcs
Carton Dimensions	14.88" × 10.08" × 7.6"
Carton Weight	4.52 lbs

ORDERING INFORMATION

ORDER CODE	CARTON QUANTITY	EASY CODE	UPC
KT-LED15BR40-827	6 pcs	KYU-59	843654127040
KT-LED15BR40-830	6 pcs	TJV-58	843654127057
KT-LED15BR40-840	6 pcs	QQE-13	843654127064
KT-LED15BR40-850	6 pcs	SCY-52	843654127071

CATALOG NUMBER BREAKDOWN

KT-LED15BR40-8XX

1 2 3 4 5 6

- 1 Keystone Technologies
- 2 LED Lamp
- 3 Wattage
- 4 Lamp Shape
- 5 800 Series
- 6 Color Temperature