

# Specifications



Photo is representative



## Eaton P48G11S05P

Eaton Mini-Power Center, Single-phase, PV:  
480V, Taps: 2 at -5% FCBN, SV: 120/240V,  
115°C, 5 kVA, Al windings , Indoor-  
Outdoor.B45, Frame: 284

### General specifications

<b>PRODUCT NAME</b>	Eaton Mini-Power center
<b>CATALOG NUMBER</b>	P48G11S05P
<b>UPC</b>	786680140204
<b>PRODUCT LENGTH/DEPTH</b>	8.9 in
<b>PRODUCT HEIGHT</b>	16 in
<b>PRODUCT WIDTH</b>	11.9 in
<b>PRODUCT WEIGHT</b>	146 lb
<b>WARRANTY</b>	Eaton Selling Policy 25-000, one (1) year from the date of installation of the Product or eighteen (18) months from the date of shipment of the Product, whichever occurs first.
<b>COMPLIANCES</b>	NEMA Compliant
<b>CERTIFICATIONS</b>	UL Listed IEEE Certified CSA Certified ANSI



Powering Business Worldwide

## Physical Attributes

<b>COIL MATERIAL</b>	Aluminum
<b>ENCLOSURE</b>	NEMA 3R
<b>FRAME</b>	284
<b>TAP SIZE</b>	2 at -5% FCBN
<b>TYPE</b>	Mini-power center
<b>WIRING CONNECTION</b>	110A5K

## Miscellaneous

<b>WEATHERSHIELD</b>	Indoor-Outdoor
----------------------	----------------

## Performance Ratings

<b>FREQUENCY RATING</b>	60 Hz
<b>PHASE</b>	Single-phase
<b>PRIMARY VOLTAGE</b>	480 V
<b>SECONDARY VOLTAGE</b>	120/240 V
<b>TEMPERATURE RISE</b>	115 °C rise
<b>VOLT AMPERE RATING</b>	5 kVA

## Resources

CATALOGS	<a href="#">Commercial Distribution, Transformers, Volume 2, Tab 2</a>
MULTIMEDIA	<a href="#">Eaton's Transformer Flex Center</a>
SPECIFICATIONS AND DATASHEETS	<a href="#">Eaton Specification Sheet - P48G11S05P</a>

**PROJECT NAME:**

**PROJECT NUMBER:**

**PREPARED BY:**

**DATE:**



**Eaton Corporation plc**  
Eaton House  
30 Pembroke Road  
Dublin 4, Ireland  
Eaton.com

Follow us on social media to get the latest product and support information.



© 2025 Eaton. All Rights Reserved.

# Specifications



Photo is representative



## Eaton P48G11S05P

Eaton Mini-Power Center, Single-phase, PV:  
480V, Taps: 2 at -5% FCBN, SV: 120/240V,  
115°C, 5 kVA, Al windings , Indoor-  
Outdoor.B45, Frame: 284

### General specifications

<b>PRODUCT NAME</b>	Eaton Mini-Power center
<b>CATALOG NUMBER</b>	P48G11S05P
<b>UPC</b>	786680140204
<b>PRODUCT LENGTH/DEPTH</b>	8.9 in
<b>PRODUCT HEIGHT</b>	16 in
<b>PRODUCT WIDTH</b>	11.9 in
<b>PRODUCT WEIGHT</b>	146 lb
<b>WARRANTY</b>	Eaton Selling Policy 25-000, one (1) year from the date of installation of the Product or eighteen (18) months from the date of shipment of the Product, whichever occurs first.
<b>COMPLIANCES</b>	NEMA Compliant
<b>CERTIFICATIONS</b>	UL Listed IEEE Certified CSA Certified ANSI



Powering Business Worldwide

## Physical Attributes

<b>COIL MATERIAL</b>	Aluminum
<b>ENCLOSURE</b>	NEMA 3R
<b>FRAME</b>	284
<b>TAP SIZE</b>	2 at -5% FCBN
<b>TYPE</b>	Mini-power center
<b>WIRING CONNECTION</b>	110A5K

## Miscellaneous

<b>WEATHERSHIELD</b>	Indoor-Outdoor
----------------------	----------------

## Performance Ratings

<b>FREQUENCY RATING</b>	60 Hz
<b>PHASE</b>	Single-phase
<b>PRIMARY VOLTAGE</b>	480 V
<b>SECONDARY VOLTAGE</b>	120/240 V
<b>TEMPERATURE RISE</b>	115 °C rise
<b>VOLT AMPERE RATING</b>	5 kVA

## Resources

CATALOGS	<a href="#">Commercial Distribution Transformers, Volume 2, Tab 2</a>
MULTIMEDIA	<a href="#">Eaton's Transformer Flex Center</a>
SPECIFICATIONS AND DATASHEETS	<a href="#">Eaton Specification Sheet - P48G11S05P</a>

**PROJECT NAME:**

**PROJECT NUMBER:**

**PREPARED BY:**

**DATE:**



**Eaton Corporation plc**  
Eaton House  
30 Pembroke Road  
Dublin 4, Ireland  
Eaton.com

Follow us on social media to get the latest product and support information.



© 2025 Eaton. All Rights Reserved.