Specifications



Eaton QBGFT1030

Eaton QB GFCI circuit breaker, Ground fault circuit breaker, 30A, 10 kAIC, Single-pole, 120/240V, Non-Interchangeable, 5 mA Trip sensitivity, #10 Cu, #8 AI, QBGF

| General specifications | |
|-------------------------|----------------------------------|
| PRODUCT NAME | Eaton QB GFCl circuit breaker |
| CATALOG NUMBER | QBGFT1030 |
| UPC | 786680130984 |
| PRODUCT LENGTH/DEPTH | 1 in |
| PRODUCT HEIGHT | 1 in |
| PRODUCT WIDTH | 1 in |
| PRODUCT WEIGHT | 0.5 lb |
| WARRANTY | 1 year |
| CERTIFICATIONS | UL 489 |



| Physical Attributes | |
|----------------------|---------------------------------|
| CIRCUIT BREAKER TYPE | QBGF |
| MOUNTING METHOD | Bolt-on |
| NUMBER OF POLES | Single-pole |
| ТҮРЕ | Ground fault circuit breaker |
| WIRE SIZE | #10 Cu, #8 Al |

| Performance Ratings | |
|---------------------|-----------------------|
| AMPERAGE RATING | 30 A |
| INTERRUPT RATING | 10 kAIC |
| TRIP TYPE | Non-Interchangeable |
| TRIP RATING | 5 mA trip sensitivity |
| VOLTAGE RATING | 120/240 V |
| | |

| Miscellaneous | |
|------------------|-----------------------|
| SPECIAL FEATURES | 5 mA Trip Sensitivity |

| Resources | |
|-------------------------------|--|
| SPECIFICATIONS AND DATASHEETS | Eaton Specification Sheet - QBGFT1030 |

| PROJECT NAME: | |
|-----------------|--|
| PROJECT NUMBER: | |
| PREPARED BY: | |
| DATE: | |



Eaton Corporation plc

Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com

© 2025 Eaton. All Rights Reserved.

Follow us on social media to get the latest product and support information.











Specifications



Eaton QBGFT1030

Eaton QB GFCI circuit breaker, Ground fault circuit breaker, 30A, 10 kAIC, Single-pole, 120/240V, Non-Interchangeable, 5 mA Trip sensitivity, #10 Cu, #8 AI, QBGF

| General specifications | |
|-------------------------|----------------------------------|
| PRODUCT NAME | Eaton QB GFCl circuit breaker |
| CATALOG NUMBER | QBGFT1030 |
| UPC | 786680130984 |
| PRODUCT LENGTH/DEPTH | 1 in |
| PRODUCT HEIGHT | 1 in |
| PRODUCT WIDTH | 1 in |
| PRODUCT WEIGHT | 0.5 lb |
| WARRANTY | 1 year |
| CERTIFICATIONS | UL 489 |



| Physical Attributes | |
|----------------------|---------------------------------|
| CIRCUIT BREAKER TYPE | QBGF |
| MOUNTING METHOD | Bolt-on |
| NUMBER OF POLES | Single-pole |
| ТҮРЕ | Ground fault circuit breaker |
| WIRE SIZE | #10 Cu, #8 Al |

| Performance Ratings | |
|---------------------|-----------------------|
| AMPERAGE RATING | 30 A |
| INTERRUPT RATING | 10 kAIC |
| TRIP TYPE | Non-Interchangeable |
| TRIP RATING | 5 mA trip sensitivity |
| VOLTAGE RATING | 120/240 V |
| | |

| Miscellaneous | |
|------------------|-----------------------|
| SPECIAL FEATURES | 5 mA Trip Sensitivity |

| Resources | |
|-------------------------------|--|
| SPECIFICATIONS AND DATASHEETS | Eaton Specification Sheet - QBGFT1030 |

| PROJECT NAME: | |
|-----------------|--|
| PROJECT NUMBER: | |
| PREPARED BY: | |
| DATE: | |



Eaton Corporation plc

Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com

© 2025 Eaton. All Rights Reserved.

Follow us on social media to get the latest product and support information.









