



ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

1501 Heritage Parkway Suite 101
76063-0000, TX Mansfield
Phone: 682-518-7272
Fax: 682-518-7255



R2214V 22-18 Vinyl Ring 1/4\" Stud

Nsi Industries

| | |
|------------------|---|
| Catalog Number | R2214V |
| Manufacturer | Nsi Industries |
| Description | 22-18 Awg Vinyl Insulated Ring 1/4\" Stud, 100 Per Pack |
| Weight per unit | 0.2060 (lbs/each) |
| Product Category | Small Terminals & Connectors |

Features

| | |
|---------------------|------------------|
| Material | Vinyl Insulation |
| Number of Terminals | 1 |
| Terminal Size | 1/4 |
| Voltage Rating | 300 V |
| Wire Size | 22-18 AWG |

Material, Color, and Finish

| | |
|-------|-----|
| Color | Red |
|-------|-----|

Descriptions

| | |
|------------------------|---|
| Description | 22-18 VINYL RING 1/4\"STUD |
| extra long description | NSI R22-14V 22-18 Awg Vinyl Insulat |
| Features | 22-18 AWG Vinyl Insulated Ring 1/4\" Stud, 100 Per Pack |
| Long Description | 22-18 AWG Vinyl Insulated Ring 1/4\" Stud, 100 Per Pack |
| Product Type | 22-18 Awg Vinyl Insulated Ring 1/4\" Stud, 100 Per Pack |
| Special Features | Vinyl Insulated Ring Terminal 22-18 AWG - 100 Pack |

Manufacturer Information

| | |
|---------------------------|----------------|
| Brand | NSi |
| GTIN | 00662381067173 |
| Manufacturers Part Number | R22-14V |
| UPC | 662381067173 |

Taxonomies, Classifications, and Categories

| | |
|----------------------|-------------------------------|
| Category Description | TERMINALS |
| Type | Vinyl Insulated Ring Terminal |

Availability

| | |
|-------------|-----|
| minimum qty | 100 |
|-------------|-----|

Packaging

| | |
|-----------------|-------|
| Carton | 1 |
| Package | 100 |
| Weight Per each | 0.206 |



ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

1501 Heritage Parkway Suite 101
76063-0000, TX Mansfield
Phone: 682-518-7272
Fax: 682-518-7255

Uses, Certifications, and Standards

| | |
|--------------------------|------------------|
| Application | Wire Termination |
| environmental conditions | 75 C |
| standard | cULus |