

ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

3804 W. Esthner Avenue 67213-0000, KS Wichita Phone: 316-854-0028 Fax: 316-854-0029



RES60 60A 600V Superlag Renewable Fuse Bussmann Fuses

•	
Catalog Number	RES60
Manufacturer	Bussmann Fuses
Description	Eaton Bussmann Series Res Fuse, Time Lag, Non Current-Limiting Industrial and Commercial Structures, 60 A, Class H, Non-Indicating, Ferrule End X Ferrule End, 10 Kaic At 250 Vac, Standard, 10, 600 V
Weight per unit	0.2900 (lbs/each)
Product Category	Tools & Testers
Features	
amperage rating	60
class	Class H
connection	Ferrule End X Ferrule End
dimensions	0.7800 IN X 0.7800 IN X 5.5000 IN
interrupt rating	10
media	Yes
Voltage Rating	600 V
Dimensions and Weight	
Size	1.06 In Diameter X 5.50 In Length
Descriptions	
Description	60A 600V SUPERLAG RENEWABLE FUSE
extra long description	BUSS RES-60 SUPER LAG RENEWABLE FUS
Features	Non-current limiting, renewable 250V (REN) and 600V (RES) Class H size fuses and fuse links (250V LKN and 600V LKS) for use in electrical systems where the available fault current is less than 10,000 amps and frequent outages dictate the economy of these renewable type fuses.
Long Description	Eaton Bussmann series RES fuse, time lag, non current-limiting, Industrial and commercial structures, 60 A, Class H, Non-indicating, Ferrule end x ferrule end, 10 kAIC at 250 Vac, Standard, 10, 600 V
Product Type	Super Lag Renewable Fuse 60/600
Special Features	Super lag, time lag, non current-limiting
Manufacturer Information	
Brand	Eaton Bussmann series
GTIN	00051712110600
Manufacturers Part Number	RES-60
UPC	051712110600



standard

ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

3804 W. Esthner Avenue 67213-0000, KS Wichita Phone: 316-854-0028 Fax: 316-854-0029

Taxonomies, Classifications, and Categories	
Category Description	Fuses & Fuse Accessories
Туре	FUSE
Packaging	
Carton	10
Weight Per each	0.29
Uses, Certifications, and Standards	
Application	Ind Facilities & Factories - Facility: Safety and Security Systems

Not Applicable