

Specifications

Photo is representative

Eaton RFTR9605-TAW

Eaton Z-Wave plus split control wireless receptacle, Tamper resistant, 15A, Residential, Flush mounting, 120V, Wire leads, Push button actuator, 60 Hz, Thermoplastic, Alpine white, 5-15R, Two-pole, Three-wire, grounding, Decorator

General specifications

PRODUCT NAME	Eaton Z-Wave Plus Split control wireless receptacle
CATALOG NUMBER	RFTR9605-TAW
UPC	032664758690
PRODUCT LENGTH/DEPTH	1.39 in
PRODUCT HEIGHT	4.2 in
PRODUCT WIDTH	1.61 in
PRODUCT WEIGHT	0.3 lb
CERTIFICATIONS	cULus Listed
PRODUCT TYPE	Split control wireless receptacle



Powering Business Worldwide

Product specifications

SPECIAL FEATURES	Tamper Resistant Receptacle
TYPE	Split control, duplex
AMPERAGE RATING	15A
VOLTAGE RATING	120 V
APPLICATION	Residential
WIRING METHOD	Wire leads
ACTUATOR	Pushbutton
FREQUENCY RATING	60 Hz
MATERIAL	Thermoplastic
NEMA CONFIGURATION	5-15R
NUMBER OF WIRES	3 Grounding
MOUNTING METHOD	Flush
NUMBER OF POLES	Two-pole
STYLE TYPE	Decorator
COLOR	Alpine white

Resources

MULTIMEDIA	Eaton's new Z-Wave Plus wireless collection
SPECIFICATIONS AND DATASHEETS	Eaton Specification Sheet - RFTR9605-TAW Z-Wave Plus wireless duplex receptacle spec sheet

PROJECT NAME:

PROJECT NUMBER:

PREPARED BY:

DATE:



Eaton Corporation plc Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2026 Eaton. All Rights Reserved.

Follow us on social media to get the latest product and support information.



Specifications

Photo is representative

Eaton RFTR9605-TAW

Eaton Z-Wave plus split control wireless receptacle, Tamper resistant, 15A, Residential, Flush mounting, 120V, Wire leads, Push button actuator, 60 Hz, Thermoplastic, Alpine white, 5-15R, Two-pole, Three-wire, grounding, Decorator

General specifications

PRODUCT NAME	Eaton Z-Wave Plus Split control wireless receptacle
CATALOG NUMBER	RFTR9605-TAW
UPC	032664758690
PRODUCT LENGTH/DEPTH	1.39 in
PRODUCT HEIGHT	4.2 in
PRODUCT WIDTH	1.61 in
PRODUCT WEIGHT	0.3 lb
CERTIFICATIONS	cULus Listed
PRODUCT TYPE	Split control wireless receptacle



Powering Business Worldwide

Product specifications

SPECIAL FEATURES	Tamper Resistant Receptacle
TYPE	Split control, duplex
AMPERAGE RATING	15A
VOLTAGE RATING	120 V
APPLICATION	Residential
WIRING METHOD	Wire leads
ACTUATOR	Pushbutton
FREQUENCY RATING	60 Hz
MATERIAL	Thermoplastic
NEMA CONFIGURATION	5-15R
NUMBER OF WIRES	3 Grounding
MOUNTING METHOD	Flush
NUMBER OF POLES	Two-pole
STYLE TYPE	Decorator
COLOR	Alpine white

Resources

MULTIMEDIA	Eaton's new Z-Wave Plus wireless collection
SPECIFICATIONS AND DATASHEETS	Eaton Specification Sheet - RFTR9605-TAW Z-Wave Plus wireless duplex receptacle spec sheet

PROJECT NAME:

PROJECT NUMBER:

PREPARED BY:

DATE:



Eaton Corporation plc Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2026 Eaton. All Rights Reserved.

Follow us on social media to get the latest product and support information.

