

General-Purpose Encapsulated Transformer

S20N11P51P

UPC:786680073731

Dimensions:

Height: 9.34 INLength: 5.18 INWidth: 4.45 IN

Weight:14 LB

Warranties:

 Eaton Selling Policy 25-000, one (1) year from the date of installation of the Product or eighteen (18) months from the date of shipment of the Product, whichever occurs first.

Specifications:

• **Type:** General-Purpose Encapsulated Transformer

• Design: EP

• Coil Material: Aluminum windings

• Enclosure: NEMA 3R

• Frame: 57P

• Frequency Rating: 60 Hz

• Phase: Single-phase

Primary Voltage: 240 X 480VSecondary Voltage: 120/240V

• Tap Size: NONE

Temperature Rating: 115°C
Volt Ampere Rating: 0.5 KVA
Weathershield: Indoor-Outdoor

• Wiring Connection: 3A

Supporting documents:

- Eatons Volume 2-Commercial Distribution
- Eaton Specification Sheet S20N11P51P

Certifications:



• UL Listed

Product compliance: No Data

© 2016 Eaton. All rights reserved.



General-Purpose Encapsulated Transformer

S20N11P51P

UPC:786680073731

Dimensions:

Height: 9.34 INLength: 5.18 INWidth: 4.45 IN

Weight:14 LB

Warranties:

 Eaton Selling Policy 25-000, one (1) year from the date of installation of the Product or eighteen (18) months from the date of shipment of the Product, whichever occurs first.

Specifications:

• **Type:** General-Purpose Encapsulated Transformer

• Design: EP

• Coil Material: Aluminum windings

• Enclosure: NEMA 3R

• Frame: 57P

• Frequency Rating: 60 Hz

• Phase: Single-phase

Primary Voltage: 240 X 480VSecondary Voltage: 120/240V

• Tap Size: NONE

Temperature Rating: 115°C
Volt Ampere Rating: 0.5 KVA
Weathershield: Indoor-Outdoor

• Wiring Connection: 3A

Supporting documents:

- Eatons Volume 2-Commercial Distribution
- Eaton Specification Sheet S20N11P51P

Certifications:



• UL Listed

Product compliance: No Data

© 2016 Eaton. All rights reserved.