


# Specifications



## Eaton SFBCVR225ABOT

Eaton Pow-R-Xpress 225A MAX SFB CVR FOR 400A PNL BOT

### General specifications

|                             |                                  |
|-----------------------------|----------------------------------|
| <b>PRODUCT NAME</b>         | Eaton Pow-R-Xpress subfeed cover |
| <b>CATALOG NUMBER</b>       | SFBCVR225ABOT                    |
| <b>UPC</b>                  | 786689397272                     |
| <b>PRODUCT LENGTH/DEPTH</b> | 14 in                            |
| <b>PRODUCT HEIGHT</b>       | 0.1 in                           |
| <b>PRODUCT WIDTH</b>        | 11 in                            |
| <b>PRODUCT WEIGHT</b>       | 1.5 lb                           |
| <b>COMPLIANCES</b>          | NEMA Compliant                   |
| <b>CERTIFICATIONS</b>       | UL 67                            |

## Physical Attributes

|      |                      |
|------|----------------------|
| TYPE | SFB CVR 400A PNL BOT |
|------|----------------------|

## Resources

|                               |                                                                                                                      |
|-------------------------------|----------------------------------------------------------------------------------------------------------------------|
|                               | <a href="#">Pow-R-Xpress stocking program flyer</a>                                                                  |
| BROCHURES                     | <a href="#">Eaton's Pow-R-Xpress stocking program</a><br><a href="#">Pow-R-Xpress quick selector reference guide</a> |
| INSTALLATION INSTRUCTIONS     | <a href="#">PRL1X Or PRL2X Panelboard Instructions</a>                                                               |
| MULTIMEDIA                    | <a href="#">Pow-R-Line Xpert family overview</a>                                                                     |
| SPECIFICATIONS AND DATASHEETS | <a href="#">Eaton Specification Sheet - SFBCVR225ABOT</a>                                                            |

PROJECT NAME:

PROJECT NUMBER:

PREPARED BY:

DATE:




**Eaton Corporation plc** Eaton House  
30 Pembroke Road  
Dublin 4, Ireland  
Eaton.com

© 2025 Eaton. All Rights Reserved.

Follow us on social media to get the latest product and support information.



# Specifications



## Eaton SFBCVR225ABOT

Eaton Pow-R-Xpress 225A MAX SFB CVR FOR 400A PNL BOT

### General specifications

|                      |                                  |
|----------------------|----------------------------------|
| PRODUCT NAME         | Eaton Pow-R-Xpress subfeed cover |
| CATALOG NUMBER       | SFBCVR225ABOT                    |
| UPC                  | 786689397272                     |
| PRODUCT LENGTH/DEPTH | 14 in                            |
| PRODUCT HEIGHT       | 0.1 in                           |
| PRODUCT WIDTH        | 11 in                            |
| PRODUCT WEIGHT       | 1.5 lb                           |
| COMPLIANCES          | NEMA Compliant                   |
| CERTIFICATIONS       | UL 67                            |

## Physical Attributes

TYPE

SFB CVR 400A PNL BOT

## Resources

BROCHURES

[Pow-R-Xpress stocking program flyer](#)

[Eaton's Pow-R-Xpress stocking program](#)

[Pow-R-Xpress quick selector reference guide](#)

INSTALLATION  
INSTRUCTIONS

[PRL1X Or PRL2X Panelboard Instructions](#)

MULTIMEDIA

[Pow-R-Line Xpert family overview](#)

SPECIFICATIONS AND  
DATASHEETS

[Eaton Specification Sheet - SFBCVR225ABOT](#)

PROJECT NAME:

PROJECT NUMBER:

PREPARED BY:

DATE:



**Eaton Corporation plc** Eaton House  
30 Pembroke Road  
Dublin 4, Ireland  
Eaton.com

© 2025 Eaton. All Rights Reserved.

Follow us on social media to get the latest product and support information.

