



## T105 4" Alu T SR5 Conduit Body

Crouse-Hinds

Catalog Number	T105
Manufacturer	Crouse-Hinds
Description	Eaton Crouse-Hinds Series Condulet Series 5 Conduit Outlet Body, Rigid/IMC, Copper-Free Aluminum, T Shape, 4"
Weight per unit	10.2 (lbs/each)
Product Category	Alum

### Features

connection	Threaded / Set Screw
dimensions	16.0000 IN X 5.4200 IN X 5.4000 IN
Form	Series 5

### Material, Color, and Finish

Color	Gray
Finish	Epoxy Powder Coat

### Dimensions and Weight

Height	5.40
Hub Size	4 in
Length	16.00
Width	5.42

### Descriptions

Description	4" ALU T SR5 CONDUIT BODY
extra long description	MIDWEST T105 4 RGD T COND BODY AL
Features	Eaton's Crouse-Hinds Division Series 5 die cast copper-free aluminum conduit bodies, covers and gaskets are available for use with rigid or EMT conduit (with set screw). Conduit bodies are available in trade sizes 1/2" to 4", in the most popular conduit body shapes (C, LB, LL, LR, T) and 1/2" to 2" in TB and X shapes. The Series 5 family is available as components or pre-packaged in various configurations as a SnapPack assembly. In addition, Series 5 is completely interchangeable with other manufacturer
Long Description	Eaton Crouse-Hinds series Condulet Series 5 conduit outlet body, Rigid/IMC, Copper-free aluminum, T shape, 4"
Product Type	4 RGD T Cond Body Al
Special Features	Corrosion Resistant



# ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

903 Mississippi Ave  
76301-0000, TX Wichita Falls  
Phone: 940-257-6832  
Fax: 940-257-6833

## Manufacturer Information

Brand	EATON CROUSE-HINDS SERIES
GTIN	00784564140500
Manufacturers Part Number	T105
UPC	784564140500

## Taxonomies, Classifications, and Categories

Category Description	FORM 5 CONDULETS, COVERS, & GASKETS
Type	Conduit outlet body

## Packaging

Carton	1
Weight Per each	10.2

## Uses, Certifications, and Standards

Application	Commercial / Institutional Buildings / Structures - Commercial / Institutional Buildings / Structures - Other
Enclosure	Condulet
Mounting	Conduit
standard	UL, cUL