

## ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

4250 Business Center Dr. Suite 300 28214-0000, NC Charlotte

Phone: 980-249-1969 Fax: 704-900-0948



## T15 1/2" Alu T SR5 Conduit Body Crouse-Hinds

Catalog Number T15

Manufacturer Crouse-Hinds
Description Conduit Outlet Body, Epoxy Powder Painted (Body); Natural

(Gasket), 1/2 In Trade Size, 4.35 Cu.In Capacity, 90 ° Angle, 1/2 In

Hub Size, 4.82 In Length, 1.4 In Height, 0.25 LB/Ea

Weight per unit 0.2500 (lbs/each)

Product Category Alum

**Features** 

connection Threaded / Set Screw

dimensions 4.8200 IN X 1.3100 IN X 1.4000 IN

Form Series 5

Material, Color, and Finish

Color Gray

**Dimensions and Weight** 

Height 1.40 Width 1.31

**Descriptions** 

Description 1/2" ALU T SR5 CONDUIT BODY

extra long description MIDWEST T15 1/2 RGD T COND BODY AL

Features Eaton's Crouse-Hinds Division Series 5 die cast copper-free

aluminum conduit bodies, covers and gaskets are available for use with rigid or EMT conduit (with set screw). Conduit bodies are available in trade sizes 1/2" to 4", in the most popular conduit body shapes (C, LB, LL, LR, T) and 1/2" to 2" in TB and X shapes. The Series 5 family is available as components or pre-packaged in various configurations as a SnapPack assembly. In addition, Series 5 is completely interchangeable with other

manufacturer

**Manufacturer Information** 

 Brand
 Eaton

 GTIN
 00784564140418

 UPC
 784564140418

**Taxonomies, Classifications, and Categories** 

Category Description FORM 5 CONDULETS, COVERS, & GASKETS

Type Conduit outlet body



## ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

4250 Business Center Dr. Suite 300 28214-0000, NC Charlotte Phone: 980-249-1969

Fax: 704-900-0948

Pac	kag	ing

Carton	1	
Package	10	
Weight Per each	0.25	

## Uses, Certifications, and Standards

Application .	Commercial / Institutional Buildings / Structures - Commercial / Institutional Buildings / Structures - Other
Enclosure	Condulet
Mounting	Conduit
standard	UL, cUL