

ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685



TB50M 1/2" TB FM5 Conduit Body

Catalog Number	TB50M
Manufacturer	Crouse-Hinds
Description	Eaton Crouse-Hinds Series Condulet Form 5 Conduit Outlet Body Malleable Iron, TB Shape, 1/2"
Weight per unit	0.9800 (lbs/each)
Product Category	Bodies & Covers
Features	
dimensions	5.3800 IN X 1.3400 IN X 2.0500 IN
Form	Form 5
Material, Color, and Finish	
Finish	Electrogalvanized With Aluminum Acrylic Painted
Dimensions and Weight	
Height	2.05
Hub Size	
Length	F 00
Width	1.34
Descriptions	
Description	1/2" TB FM5 CONDUIT BODY
extra long description	CRS-H TB50M 1/2 FORM 5 TB COND BODY
Features	Form 5 malleable iron conduit bodies, covers and gaskets from Eaton's Crouse-Hinds Division are used in conduit systems to act as pull outlets for conductors being installed, provide openings for making splices and taps in conductors, make 90 degree bends in conduit runs, and provide access to conductors for maintenance and future system changes. Form 5 conduit bodies are manufactured in trade sizes 1/2" to 4", and are interchangeable with Appleton Form 35 conduit bodies. They are also available with a h
Long Description	Eaton Crouse-Hinds series Condulet Form 5 conduit outlet body, Malleable iron, TB shape, 1/2"
Product Type	1/2 Form 5 TB Cond Body Malleable

Mar

Brand	Eaton
GTIN	00782274756585
Manufacturers Part Number	TB50M
UPC	782274756585



standard

ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685

Taxonomies, Classifications, and Cate	egories
Category Description	HUB STYLE BOXES (GUAB, GUAT, ETC)
Туре	Conduit outlet body
Packaging	
Carton	1
Package	10
Weight Per each	0.98
Uses, Certifications, and Standards	
Application	Commercial / Institutional Buildings / Structures - Commercial / Institutional Buildings / Structures - Other
Enclosure	Condulet

UL 514B, CSA C22.2, CUL