



Project: _____

Fixture Type: _____

Location: _____

Contact/Phone: _____

6" DELUXE UNIVERSAL TC REMODEL HOUSING

INCANDESCENT LAMPS

TC2R

PRODUCT DESCRIPTION

TC Remodel Housing for remodel application where back side of ceiling is not accessible • Installs through an opening in the ceiling from below • Secured in place by factory installed remodel springs • Design for use in non-insulated areas • If installed where insulation is present, the insulation must be pulled back 3" from all sides of the TC housing.

PRODUCT SPECIFICATIONS

Lamp Lamp ratings based on trim selected – see pages 3-4.

Socket Medium base porcelain with nickel-plated copper screw shell • Drop socket with spring to accommodate certain trim installation.

Trims Trim selection shown on pages 3-4.

Labels UL listed for through-branch wiring, damp locations and IP • Product thermally protected against improper use of lamps or insulation • Union made • UL and cUL listed • Trims 20, 21, 22, 239, 240, 241, 242, 243, 9000 and 9900 are wet location approved for covered ceiling applications • Trims 28, 29 are wet location approved for covered ceiling applications, **when used with outdoor rated lamps**.

Testing All reports are based on published industry procedures; field performance may differ from laboratory performance.

Specifications subject to change without notice.

INSTALLATION

Junction Box Pre-wired junction box, UL and cUL listed for through-branch wiring, maximum 4 No. 12 AWG 90° C branch circuit conductors (2 in, 2 out) • Junction box provided with removable access plate, (5) $\frac{1}{2}$ " knockouts, (4) Non-metallic sheathed cable connectors and ground wire • Knockouts equipped with prout slots.



Housing TC housing, 22-gauge white painted steel • Double stack adjustable feature enables remodel springs to accommodate up to 1 $\frac{1}{4}$ " ceiling thickness • Adjusts from 7 $\frac{1}{4}$ " max. height down to 5 $\frac{1}{4}$ " min. height.

PRODUCT CODES

Catalog Number	Input Voltage	Lamp Rating
TC2R 6" Incandescent Remodel Non-IC Housing	120V	A19/A21/BR30/BR40/MR16/PAR16/PAR20/PAR30/PAR30L/PAR38/R20/R30 (See pages 3-4 for max. trim rating)

Housing and trim can be ordered together or separate, but will always ship separately.

DIMENSIONS



6 3/4" CEILING CUTOUT

6" DELUXE UNIVERSAL TC REMODEL HOUSING

INCANDESCENT LAMPS

TC2R

TRIMS/LAMPS

	Catalog Number	Description	Max. Lamp Rating
‡		6" Downlight Pinhole with Baffle Trim - Black Baffle, White Trim Ring	50W PAR20/R20
**		6" Downlight Tapered Baffle Trim - Black Baffle, White Trim Ring	75W PAR30L, 65W BR30
		6" Downlight Tapered Baffle Trim - Black Baffle, Satin Chrome Trim Ring	
		6" Downlight Tapered Baffle Trim - Black Baffle, Classic Aged Bronze Trim Ring	
		6" Downlight Tapered Baffle Trim - Black Baffle, Black Trim Ring	
		6" Downlight Tapered Baffle Trim - White Baffle, White Trim Ring	
**		6" Downlight Straight Baffle Trim - Black Baffle, White Trim Ring	85W BR40, 90W PAR38
		6" Downlight Straight Baffle Trim - Black Baffle, Satin Chrome Trim Ring	
		6" Downlight Straight Baffle Trim - Black Baffle, Classic Aged Bronze Trim Ring	
		6" Downlight Straight Baffle Trim - Black Baffle, Black Trim Ring	
		6" Downlight Straight Baffle Trim - White Baffle, White Trim Ring	
‡		6" Downlight Straight Cone Trim - Clear Alzak®, White Trim Ring	90W PAR38, 85W BR40
**		6" Downlight Straight Cone Trim - Gold, White Trim Ring	
		6" Downlight Straight Cone Trim - Black, White Trim Ring	
		6" Downlight Straight Cone Trim - Pewter, Satin Chrome Trim Ring	
		6" Downlight Straight Cone Trim - White, White Trim Ring	
		6" Downlight Straight Cone Trim - Haze, White Trim Ring	
		6" Downlight Straight Cone Trim - Wheat Haze, White Trim Ring	
**		6" Downlight Tapered Cone Trim - Clear Alzak® Cone, White Trim Ring	75W PAR30L, 65W BR30
		6" Downlight Tapered Cone Trim - Gold Cone, White Trim Ring	
		6" Downlight Tapered Cone Trim - Black Cone, White Trim Ring	
		6" Downlight Tapered Cone Trim - Pewter Cone, Satin Chrome Trim Ring	
		6" Downlight Tapered Cone Trim - White Cone, White Trim Ring	
		6" Downlight Tapered Cone Trim - Haze Cone, White Trim Ring	
		6" Downlight Tapered Cone Trim - Wheat Haze Cone, White Trim Ring	
		6" Downlight Tapered Cone Trim - Wheat Haze Cone, Classic Aged Bronze Trim Ring	
		6" Downlight Ultra Trim Baffle Fully Enclosed Trim - Black Baffle, White Trim Ring	75W A19, 100W PAR38, 75W PAR30/30L,
		6" Downlight Ultra Trim Baffle Fully Enclosed Trim - White Baffle, White Trim Ring	85W BR30, 120W BR40
		6" Downlight Ultra Trim Cone Fully Enclosed Trim - Clear Cone, White Trim Ring	100W A19, 100W PAR38, 75W PAR30/30L,
		6" Downlight Ultra Trim Cone Fully Enclosed Trim - White Cone, White Trim Ring	85W BR30, 120W BR40
		6" Downlight Economy A-Lamp Reflector with Baffle Trim - Clear with Black, Black Trim Ring	100W A19
		6" Downlight Economy A-Lamp Reflector with Baffle Trim - Clear with White, White Trim Ring	
		6" Downlight A-Lamp Reflector Trim - Clear Alzak®, White Trim Ring	100W A19, 150W A21
		6" Downlight A-Lamp Reflector Trim - Gold Alzak®, White Trim Ring	100W A19, 150W A21
		6" Downlight A-Lamp Reflector Trim - White, White Trim Ring	75W A19
		6" Downlight A-Lamp Reflector Trim - Haze, White Trim Ring	100W A19, 150W A21
		6" Downlight A-Lamp Reflector Trim - Wheat Haze, White Trim Ring	100W A19, 150W A21
		6" Downlight A-Lamp Reflector with Black Baffle Trim - Clear Alzak®, White Trim Ring	75W A19
		6" Downlight Shallow Baffle Trim - Black Baffle, White Trim Ring	75W PAR30/30L, 65W BR30
		6" Downlight Shallow Baffle Trim - White Baffle, White Trim Ring	
**		6" Downlight Shallow Cone Trim - Clear Alzak® Cone, White Trim Ring	75W PAR30/30L, 65W BR30
		6" Downlight Shallow Cone Trim - Gold Alzak® Cone, White Trim Ring	
		6" Downlight Shallow Cone Trim - Black Alzak® Cone, White Trim Ring	
		6" Downlight Shallow Cone Trim - Haze Cone, White Trim Ring	
		6" Downlight Shallow Cone Trim - Wheat Haze Cone, White Trim Ring	
‡		6" Downlight Open Frame Trim - White	65W BR30
		6" Downlight Open Frame Trim - Satin Chrome	
		6" Downlight Open Frame Trim - Classic Aged Bronze	
		6" Downlight Open Frame Trim - White	120W BR40, 250W R40 Heat Lamp
**		6" Downlight Deep Baffle Trim - Black Baffle, White Trim Ring	75W PAR30,
		6" Downlight Deep Baffle Trim - White Baffle, White Trim Ring	100W PAR38

Trim Size: 7⁵/₈" O.D. (except Cat. Nos. 228, 229, 241, 9024-8" O.D., Cat. No. 9702-7³/₄" O.D.).

* Use dimmers specifically designed for low voltage magnetic transformers.

Alzak is a registered trademark of Alcoa Corp.

Note: In Canada when insulation is present, Type IC fixtures must be used.

‡ Trim may be used with TC2R housing adjusted in lowest (5¹/₄") height position.

◆ UL Listed for use in wet location.

◆◆ UL Listed for use in wet location with outdoor rated lamp.

** NOTE: TR6 Trim Ring compatible with 24, 25, 26, 27, 244S, 247S, 254, 257, 264, 267, 9900 trims.

6" DELUXE UNIVERSAL TC REMODEL HOUSING

INCANDESCENT LAMPS

TC2R

TRIMS/LAMPS (cont.)

	Catalog Number	Description	Max. Lamp Rating		Catalog Number	Description	Max. Lamp Rating
**		257 CWH 6" Downlight Deep Cone Trim - Clear Alzak® Cone, White Trim Ring	75W PAR30, 100W PAR38			424 BWH 6" Adjustable Pinhole with Baffle Trim - Black Baffle, White Trim Ring	35W MR16
		257 BWH 6" Downlight Deep Cone Trim - Black Alzak® Cone, White Trim Ring				427 WWH 6" Adjustable Cylinder Spotlight in Baffle Trim - White Baffle, White Trim Ring	50W MR16
		257 GWH 6" Downlight Deep Cone Trim - Gold Alzak® Cone, White Trim Ring					
		257 HZWH 6" Downlight Deep Cone Trim - Haze Cone, White Trim Ring					
		257 WHZWH 6" Downlight Deep Cone Trim - Wheat Haze Cone, White Trim Ring					
		224 BWH 6" Adjustable Gimbal Ring in Baffle Trim - Black Baffle, White Trim Ring	75W PAR38/3 Side Prong				
		224 WWH 6" Adjustable Gimbal Ring in Baffle Trim - White Baffle, White Trim Ring					
†		226 BWH 6" Adjustable Cylinder Spotlight in Baffle Trim - Black Baffle, White Trim Ring	60W PAR16				
		226 WWH 6" Adjustable Cylinder Spotlight in Baffle Trim - White Baffle, White Trim Ring					
†		228 WH 6" Adjustable Regressed Eyeball Trim - White	50W PAR20/R20				
†		229 WH 6" Adjustable Regressed Eyeball Trim - White	75W PAR30L, 65W BR30				
		229 SC 6" Adjustable Regressed Eyeball Trim - Satin Chrome					
		229 ABZ 6" Adjustable Regressed Eyeball Trim - Classic Aged Bronze					
		229 BL 6" Adjustable Regressed Eyeball Trim - Black					
†		248 WWH 6" Adjustable Regressed Eyeball in Baffle Trim - White Baffle, White Trim Ring	50W PAR20/R20				
†		249 BWH 6" Adjustable Regressed Eyeball in Baffle Trim - Black Baffle, White Trim Ring	75W PAR30L, 65W BR30				
		249 WWH 6" Adjustable Regressed Eyeball in Baffle Trim - White Baffle, White Trim Ring					
**		264 BWH 6" Adjustable Tapered Baffle Trim - Black Baffle, White Trim Ring	75W PAR30				
		264 WWH 6" Adjustable Tapered Baffle Trim - White Baffle, White Trim Ring					
**		267 CWH 6" Adjustable Tapered Cone Trim - Clear Alzak® Cone, White Trim Ring	75W PAR30				
		267 GWH 6" Adjustable Tapered Cone Trim - Gold Alzak® Cone, White Trim Ring					
		267 BWH 6" Adjustable Tapered Cone Trim - Black Alzak® Cone, White Trim Ring					
		267 HZWH 6" Adjustable Tapered Cone Trim - Haze Cone, White Trim Ring					
		267 WHZWH 6" Adjustable Tapered Cone Trim - Wheat Haze Cone, White Trim Ring					
		20 WH ♦ 6" Lensed Albalite Trim - White	40W A19				
		20 PW ♦ 6" Lensed Albalite Trim - Plastic White					
		240 WH ♦ 6" Lensed Albalite with Reflector Trim - White	60W A19				
		240 PW ♦ 6" Lensed Albalite with Reflector Trim - Plastic White					
†		21 WH ♦ 6" Lensed Drop Opal Trim - White	40W A19				
		21 PW ♦ 6" Lensed Drop Opal Trim - Plastic White					
		241 WH ♦ 6" Lensed Drop Opal with Reflector Trim - White	60W A19				
		241 PW ♦ 6" Lensed Drop Opal with Reflector Trim - Plastic White					
		242 WH ♦ 6" Lensed Frosted Lens with Clear Center Trim - White	75W PAR38, 60W PAR38IR				
		242 SC ♦ 6" Lensed Frosted Lens with Clear Center Trim - Satin Chrome					
		242 ABZ ♦ 6" Lensed Frosted Lens with Clear Center Trim - Classic Aged Bronze					
		22 WH ♦ 6" Lensed Fresnel Trim - White	40W A19				
		239 WH ♦ 6" Lensed Frosted Lens Trim - White	40W A19				
		261 BWH 6" Wall Wash Scoop Trim -	40W A19				
		261 WWH 6" Wall Wash Scoop Trim -					
		243 WH ♦ 6" Decorative Swirled Etched Opal Glass Trim - White	60W A19				
†		9324 SC 6" Decorative Luminous Disc Frosted Trim - Satin Chrome	65W BR30				
†		9702 6" Decorative Luminous Collar Frosted Trim - Luminous Collar (Frosted)	75W BR30				
†		9024 WWH 6" Decorative Octagonal Trim - White, White Trim Ring	65W BR30				
†		9524 SC 6" Decorative Metal Band Trim - Satin Chrome	65W BR30				
**		9900 WH ♦ 6" Decorative Fluted Drop Opal Trim - White	60W A19				

Trim Size: 7 5/8" O.D. (except Cat. Nos. 228, 229, 241, 9024 - 8" O.D., Cat. No. 9702 - 7 5/8" O.D.).

* Use dimmers specifically designed for low voltage magnetic transformers.

Alzak is a registered trademark of Alcoa Corp.

Note: In Canada when insulation is present, Type IC fixtures must be used.

† Trim may be used with TC2R housing adjusted in lowest (5 1/4") height position.

♦ UL Listed for use in wet location.

♦♦ UL Listed for use in wet location with outdoor rated lamp.

** NOTE: TR6 Trim Ring compatible with 24, 25, 26, 27, 244S, 247S, 254, 257, 264, 267, 9900 trims.



Project: _____

Fixture Type: _____

Location: _____

Contact/Phone: _____

6" DELUXE UNIVERSAL TC REMODEL HOUSING

INCANDESCENT LAMPS

TC2R

PRODUCT DESCRIPTION

TC Remodel Housing for remodel application where back side of ceiling is not accessible • Installs through an opening in the ceiling from below • Secured in place by factory installed remodel springs • Design for use in non-insulated areas • If installed where insulation is present, the insulation must be pulled back 3" from all sides of the TC housing.

PRODUCT SPECIFICATIONS

Lamp Lamp ratings based on trim selected – see pages 3-4.

Socket Medium base porcelain with nickel-plated copper screw shell • Drop socket with spring to accommodate certain trim installation.

Trims Trim selection shown on pages 3-4.

Labels UL listed for through-branch wiring, damp locations and IP • Product thermally protected against improper use of lamps or insulation • Union made • UL and cUL listed • Trims 20, 21, 22, 239, 240, 241, 242, 243, 9000 and 9900 are wet location approved for covered ceiling applications • Trims 28, 29 are wet location approved for covered ceiling applications, **when used with outdoor rated lamps**.

Testing All reports are based on published industry procedures; field performance may differ from laboratory performance.

Specifications subject to change without notice.

INSTALLATION

Junction Box Pre-wired junction box, UL and cUL listed for through-branch wiring, maximum 4 No. 12 AWG 90° C branch circuit conductors (2 in, 2 out) • Junction box provided with removable access plate, (5) $\frac{1}{2}$ " knockouts, (4) Non-metallic sheathed cable connectors and ground wire • Knockouts equipped with prout slots.



Housing TC housing, 22-gauge white painted steel • Double stack adjustable feature enables remodel springs to accommodate up to 1 $\frac{1}{4}$ " ceiling thickness • Adjusts from 7 $\frac{1}{4}$ " max. height down to 5 $\frac{1}{4}$ " min. height.

PRODUCT CODES

Catalog Number	Input Voltage	Lamp Rating
TC2R 6" Incandescent Remodel Non-IC Housing	120V	A19/A21/BR30/BR40/MR16/PAR16/PAR20/PAR30/PAR30L/PAR38/R20/R30 (See pages 3-4 for max. trim rating)

Housing and trim can be ordered together or separate, but will always ship separately.

DIMENSIONS



6 3/4" CEILING CUTOUT

6" DELUXE UNIVERSAL TC REMODEL HOUSING

INCANDESCENT LAMPS

TC2R

TRIMS/LAMPS

	Catalog Number	Description	Max. Lamp Rating
‡		6" Downlight Pinhole with Baffle Trim - Black Baffle, White Trim Ring	50W PAR20/R20
**		6" Downlight Tapered Baffle Trim - Black Baffle, White Trim Ring	75W PAR30L, 65W BR30
		6" Downlight Tapered Baffle Trim - Black Baffle, Satin Chrome Trim Ring	
		6" Downlight Tapered Baffle Trim - Black Baffle, Classic Aged Bronze Trim Ring	
		6" Downlight Tapered Baffle Trim - Black Baffle, Black Trim Ring	
		6" Downlight Tapered Baffle Trim - White Baffle, White Trim Ring	
**		6" Downlight Straight Baffle Trim - Black Baffle, White Trim Ring	85W BR40, 90W PAR38
		6" Downlight Straight Baffle Trim - Black Baffle, Satin Chrome Trim Ring	
		6" Downlight Straight Baffle Trim - Black Baffle, Classic Aged Bronze Trim Ring	
		6" Downlight Straight Baffle Trim - Black Baffle, Black Trim Ring	
		6" Downlight Straight Baffle Trim - White Baffle, White Trim Ring	
‡		6" Downlight Straight Cone Trim - Clear Alzak®, White Trim Ring	90W PAR38, 85W BR40
**		6" Downlight Straight Cone Trim - Gold, White Trim Ring	
		6" Downlight Straight Cone Trim - Black, White Trim Ring	
		6" Downlight Straight Cone Trim - Pewter, Satin Chrome Trim Ring	
		6" Downlight Straight Cone Trim - White, White Trim Ring	
		6" Downlight Straight Cone Trim - Haze, White Trim Ring	
		6" Downlight Straight Cone Trim - Wheat Haze, White Trim Ring	
**		6" Downlight Tapered Cone Trim - Clear Alzak® Cone, White Trim Ring	75W PAR30L, 65W BR30
		6" Downlight Tapered Cone Trim - Gold Cone, White Trim Ring	
		6" Downlight Tapered Cone Trim - Black Cone, White Trim Ring	
		6" Downlight Tapered Cone Trim - Pewter Cone, Satin Chrome Trim Ring	
		6" Downlight Tapered Cone Trim - White Cone, White Trim Ring	
		6" Downlight Tapered Cone Trim - Haze Cone, White Trim Ring	
		6" Downlight Tapered Cone Trim - Wheat Haze Cone, White Trim Ring	
		6" Downlight Tapered Cone Trim - Wheat Haze Cone, Classic Aged Bronze Trim Ring	
		6" Downlight Ultra Trim Baffle Fully Enclosed Trim - Black Baffle, White Trim Ring	75W A19, 100W PAR38, 75W PAR30/30L,
		6" Downlight Ultra Trim Baffle Fully Enclosed Trim - White Baffle, White Trim Ring	85W BR30, 120W BR40
		6" Downlight Ultra Trim Cone Fully Enclosed Trim - Clear Cone, White Trim Ring	100W A19, 100W PAR38, 75W PAR30/30L,
		6" Downlight Ultra Trim Cone Fully Enclosed Trim - White Cone, White Trim Ring	85W BR30, 120W BR40
		6" Downlight Economy A-Lamp Reflector with Baffle Trim - Clear with Black, Black Trim Ring	100W A19
		6" Downlight Economy A-Lamp Reflector with Baffle Trim - Clear with White, White Trim Ring	
		6" Downlight A-Lamp Reflector Trim - Clear Alzak®, White Trim Ring	100W A19, 150W A21
		6" Downlight A-Lamp Reflector Trim - Gold Alzak®, White Trim Ring	100W A19, 150W A21
		6" Downlight A-Lamp Reflector Trim - White, White Trim Ring	75W A19
		6" Downlight A-Lamp Reflector Trim - Haze, White Trim Ring	100W A19, 150W A21
		6" Downlight A-Lamp Reflector Trim - Wheat Haze, White Trim Ring	100W A19, 150W A21
		6" Downlight A-Lamp Reflector with Black Baffle Trim - Clear Alzak®, White Trim Ring	75W A19
		6" Downlight Shallow Baffle Trim - Black Baffle, White Trim Ring	75W PAR30/30L, 65W BR30
		6" Downlight Shallow Baffle Trim - White Baffle, White Trim Ring	
**		6" Downlight Shallow Cone Trim - Clear Alzak® Cone, White Trim Ring	75W PAR30/30L, 65W BR30
		6" Downlight Shallow Cone Trim - Gold Alzak® Cone, White Trim Ring	
		6" Downlight Shallow Cone Trim - Black Alzak® Cone, White Trim Ring	
		6" Downlight Shallow Cone Trim - Haze Cone, White Trim Ring	
		6" Downlight Shallow Cone Trim - Wheat Haze Cone, White Trim Ring	
‡		6" Downlight Open Frame Trim - White	65W BR30
		6" Downlight Open Frame Trim - Satin Chrome	
		6" Downlight Open Frame Trim - Classic Aged Bronze	
		6" Downlight Open Frame Trim - White	120W BR40, 250W R40 Heat Lamp
**		6" Downlight Deep Baffle Trim - Black Baffle, White Trim Ring	75W PAR30,
		6" Downlight Deep Baffle Trim - White Baffle, White Trim Ring	100W PAR38

Trim Size: 7⁵/₈" O.D. (except Cat. Nos. 228, 229, 241, 9024-8" O.D., Cat. No. 9702-7³/₄" O.D.).

* Use dimmers specifically designed for low voltage magnetic transformers.

Alzak is a registered trademark of Alcoa Corp.

Note: In Canada when insulation is present, Type IC fixtures must be used.

‡ Trim may be used with TC2R housing adjusted in lowest (5¹/₄") height position.

◆ UL Listed for use in wet location.

◆◆ UL Listed for use in wet location with outdoor rated lamp.

** NOTE: TR6 Trim Ring compatible with 24, 25, 26, 27, 244S, 247S, 254, 257, 264, 267, 9900 trims.

