Specifications



Photo is representative





Eaton UTH7233UCH

Eaton meter socket, 1-pos commercial or resi service, 200A, Over/under, 5x5 inch hub cover plate, #6-350 kcmil, 7-jaw, 3-ph, #6-350 kcmil, Lever bypass, Gnd conn (#14-#2 Cu), Triplex, 4-wire, Ringless, 600 Vac

General specifications		
PRODUCT NAME	Eaton meter socket	
CATALOG NUMBER	UTH7233UCH	
UPC	782116104208	
PRODUCT LENGTH/DEPTH	5.63 in	
PRODUCT HEIGHT	27 in	
PRODUCT WIDTH	16 in	
PRODUCT WEIGHT	31 lb	
WARRANTY	Eaton Selling Policy 25- 000, one (1) year from the date of installation of the Product or eighteen (18) months from the date of shipment of the Product, whichever occurs first.	
CERTIFICATIONS	UL Listed	



Product specifications		
ТҮРЕ	Single-position commercial or residential service	
AMPERAGE RATING	200A	
FEED TYPE	Top/bottom	
NUMBER OF JAWS	Seven-jaw	
PHASE	Three-phase	
UTILITY APPROVALS	AR : Entergy LA : Entergy MS : Entergy TX : Entergy	
LINE	#6-350 kcmil	
LOAD	#6-350 kcmil	
NUMBER OF WIRES	Four-wire	
HUB TYPE	5 x 5 hub cover plate	
SECURITY	Ringless	
VOLTAGE RATING	600 V	
BYPASS	Lever	
NUMBER OF SOCKETS	1	

Resources	
CATALOGS	Residential and Light Commercial, Metering Products, Volume 1 Tab 4
SPECIFICATIONS AND DATASHEETS	<u>Eaton Specification Sheet -</u> <u>UTH7233UCH</u>
WARRANTY GUIDES	Selling Policy 25-000 - Distribution and Control Products and Services
<u> </u>	

PROJECT NAME:
PROJECT NUMBER:
PREPARED BY:
DATE:



Eaton Corporation plc Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com



information.



latest product and support

Follow us on social media to get the





Specifications



Photo is representative





Eaton UTH7233UCH

Eaton meter socket, 1-pos commercial or resi service, 200A, Over/under, 5x5 inch hub cover plate, #6-350 kcmil, 7-jaw, 3-ph, #6-350 kcmil, Lever bypass, Gnd conn (#14-#2 Cu), Triplex, 4-wire, Ringless, 600 Vac

General specifications		
PRODUCT NAME	Eaton meter socket	
CATALOG NUMBER	UTH7233UCH	
UPC	782116104208	
PRODUCT LENGTH/DEPTH	5.63 in	
PRODUCT HEIGHT	27 in	
PRODUCT WIDTH	16 in	
PRODUCT WEIGHT	31 lb	
WARRANTY	Eaton Selling Policy 25- 000, one (1) year from the date of installation of the Product or eighteen (18) months from the date of shipment of the Product, whichever occurs first.	
CERTIFICATIONS	UL Listed	



Product specifications		
ТҮРЕ	Single-position commercial or residential service	
AMPERAGE RATING	200A	
FEED TYPE	Top/bottom	
NUMBER OF JAWS	Seven-jaw	
PHASE	Three-phase	
UTILITY APPROVALS	AR : Entergy LA : Entergy MS : Entergy TX : Entergy	
LINE	#6-350 kcmil	
LOAD	#6-350 kcmil	
NUMBER OF WIRES	Four-wire	
HUB TYPE	5 x 5 hub cover plate	
SECURITY	Ringless	
VOLTAGE RATING	600 V	
BYPASS	Lever	
NUMBER OF SOCKETS	1	

Resources	
CATALOGS	Residential and Light Commercial, Metering Products, Volume 1 Tab 4
SPECIFICATIONS AND DATASHEETS	<u>Eaton Specification Sheet -</u> <u>UTH7233UCH</u>
WARRANTY GUIDES	Selling Policy 25-000 - Distribution and Control Products and Services
<u> </u>	

PROJECT NAME:
PROJECT NUMBER:
PREPARED BY:
DATE:



Eaton Corporation plc Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com



information.



latest product and support

Follow us on social media to get the



