

# Specifications



Photo is representative



## Eaton V48M28T15

Eaton general purpose ventilated transformer, Dry Type Distribution, DT-3, Three-phase, PV: 480V, Taps: 2 at +2.5% FCAN, 4 at -2.5% FCBN, SV: 208Y/120V, 150°C, 15 kVA, Al windings, Frame: 912B, uses WS38

### General specifications

<b>PRODUCT NAME</b>	Eaton General purpose ventilated transformer
<b>CATALOG NUMBER</b>	V48M28T15
<b>UPC</b>	786680035234
<b>PRODUCT LENGTH/DEPTH</b>	16.5 in
<b>PRODUCT HEIGHT</b>	32.02 in
<b>PRODUCT WIDTH</b>	23 in
<b>PRODUCT WEIGHT</b>	181 lb
<b>WARRANTY</b>	Eaton Selling Policy 25-000, one (1) year from the date of installation of the Product or eighteen (18) months from the date of shipment of the Product, whichever occurs first.
<b>CERTIFICATIONS</b>	UL Listed



Powering Business Worldwide

## Physical Attributes

<b>COIL MATERIAL</b>	Aluminum
<b>DESIGN</b>	DT-3
<b>FRAME</b>	912B
<b>TAP SIZE</b>	2 at +2.5% FCAN, 4 at -2.5% FCBN
<b>TYPE</b>	Dry Type Distribution Transformer

## Miscellaneous

<b>WEATHERSHIELD</b>	WS38
----------------------	------

## Performance Ratings

<b>FREQUENCY RATING</b>	60 Hz
<b>KVA RATING</b>	15 kVA
<b>PRIMARY VOLTAGE</b>	480 V
<b>SECONDARY VOLTAGE</b>	208Y/120 V
<b>TEMPERATURE RISE</b>	150 °C rise

## Resources

<b>CATALOGS</b>	<a href="#">Commercial Distribution, Transformers, Volume 2, Tab 2</a>
<b>SPECIFICATIONS AND DATASHEETS</b>	<a href="#">Eaton Specification Sheet - V48M28T15</a>

**PROJECT NAME:**

**PROJECT NUMBER:**

**PREPARED BY:**

**DATE:**



**Eaton Corporation plc**  
Eaton House  
30 Pembroke Road  
Dublin 4, Ireland  
Eaton.com

© 2025 Eaton. All Rights Reserved.

Eaton is a registered trademark. Follow us on social media to get the latest product and support information.

All other trademarks are property of their respective owners.



# Specifications



Photo is representative



## Eaton V48M28T15

Eaton general purpose ventilated transformer, Dry Type Distribution, DT-3, Three-phase, PV: 480V, Taps: 2 at +2.5% FCAN, 4 at -2.5% FCBN, SV: 208Y/120V, 150°C, 15 kVA, Al windings, Frame: 912B, uses WS38

### General specifications

<b>PRODUCT NAME</b>	Eaton General purpose ventilated transformer
<b>CATALOG NUMBER</b>	V48M28T15
<b>UPC</b>	786680035234
<b>PRODUCT LENGTH/DEPTH</b>	16.5 in
<b>PRODUCT HEIGHT</b>	32.02 in
<b>PRODUCT WIDTH</b>	23 in
<b>PRODUCT WEIGHT</b>	181 lb
<b>WARRANTY</b>	Eaton Selling Policy 25-000, one (1) year from the date of installation of the Product or eighteen (18) months from the date of shipment of the Product, whichever occurs first.
<b>CERTIFICATIONS</b>	UL Listed



Powering Business Worldwide

## Physical Attributes

COIL MATERIAL	Aluminum
DESIGN	DT-3
FRAME	912B
TAP SIZE	2 at +2.5% FCAN, 4 at -2.5% FCBN
TYPE	Dry Type Distribution Transformer

## Miscellaneous

WEATHERSHIELD	WS38
---------------	------

## Performance Ratings

FREQUENCY RATING	60 Hz
KVA RATING	15 kVA
PRIMARY VOLTAGE	480 V
SECONDARY VOLTAGE	208Y/120 V
TEMPERATURE RISE	150 °C rise

## Resources

CATALOGS	<a href="#">Commercial Distribution, Transformers, Volume 2, Tab 2</a>
SPECIFICATIONS AND DATASHEETS	<a href="#">Eaton Specification Sheet - V48M28T15</a>

PROJECT NAME:

PROJECT NUMBER:

PREPARED BY:

DATE:



**Eaton Corporation plc**  
Eaton House  
30 Pembroke Road  
Dublin 4, Ireland  
Eaton.com

© 2025 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.

Follow us on social media to get the latest product and support information.

