

Specifications



Photo is representative



Eaton XTCE072DS1A

Eaton XT IEC contactor, 72A, Side-mounted, 110 Vac 50 Hz, 120 Vac 60 Hz, 1NO-1NC, 72A, Frame D, 55 mm, 50-60 Hz, 5, 10, 15/20, 25, 50, 60 hp (1/3PH @ 115, 200, 230/200, 230, 460, 575 V), Three-pole, Screw terminals, FVNR

General specifications

| | |
|-----------------------------|--|
| PRODUCT NAME | Eaton XT IEC contactor |
| CATALOG NUMBER | XTCE072DS1A |
| UPC | 786685365183 |
| PRODUCT LENGTH/DEPTH | 1 in |
| PRODUCT HEIGHT | 1 in |
| PRODUCT WIDTH | 1 in |
| PRODUCT WEIGHT | 1 lb |
| WARRANTY | Eaton Selling Policy 25-000, one (1) year from the date of installation of the Product or eighteen (18) months from the date of shipment of the Product, whichever occurs first. |
| CERTIFICATIONS | CSA Certified UL Listed EN 60947 IEC 60947 |

Product specifications

| | |
|-----------------------------|---|
| AMPERAGE RATING | 72A |
| HP RATING - MAX | 5, 10, 15/ 20, 25, 50, 60 hp (1/3PH @ 115,200,230/200,230,460,575 V) |
| NUMBER OF POLES | Three-pole |
| TYPE | Full voltage non-reversing contactor |
| FREQUENCY RATING | 50-60 Hz |
| FRAME SIZE | 55 mm |
| TERMINALS | Screw terminals |
| COIL | 110-120 Vac, 50/60 Hz |
| COIL VOLTAGE | 110-120 Vac, 50/60 Hz |
| CONTACT CONFIGURATION | 1 NO, 1 NC |
| CONTINUOUS AMPERE RATING | 72 A |
| SERIES | XT IEC |
| OPERATION | Non-reversing |

Resources

| | |
|----------------------------------|--|
| SPECIFICATIONS AND DATASHEETS | Eaton Specification Sheet - XTCE072DS1A |
| WARRANTY GUIDES | Selling Policy 25-000 - Distribution and Control Products and Services |

PROJECT NAME:

PROJECT NUMBER:

PREPARED BY:

DATE:



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2025 Eaton. All Rights
Reserved.

Eaton is a registered trademark. Follow us on social media to get the latest
product and support information.

All other trademarks are property of
their respective owners.



Specifications



Photo is representative



Eaton XTCE072DS1A

Eaton XT IEC contactor, 72A, Side-mounted, 110 Vac 50 Hz, 120 Vac 60 Hz, 1NO-1NC, 72A, Frame D, 55 mm, 50-60 Hz, 5, 10, 15/20, 25, 50, 60 hp (1/3PH @ 115, 200, 230/200, 230, 460, 575 V), Three-pole, Screw terminals, FVNR

General specifications

| | |
|-----------------------------|--|
| PRODUCT NAME | Eaton XT IEC contactor |
| CATALOG NUMBER | XTCE072DS1A |
| UPC | 786685365183 |
| PRODUCT LENGTH/DEPTH | 1 in |
| PRODUCT HEIGHT | 1 in |
| PRODUCT WIDTH | 1 in |
| PRODUCT WEIGHT | 1 lb |
| WARRANTY | Eaton Selling Policy 25-000, one (1) year from the date of installation of the Product or eighteen (18) months from the date of shipment of the Product, whichever occurs first. |
| CERTIFICATIONS | CSA Certified UL Listed EN 60947 IEC 60947 |

Product specifications

| | |
|-----------------------------|---|
| AMPERAGE RATING | 72A |
| HP RATING - MAX | 5, 10, 15/ 20, 25, 50, 60 hp (1/3PH @ 115,200,230/200,230,460,575 V) |
| NUMBER OF POLES | Three-pole |
| TYPE | Full voltage non-reversing contactor |
| FREQUENCY RATING | 50-60 Hz |
| FRAME SIZE | 55 mm |
| TERMINALS | Screw terminals |
| COIL | 110-120 Vac, 50/60 Hz |
| COIL VOLTAGE | 110-120 Vac, 50/60 Hz |
| CONTACT CONFIGURATION | 1 NO, 1 NC |
| CONTINUOUS AMPERE RATING | 72 A |
| SERIES | XT IEC |
| OPERATION | Non-reversing |

Resources

| | |
|----------------------------------|--|
| SPECIFICATIONS AND DATASHEETS | Eaton Specification Sheet - XTCE072DS1A |
| WARRANTY GUIDES | Selling Policy 25-000 - Distribution and Control Products and Services |

PROJECT NAME:

PROJECT NUMBER:

PREPARED BY:

DATE:



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2025 Eaton. All Rights
Reserved.

Eaton is a registered trademark. Follow us on social media to get the latest
product and support information.

All other trademarks are property of
their respective owners.

