

# Specifications

## Eaton VS306U-W

Eaton vacancy sensor switch, No neutral connection, Flush, 120V, Wire leads, Maintained closure, White, Incand, MLV, ELV, Flrsnt, CFL, LED, halo, 1-pole, 3-way, 1-phase, 450 sq ft, Vacancy, 600W 722165

### General specifications

<b>PRODUCT NAME</b>	Eaton vacancy sensor switch
<b>CATALOG NUMBER</b>	VS306U-W
<b>UPC</b>	032664722165
<b>PRODUCT LENGTH/DEPTH</b>	2.8 in
<b>PRODUCT HEIGHT</b>	5 in
<b>PRODUCT WIDTH</b>	3.3 in
<b>PRODUCT WEIGHT</b>	0.001 lb
<b>CERTIFICATIONS</b>	cULus Listed NOM
<b>PRODUCT TYPE</b>	Vacancy sensor switch



Powering Business Worldwide

## Product specifications

**SPECIAL FEATURES** No neutral connection

**TYPE** Vacancy sensor switch

**VOLTAGE RATING** 120 V

**NUMBER OF POLES** Single-pole

**PHASE** Single-phase

**POWER CONSUMPTION** 600 W

**WIRING METHOD** Wire leads

**SENSOR TYPE** Vacancy

**MOUNTING METHOD** Flush

**CLOSURE TYPE** Maintained

**LOAD TYPE** HAL  
ELV  
LED  
INC  
FLR  
MLV  
CFL

**NUMBER OF WAYS** Three-way

**RANGE** 450 sq ft

**COLOR** White

## Resources

SPECIFICATIONS AND DATASHEETS [Eaton Specification Sheet - VS306U-W](#)

[Eaton Passive infrared \(PIR\) motion spec sheet](#)

**PROJECT NAME:**

**PROJECT NUMBER:**

**PREPARED BY:**

**DATE:**



**Eaton Corporation plc** Eaton House  
30 Pembroke Road  
Dublin 4, Ireland  
Eaton.com

© 2026 Eaton. All Rights Reserved.

Follow us on social media to get the latest product and support information.



# Specifications

## Eaton VS306U-W

Eaton vacancy sensor switch, No neutral connection, Flush, 120V, Wire leads, Maintained closure, White, Incand, MLV, ELV, Flrsnt, CFL, LED, halo, 1-pole, 3-way, 1-phase, 450 sq ft, Vacancy, 600W 722165

### General specifications

<b>PRODUCT NAME</b>	Eaton vacancy sensor switch
<b>CATALOG NUMBER</b>	VS306U-W
<b>UPC</b>	032664722165
<b>PRODUCT LENGTH/DEPTH</b>	2.8 in
<b>PRODUCT HEIGHT</b>	5 in
<b>PRODUCT WIDTH</b>	3.3 in
<b>PRODUCT WEIGHT</b>	0.001 lb
<b>CERTIFICATIONS</b>	cULus Listed NOM
<b>PRODUCT TYPE</b>	Vacancy sensor switch



Powering Business Worldwide

## Product specifications

**SPECIAL FEATURES** No neutral connection

**TYPE** Vacancy sensor switch

**VOLTAGE RATING** 120 V

**NUMBER OF POLES** Single-pole

**PHASE** Single-phase

**POWER CONSUMPTION** 600 W

**WIRING METHOD** Wire leads

**SENSOR TYPE** Vacancy

**MOUNTING METHOD** Flush

**CLOSURE TYPE** Maintained

**LOAD TYPE** HAL  
ELV  
LED  
INC  
FLR  
MLV  
CFL

**NUMBER OF WAYS** Three-way

**RANGE** 450 sq ft

**COLOR** White

## Resources

SPECIFICATIONS AND DATASHEETS [Eaton Specification Sheet - VS306U-W](#)

[Eaton Passive infrared \(PIR\) motion spec sheet](#)

**PROJECT NAME:**

**PROJECT NUMBER:**

**PREPARED BY:**

**DATE:**



**Eaton Corporation plc** Eaton House  
30 Pembroke Road  
Dublin 4, Ireland  
Eaton.com

© 2026 Eaton. All Rights Reserved.

Follow us on social media to get the latest product and support information.

